#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



## EPA United States Environmental Protection Office of Pesticide Programs

Lebanon Seaboard Corporation 1600 East Cumberland St. Lebanon, PA 17042

MAR 2 5 2010

Subject:

Label Amendment

EPA Reg. No.: 961-283 Greenview Preen N' Green

Dear Ms. Covert,

The Agency has received your application for an amendment to the subject labeling, dated December 29, 2009. The label described above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided you make the following modifications:

- 1. Remove or qualify the following marketing claims: "Apply any time throughout the growing season," and "Apply anytime – spring, summer, or fall." The label restrictions require an 8-week interval between applications, along with other restrictions on application timing, so the term "anytime" is misleading and could lead the user to apply the product incorrectly and/or more frequently.
- 2. In the Environmental Hazards section, add the words, "or rinseate," after the word, "washwaters."
- 3. On page 5, the language for pouch containers: Precautionary language cannot be placed "inside a booklet," and must appear on the outer portion of the label. The statement, "See inside booklet for complete directions for use, plant listings, & precautionary statements" therefore needs to be modified, and all precautionary statements must appear on the main labeling.
- 4. On page 3, in the "Trees" section, move banana, crabapple, carob, mulberry, and any other potentially food-producing trees to the "Nonbearing Fruit and Nut Trees and Plants" section, or otherwise specify that these must be nonbearing.
- 5. NOTE: While no additional data is being requested at this time, marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available then those claims must be removed.

This labeling supersedes all previous accepted labeling for this product. Please submit one (1) copy of the final printed label before the product is released for shipment. If you have any questions, please contact Kathryn Montague (703-305-1243 or montague.kathryn@epa.gov).

Sincerely.

Kathryn V. Montague

Product Manager 23 Herbicide Branch

Registration Division (7505P)

# **GREENVIEW® PREEN 'N GREEN®**

#### NOT FOR USE ON LAWNS

ACTIVE INGREDIENT:		
Trifluralin		0.74%
OTHER INGREDIENTS:		99.26%
TOTAL		100.00%
	(L) (D)	
EPA Reg. No. 961-283	EPA Est. No. 961-PA-01:961-IL-01	
CAS No.1582-09-8	Superscript used is first letter of	lot number.
GUARANTEED FERTILIZER A	INALYSIS	
Total Nitrogen (N)		10%
9.0% Ammoniacal Nitrogen		100/
Available Phosphate (P2Os)		18%
Soluble Potash (K₂O)		9%
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Muriate o	f Potash.	
Chlorine (CI) not more than		8.0%
		F699

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
1-800-233-1067
www.preen.com

NET WEIGHT: XX LBS. (X.XX kg) TREATS X,XXX SQ. FT.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statement

ACCEPTED with COMMENTS In EPA Letter Dated:

MAR 2 5 2010 Under the Federal Insciticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

961-283

### PRECAUTIONARY STATEMENTS HAZAMDS TO HUMANS AND DOMESTIC ANIMALS



#### **CAUTION**

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

User Safety Recommendations:

· Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**FIRST AID** 

F IN EYES:

· Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

F SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

· Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not give anything by mouth to an unconscious person.

F ON SKIN DR CLOTHING: · Take off contaminated clothing.

 Rinse skin immediately with plenty of water for 15-20 minutes. · Call a poison control center or doctor for treatment advice.

F INHALED:

Move person to fresh air.

• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to drift or runoff. Do not contaminate water when disposing of equipment washwaters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### PRODUCT INFORMATION

Preen 'n Green is a two-way product that feeds with a high quality plant food and at the same time prevents most weeds from germinating in flower and vegetable gardens, in ground covers and around trees and shrubs. Although Preen 'n Green will not kill existing weeds, it will prevent new weeds from sprouting - eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

#### PRECAUTIONS AND RESTRICTIONS

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE. OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES. FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BEING GROWN IN ORNAMENTAL GARDENS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen 'n Green to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to Preen 'n Green. Do not use with crops other than those listed on this label.

This product is not for use on lawns, nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

#### ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

> Page 2 of 5 Pages 961-283 Amendment 2008-1 12-29-09

#### **ANNUAL WEEDS CONTROLLED**

Grassy weeds: Barley, Hare; Barnyardgrass (Watergrass); Bluegrass, Annual; Brome; Cheat; Crabgrass; Cupgrass: Southwestern, Woolly; Fescue, Rattail; Foxtail; Guineagrass; Goosegrass; Johnsongrass (from seed); Junglerice; Lovegrass; Oat, Wild; Panicum: Fall, Texas; Sandbur; Shattercane; Signalgrass (*Brachiaria*); Sprangletop; Stinkgrass; Wildcane; Witchgrass. Also controls these **broadleaf weeds**: Carelessweed; Carpetweed; Chickweed; Goosefoot; Henbit; Knotweed; Kochia; Lambsquarters; Nettle, Stinging; Pigweed; Puncturevine (Western U.S. only); Purslane; Pusley, Florida; Thistle, Russian.

#### PREEN 'N GREEN IS FOR USE AROUND THESE ESTABLISHED PLANTS

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses -- Aaronsbeard; Alyssum; Arctotis; Aster (perennial); Aster, Stoke's; Baby's breath; Balsam; Beard tongue; Bee balm; Begonia; Bellflower; Black-eyed susan; Bleeding heart; Bunge; Calendula; Calliopsis; Cape weed; Carex, Variegated; Carnation; Carpet bugle (*Ajuga*); Ceanothus; Centaurea, Velvet; Chrysanthemum; Coneflower, Purple; Coral bells; Coreopsis; Cornflower, Purple; Cosmos; Cotoneaster; Coyote bush, Dwarf; Crown vetch; Daffodil; Dahlia; Daisy: African, Painted, Shasta, Trailing African; Daylily; Descampsia; Dianthus; Dusty miller; Fern, Asparagus; Fescue, Blue; Floss flower (*Ageratum*); Forget-me-not; Four o'clock; Foxglove; Gaillardia; Gayfeather; Gazania; Geranium; Germander; Geum; Gladiolus (corms more than 1" in diameter); Golden glow; Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia; Guara; Hakonechloa, Golden; Hollyhock; Hosta, Albo-marginata; Hyacinth; Ice plant: Largeleaf, Trailing, Trailing rosea, White; Impatiens; Iris, Bulbous; Ivy: Algerian, California, English, Needlepoint; Ixora; Jasmine: Angelwing, Asaian; Lamb's ears; Lavander, English; Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated Iiriope, White; Lily-of-the-nile; Lobelia; Lupine (*Lupinus*); Marigold; Marigold, Cape (*Dimorphotheca*); Morningglory; Myoporum; Narcissus; Nasturtium; Nicotiana; Ozark sundrop; Periwinkle (*Vinca*); Peter Pan, Dwarf; Petunia; Phlox; Pincushion flower (*Scabiosa*); Plumbago, Dwarf; Poppy, California; Portulaca; Rockrose; Rose; Rosemary; *Rudbeckia*; Rupturewort; Sage, Russian; Salvia; Silver mound; Snapdragon; Snow-insummer; Snow-on-the-mountain; Speedwell; Spurge, Japanese; St. John's wort; Statice; Stock; Stonecrop (*Sedum*); Strawberry, Beach; Sunflower; Sweet alyssum; Sweet pea; Sweet sultan; Sweet william; Thrift; Tickseed; Tulip; Verbena; Wire plant; Wirevine, Creeping; Yarrow (*Achillea*); Zinnia.

Shrubs -- Abelia: Edward Goucher, Glossy; Acacia: Abyssinica, Prostrate, Shoestring; Andromeda, Japanese; Arborvitae; American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny; Azalea; Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly; Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn; Bottlebrush; Lemon, Weeping; Bougainvillea; Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn; Boxwood: Common, Harlands, Japanese, Korean, Littleleaf; Broom: Hollandia-warminster, Lena-Scotch; Camellia: Japanese, Sasangua; Cassia, Feathery; Century plant; Cherry: Carolina laurel, Dwarf pink flowering almond; Cinquefoil; Cleyera, Japanese; Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel; Coyotebush; Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa; Daphne, Fragrant; Deutzia; Dogwood: Baileyi red osier, Flaviramea-yellowtwig, Sibirica-Siberian; Elaeagnus; Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper; Fern: Tassel, Japanese painted; Firethorn (Pyracantha); Forsythia; Gardenia: August beauty, Mystery, Radican; Guava, Pineapple; Hawthorn, India; Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch; Hibiscus, Ross Estey; Holly; Honeysuckle: Cape, Trumpet; Hopseed bush; Ixora; Jessamine, Carolina; Juniper; Lantana; Laurel: American Cherry, Mountain; Leaf: Copper, Salal/lemon; Leucothoe: Coast, Drooping; Lilac: Common, Chinese, Wild; Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Templebells, Valley rose, Valley valentine; Mahonia: Creeping, Leather leaf; Maple: Amur, Coral bark Japanese, Dwarf Japanese; Mock orange; Myrtle: Crape, Wax; Oleander: Hardy red, Ruby lace; Osmanthus, Fortunes; Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago; Photinia, Fraser's; Pieris Japonica; Pine, Mugo-mugho; Pittosporum: Green, Japanese, Wheeler's dwarf; Plumbago; Privet; Red Cedar, Eastern; Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme; Rhododendron; Robira; Rose; Rose, Ramanas; Rose of Sharon; Heart, Red bird, Woodbridge; Sakaki; Silverberry; Skimmia: Japanese, Reeve's; Smoke Tree: Royal purple, Coral beauty, Eichholz; Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte, Sumac, African; Summersweet; Sweetspire, Henry Garnet holly leaf; Viburnum; Weigela; Willow; Woadwaxen; Woodbine: Flowering, Serotina; Xylosma; Yew: Anglojap, Plum, Upright Japanese; Yewpine; Yucca.

Trees -- Ash: Shamel, White; Banana; Birch: European white, Paper, River; Blackgum; Bottle tree; Carob; Carrot wood; Cherry, Yoshino flowering; Coolibah tree; Cottonwood; Crabapple; Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false; Dogwood: Cloud nine, Flowering, Kousa; Elm, Chinese; Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar; Ficus, Mini; Fir: Balsam, Douglas, White; Florida anise tree; Ginkomaidenhair tree; Hawthorn, Green; Hemlock: Canada, Eastern; Larch, Japanese; Linden; Locust: Black, Honey, Shademaster honey; Magnolia; Mahogany; Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering; Mesquite, Chilean; Mulberry, White; Oak: Bear, Live, Pin, Red, Scarlet, Willow; Olive: Black, Russian; Palm: Mexican fan, Parlor, Queen; Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore; Planetree, London; Podocarpus; Redbud, Eastern; Red Cedar, Eastern; Sequoia, Giant; Sourwood; Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White; Sweetgum, American; Sycamore: American, California; Tab, Yellow; Toyon; Tuliptree; Willow.

Nonbearing Fruit and Nut Trees and Plants-- Almond; Apple; Apricot; Avocado; Blackberry; Blueberry; Cherry: Sweet, Sour; Chestnut, Chinese; Currant; Dewberry; Elderberry; Fig; Filbert; Gooseberry; Grape: American, European; Grapefruit; Kiwi; Lemon; Loganberry; Macadamia nut; Nectarine; Olive; Orange; Peach; Peach; Peach; Pistachio; Plum; Pomegranate; Prune; Raspberry; Tangelo; Tangerine; Walnut: Black, English.

#### WHEN TO APPLY PREEN 'N GREEN

Apply Preen in Green anytime during the growing season around established plants and transplants. Do not use Preen in Green on flower seeds. Apply after flowering plants have germinated and are 2-3 inches tall. Preen in Green may also be incorporated into the soil when seeding vegetables or applied after mulching beds. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen in Green as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. For optimum weed control and plant feeding, reapply Preen 'n Green 4 weeks after the first application. Subsequent applications may be made in 8 week intervals throughout the growing season on ornamental beds.

#### HOW TO APPLY PREEN 'N GREEN


To avoid plant injury, do not apply Preen 'n Green when foliage is wet. When plants are dry, sprinkle Preen 'n Green on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation, Preen 'n Green forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

#### APPLYING AROUND ESTABLISHED PLANTS AND TRANSPLANTS

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2-3 inches tall (see special section for use on vegetables): sprinkle Preen 'n Green evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture below), being sure to keep granules away from plant roots and foliage. Immediately water Preen 'n Green into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface Application Rate Sprinkle Preen 'n Green as shown on soil surface.





#### APPLYING PREEN 'N GREEN WITH MULCH

For best weed control, apply Preen 'n Green after spreading mulch on your flower and shrub beds. Sprinkle Preen 'n Green on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Immediately water Preen 'n Green into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

#### FOR USE ON VEGETABLES

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen 'n Green into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 320 sq. ft. for heavy clay-type soils, at 1 lb. per 480 sq. ft. for medium loam soils, and at 1 lb. per 640 sq. ft. for light sandy soils.

**BEFORE Seeding:** Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes - Apply after planting, before or after emergence.

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

Perennial Vegetables:

Asparagus - Apply prior to spear emergence of established plants.

This container is constructed from 85% recycled box board. (For paper box board only)

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. IF EMPTY: Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### PREEN 'N GREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042

To the extent consistent with applicable law, the manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

#### Advertising claims that may be presented on the label:

The Flower and Garden Weed Preventer Plus Fertilizer

A Work . Saver Product For The Joy Of Weed-Free Gardens

Prevents Weeds & Fertilizes in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs, Trees & Vegetables

Ready To Use Granules with Built In Applicator (For plastic containers only)

Refillable Preen 'n Green Canister (For plastic containers only)

This WORK-SAVER product prevents weeds plus fertilizes in one easy application.

Fertilizes to Provide Rich Color and Vigorous Growth

American Rose Society Endorsed

Effective Weed Control - Prevents weeds all season long - eliminates the need for hand weeding.

Beneficial, High Quality Fertilizer - For abundant blooms, increased yields, strong root development and improved plant vigor.

Easy To Apply - Just shake on.

Apply any time throughout the growing season.

Great over mulch.

Stop weeds before they start!™

Prevents weeds up to three months

Sprinkle around flowers, vegetables, trees, shrubs

Sprinkle around flowers, vergetables, trees and shrubs

Apply anytime - spring, summer or fall

XX% more than previous container (Percentage will vary by container size)

Good Housekeeping Seal of Approval (Logo)

Stop weeds before they start around flowers, vegetables, trees, shrubs

EASY TO USE APPLICATOR

TO OPEN: Cut along dotted line [pictogram scissors and dotted line]

Preen Works So You Don't Have To.™

#### Additional Labeling Requirements:

Fertilizer labeling requirement for products distributed in the state of Washington:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

#### The following may appear on "Pouch Containers":

See inside booklet for complete directions for use, plant listings, & precautionary statements Press to reseal

Lift here to open

Preen is a registered trademark of Lebanon Seaboard Corporation Proof of Purchase [Pictogram Barcode]

[pictogram telephone and computer mouse]

1-800-233-1067

Visit www.preen.com

Page 5 of 5 Pages 961-283 Amendment 2008-1 12-29-09