

NET WEIGHT: 10 LBS. (XXX Kg.)  
TREATS: 5,000 SQ. FT.

# GREENVIEW SPRING CRABICIDE CRABGRASS PREVENTER

Contains Exclusive BALAN\*

Prevents Crabgrass (also other grassy weeds) Before You See It

ACTIVE INGREDIENT:

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine

1.72%

INERT INGREDIENTS:

98.28%

TOTAL:

100.00%


Balan\* - a trademark of DowElanco

EPA Reg No. 961-284

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.



## CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY

Lebanon Chemical Corporation

Lebanon, PA 17042

**BEST AVAILABLE COPY**

## CONVENIENT & ECONOMICAL

One Springtime application saves time, work and money. This product will not damage Bluegrass (perennial), Ryegrass (perennial), Fescuegrass, Zoysiagrass, Bermudagrass, St. Augustinegrass and Centipedegrass turfs when applied as directed. Do not apply to new lawns started the previous Fall

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust or spray mist and contact with skin or eyes. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product.

### FIRST AID

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF INHALED:** If discomfort occurs, remove individual to fresh air. Get medical attention if breathing difficulty occurs.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes.

## BEST AVAILABLE COPY

## WHEN TO APPLY

Apply this product in the spring before crabgrass germinates. Reseeding should be delayed for 6 weeks after application.

## HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply.

Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. = 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.), two bags are sufficient.

Using a Recommended Setting below (calculated to apply at one-half rate), spread one-half of the required amount for your lawn, moving at a steady rate in one direction.

Spread the other half of the required amount over the same area moving across or at right angles to the first application. This minimizes skips and overlaps, insuring good coverage. When turning or stopping spreader, close spreader gate.

Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

**BEST AVAILABLE COPY**

## SPREADER SETTINGS

### Recommended (Two-Step) Setting

Show 'N Tell	6	Sears	7
Scott (Drop)	6	Jet Spred <sup>(R)</sup>	3 3/4
Jackson	5	Cyclone	3 3/4
Glorion 6		Scott Rotary	N

### ONE-STEP SETTING

Show 'N Tell	7	Sears	9
Scott (Drop)	7 1/2	Jet Spred <sup>(R)</sup>	5
Jackson	6 1/2	Cyclone	5
Glorion	7 1/2	Scott Rotary	T

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 1 6 oz. at 2-step setting, 3 2 oz. at 1-step setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

### STORAGE AND DISPOSAL

**STORAGE:** Keep in original container in a cool, dry area, away from extreme heat and direct sunlight.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

## BEST AVAILABLE COPY