NET WEIGHT: 20 LBS. (XXX Kg.) TREATS: 5,000 SQ. FT.

# **GREENVIEW** CRABICIDE GREEN<sub>M</sub>

**Crabgrass Preventer PLUS Lawn Fertilizer** 

TOTAL:

ACTIVE INGREDIENTS: N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine INERT INGREDIENTS:

0.86% 99.14% 100.00% P

" " U'-: it

MCCEPTED

961-288

the second

1. 7

Balan - the registered trademark for DowElanco's benefin

EPA Reg. No. 961-288

)

(L) (D) EPA Est 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

# CAUTION

KEEP OUT OF REACH OF CHILDREN See Back Panel for Additional Precautionary Statements.

### MANUFACTURED BY

Lebanon Chemical Corporation

Lebanon, PA 17042

Page 1 of 4 Pages 961-288 01/16/95

## PRECAUTIONARY STATEMENTS KEEP OUT OF REACH OF CHILDREN AND PETS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust or spray mist and contact with skin or eyes. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product.

#### **FIRST AID**

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF INHALED: If discomfort occurs, remove individual to fresh air. Get medical attention if breathing difficulty occurs.

## **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

KEEPS OUT CRABGRASS - GOOSEGRASS - FOXTAIL - BARNYARDGRASS by effectively killing the sprouting seeds. Contains BALAN® weed preventer used by professional managers.

GREENS AND THICKENS LAWN with quality lawn fertilizer. Contains as much greening power per square foot as GREEN POWER.

One application in Spring stops crabgrass before it starts. This product will not damage established bluegrass, ryegrass, fescuegrass, zoysiagrass, Bermudagrass, St. Augustinegrass and centipedegrass turfs when applied as directed. Do not apply to new grass planted the previous Fall. Do not apply to bentgrass or dichondra, nor to newly-sprigged areas of Bermudagrass, St. Augustinegrass or centipedegrass.

# BEST AVAILABLE COPY

Page 2 of 4 Pages 961-288 01/16/95

#### DIRECTIONS

It is a violation of Federal law to use this product in a manner 1 consistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

## WHEN TO APPLY

Apply this product in the spring before crabgrass germinates. If you plan to re-seed, wait 6 weeks after application. The fertilizer in this product may thicken grass enough to reduce or eliminate re-seeding.

## HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag for every 5,000 sq. ft. of lawn area (for example 50 ft. x 100 ft. = 5,000 sq. ft.). If your lawn measures 100 ft x 100 ft. (or 10,000 sq. ft.), 2 bags are sufficient.

1. Using the Recommended Setting below (calculated to apply at one-half rate), spread one-half of the required amount for your lawn, moving at a steady rate in one decordon.

2. Spread the other half of the required amount over the same area moving across or at right angles to the first application. This minimizes skips and overlaps, insuring good overlage. When turning or stopping spreader, close spreader gate

3. Where this two-step procedure is not practical, apply this product in one trip over the lawn using the One-Step settings listed below. Be careful to cover lawn completely, sind / crabgrass can grow in spots which are missed

#### SPREADER SETTINGS

•	Recommended	
	(Two-Step)	One-Step
Setting	Setting	Setting
Greenfield Model 105	5 3/4	6 3/4
Lawn Beauty	6 1/4	7 1/4
Sears	4	5 1:8
Scotts 35, 75, 100 automatic	4 1/4	5 3/4
Jackson (drop type)	5	6
Modern	2 3/4	3 1/2
Ace (dial on hopper)	2 1/2	3 1/2

ì

}

The Recommended Settings listed above are calculated to apply this product at one-half rate as directed above. In addition, One-Step settings are listed for use where only one trip will be made over the lawn. Check application rate of your spreader before applying. Settings may vary with type, age and conditon of spreader.

Fage 3 of 4 Pages 961-288 01/16/95

# BEST AVAILABLE COPY

## FOR A GREENER LAWN

This product is a specially developed high-nitrogen lawn food that will build and maintain a sturd luxuriant and superior lawn

This product can be applied any time during the growing season. It provides sustained feeding v burning when used as directed.

This product builds beautiful lawns.

)

#### STORAGE AND DISPOSAL

STORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

#### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonal the purpose stated on the label when used in accordance with directions under normal condition use, but neither this warranty nor any other warranty of merchantability or fitness for a particular perpressed or implied, extends to the use of this product contrary to label instructions, or under at conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk such use.

# **BEST AVAILABLE COPY**

Page 4 of 4 Pages 961-288 01/18/95