

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 5 1995

Henry E. Rohland  
 Lebanon Chemical Corporation  
 P.O. Box 180  
 Lebanon, PA 17042-0180

Dear Mr. Rohland:

Subject: Addition of WPS Exclusionary Statement  
 Greenview Two-Way Wintergreen 10-18-10  
 EPA Registration No. 961-291  
 Your Submission Dated January 17, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) Add Precautionary Statements to read "Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing."
- 2) Add the statement "Get medical attention if irritation persists" to the end of the IF ON SKIN statement in the Statement of Practical Treatment.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller  
 Product Manager (23)  
 Fungicide-Herbicide Branch  
 Registration Division (7505C)

Enclosure

DK: 305-TS46-FHB/PM23		CONCURRENCES					
SYMBOL	7505C						
SURNAME	D. KENNY						
DATE	5/4/95						

2 7 6

NET WEIGHT: 35 LBS. (XXX Kg.)  
TREATS AS IT FORTIFIES 10,000 SQ. FT.

# GREENVIEW TWO-WAY WINTERGREEN

# 10-18-10

FORTIFIES YOUR LAWN - KILLS FALL WEEDS  
FALL FERTILIZER PLUS WEED KILLERS

**ACTIVE INGREDIENTS:**

Isocetyl ester of 2,4-dichlorophenoxyacetic acid*	1.48%
Isocetyl ester of 2-(2-methyl-4-chlorophenoxy) propionic acid**	1.49%
<b>INERT INGREDIENTS:</b>	97.03%
<b>TOTAL:</b>	100.00%

- \* Equivalent to 0.98% 2,4-dichlorophenoxyacetic acid
- \*\* Equivalent to 0.98% 2-(2-methyl-4-chlorophenoxy) propionic acid  
(L) (D)

EPA Reg. No. 961-291

EPA Est. 961-PA-01 961-IL-01  
Superscript used is first letter of lot number

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

In case of contact, wash skin with soap and water, for eyes, flush with water for 15 minutes and get medical attention.



**See Back Panel for Additional Precautionary Statements**

**MANUFACTURED BY**  
Lebanon Chemical Corporation  
Lebanon, PA 17042

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

Page 1 of 5 Pages  
961-291  
01/10/95

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
961-291



2

2 7 6

NET WEIGHT: 35 LBS. (XXX Kg.)  
TREATS AS IT FORTIFIES 10,000 SQ. FT.

# GREENVIEW TWO-WAY WINTERGREEN

# 10-18-10

FORTIFIES YOUR LAWN - KILLS FALL WEEDS  
FALL FERTILIZER PLUS WEED KILLERS

**ACTIVE INGREDIENTS:**

Isocetyl ester of 2,4-dichlorophenoxyacetic acid*	1.48%
Isocetyl ester of 2-(2-methyl-4-chlorophenoxy) propionic acid**	1.49%
<b>INERT INGREDIENTS:</b>	97.03%
<b>TOTAL:</b>	100.00%

\* Equivalent to 0.98% 2,4-dichlorophenoxyacetic acid

\*\* Equivalent to 0.98% 2-(2-methyl-4-chlorophenoxy) propionic acid

(L) (D)

EPA Reg. No. 961-291

EPA Est. 961-PA-01-961-IL-01

Superscript used is first letter of lot number

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

In case of contact, wash skin with soap and water, for eyes, flush with water for 15 minutes and get medical attention.

See Back Panel for Additional Precautionary Statements

**MANUFACTURED BY**  
Lebanon Chemical Corporation  
Lebanon, PA 17042

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

Page 1 of 5 Pages  
961-291  
01/10/95

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

961-291

3 7 6

### GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)		10.0%
6.0% Ammoniacal Nitrogen		
4.0% Urea Nitrogen		
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )		18.0%
Soluble Potash (K <sub>2</sub> O)		10.0%
Magnesium (Mg)	1.0%	
Sulfur (S)	2.0%	
Iron (Fe)	1.0%	
Manganese (Mn)	0.5%	

**NUTRIENT SOURCES:** Urea, Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Sulfates, Oxides

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Do not allow people (other than Applicator) or pets on treatment area during application. Do not enter treatment areas until sprays have dried or dusts have settled.

When using this product, wear a long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

---


**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.**



4 7 6

This product contains special weed control to kill broadleaf weeds while the fertilizer fortifies your lawn for winter. The special formula helps lawns survive the rages of winter and green up lawn in the spring.

This product helps promote sturdier, deeper root growth. A stronger root system encourages rhizomes (underground creeping stems) to grow more vigorously and produce tillers. These tillers emerge a few inches from the mother plant and produce new blades of grass. This actually thickens the lawn. A deeper root system also builds resistance to drought, insects and disease.

**This product kills weeds and keeps grass green right into winter.**

**KILLS THE FOLLOWING BROADLEAF WEEDS:**

- |                        |                     |
|------------------------|---------------------|
| Chickweed              | Pennywort           |
| Cinquefoil             | Plantain, Broadleaf |
| Clover                 | Plantain, Buckhorn  |
| Dock                   | Purslane            |
| Dandelion              | Ragweed             |
| Field Bindweed         | Shepherd's Purse    |
| Ground Ivy             | Spurge              |
| Henbit                 | Stitchwort          |
| Knotweed               | Thistle             |
| Morning Glory (annual) |                     |

**NOTE:** Should not be used on St. Augustinegrass, Centipedegrass or Carpetgrass. May damage bentgrasses -- also grass seedlings on newly-seeded lawns. Reseeding should be delayed for two weeks or more after application.

**HOW TO APPLY**

**Follow Directions Carefully for Best Results**

1. Measure lawn area to be treated. Apply evenly at the rate of one bag for each 10,000 sq. ft.
2. **IMPORTANT:** For most effective weed-killing action, apply when grass is moist (after a rain, sprinkling or dew). Do not water lawn after material is applied. Watering will wash off weed-killing material.
3. If possible, avoid unnecessary disturbance of treated areas for 48 hours after application.



4 Do not apply on hot, windy days or days when rain is expected. Weed-killing action will be reduced if applied when temperature is above 85°F or less than 6 hours before a rain.

5 Avoid contact with valuable shrubs, plants or flowers. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate water used for domestic or irrigation purposes.

6 The maximum number of broadcast applications per treatment site is two per year.

7 Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash materials from concrete surfaces because some fertilizers may contain iron which may cause discoloration upon oxidation.

**WHEN TO APPLY:** This product is specially formulated for use during mid-August through November.

### SPREADER SETTINGS

Show 'N Tell	5 1/2	Glorion	5 1/2
Greenfield	5 1/2	Queen Turf	5 1/2
Scott	4	Sears	5 1/2
Central	5 1/2	Jet Spred	3 1/2
MTD	3 1/2	Cyclone	3 1/2
Jackson	5 1/2	Scott Rotary	J

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 5 to 6 oz. per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

### STORAGE AND DISPOSAL

**STORAGE:** Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.

**PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

6 7 6

## GREENVIEW YARD-WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. Simply send proof of purchase to Greenview, P.O. Box 317, Lebanon, PA 17042.

The Manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

