



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 961-297	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Greenview Modern Trebl	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

Amendment - Explain below.  Final printed labels in response to Agency letter dated \_\_\_\_\_ **NOTIFICATION**

Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application. **JUL 14 2004**

Notification - Explain below.  Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Additions in BLUE

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Henry E. Rohland	Title EPA Registration Manager	Telephone No. (Include Area Code) 717-273-1685
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <b>(Stamped)</b>
2. Signature 	3. Title EPA Registration Manager	
4. Typed Name Henry E. Rohland	5. Date 21 June 2004	

# GREENVIEW® MODERN TREBL®

**DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS**  
(See List on Back)

**ACTIVE INGREDIENT:**

Siduron ..... 2.40%

**OTHER INGREDIENTS:** ..... 97.60%

**TOTAL** ..... 100.00%

CAS. No. 1982-49-6

(L) (D)

EPA Reg. No. 961-297

EPA Est. 961-PA-01:961-IL-01

Tupersan® is a registered trademark of the Gowan Company.

Superscript used is first letter of lot number.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

**READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.**

**Before buying this product, read the Warranty Section elsewhere on this label.**

**If terms are not acceptable, return the unopened container to the place of purchase at once.**

### GUARANTEED ANALYSIS

Total Nitrogen (N) ..... XX%

X.X% Ammoniacal Nitrogen

X.X% Water Insoluble Nitrogen

X.X% Urea Nitrogen

X.X% Other Water Soluble Nitrogen

Available Phosphate (P<sub>2</sub>O<sub>5</sub>) ..... XX%

Soluble Potash (K<sub>2</sub>O) ..... XX%

Nutrient Sources: (*Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.*)

**MANUFACTURED BY  
LEBANON SEABOARD CORPORATION  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
www.lebsea.com**

**NET WEIGHT: 17 LBS. 8 OZ. (7.95 kg)  
TREATS: 5,000 SQ. FT.**

**OPTION 1 : For Homeowner Use**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF SWALLOWED:** • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN:** • Take off contaminated clothing.

**OR CLOTHING:** • Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for treatment advice.

**IF INHALED:** • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep in original container in a cool, dry, secured area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. Store away from children and domestic animals.

**PESTICIDE DISPOSAL:** **If empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Controls these grassy weeds: Crabgrass, Foxtail, Barnyardgrass - by effectively killing the sprouting seeds. Apply after Spring seeding of new lawns or re-seeding of bare spots in established lawns.

**For use on newly-seeded or established plantings of the following grasses:**

Bluegrass  
Fescue  
Redtop  
Smooth Brome  
Perennial Ryegrass  
Orchardgrass  
Zoysiagrass

**Bentgrass Strains as follows:**

Penncross  
Seaside  
Highland  
Astoria  
Nimisila  
C-1, C-7 and C-19

**DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS**

### APPLICATION INSTRUCTIONS

1. Rake the lawn to remove leaves and other debris.
2. **On Established Lawns:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
3. **On Newly-Seeded Areas:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
4. Apply with a fertilizer spreader (see How To Apply and settings below) to insure even coverage.
5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

### HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. - 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft. ) two bags are sufficient.

1. Using the Recommended Setting below (calculated to apply one-half rate), spread one-half of the required amount of this product for your lawn, moving at a steady rate in one direction.
2. Spread the other half of the required amount over the same area, moving across or at right angles to the first application. This minimizes skips and overlaps, insuring good coverage. When turning or stopping spreader, close spreader gate.
3. Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step Settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

### SUGGESTED SPREADER SETTINGS

SPREADER	RECOMMENDED	
	TWO-STEP SETTING	ONE-STEP SETTING
Greenfield Model 105	6 1/4	7 1/2
Lawn Beauty	5 1/2	6
Sears	4 1/2	5 1/2
Scotts 35, 75, 100 automatic	4	5
Jackson (drop type)	5 1/4	6
Modern	3	4
Ace (dial on hopper)	2	3

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 2.8 oz. at 1 3/4 lb. (Two-Step) setting, 5.6 oz. at 3.5 lb. (One-Step) setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Greenview® is a registered trademark of Lebanon Seaboard Corporation.

### Advertising claims that may be presented on the label

- The Spring Lawn Treatment Crabgrass Killer/Fertilizer
- Kills Crabgrass Before You See It
- Fertilizes Your Lawn
- Allows Re-Seeding Now

4 Stage Lawn Care Program  
 MARCH 1 - APRIL 30  
 GUARANTEED SATISFACTION  
 Feeds up to 8 weeks  
 For Newly Seeded Lawns

XX% Nitrogen - Provides leaf growth and makes the grass green  
 XX% Phosphate - Promotes root development  
 XX% Potash - Helps plant resist drought and disease  
 (Percentages dependent on fertilizer analysis used by manufacturer.)

AGWAY 4 Stage Lawn Program makes it easier to have a lush, green lawn. Our 4 simple applications eliminate the guesswork and give you professional lawn care results. Each stage combines just the right amount of fertilizer with the right amount of control and prevention. Just match each stage to the correct season and you'll prevent crabgrass, control weeds and insects, and prepare your lawn for the winter. It's what your lawn needs for strong growth.

### AGWAY Guarantees Satisfaction

If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.

### GREENVIEW YARD-WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Greenview, 1600 East Cumberland St., Lebanon, PA 17042.

#### Optional Headings:


**Care & Handling**

**Quality Results**

#### Optional Spreader Directions:

##### **Determining Your Lawn's Square Footage**

To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.



##### **Spreader Tips**

For the best application results, use an AGWAY spreader. The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.

**Drop Spreader:** First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. For uniform coverage, it's a good idea to overlap wheel marks. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.

**Broadcast Spreader:** To start or stop the spreader, slide the shut-off lever to the closed position. You can avoid misses by ensuring that there is some slight overlapping.



#### Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

*This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.*

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

*Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.*

For products distributed in the State of Washington, the following statement must appear:

*Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>*

**OPTION 2 : For Professional Use**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF SWALLOWED:** • Call a poison control center or doctor immediately for treatment advice.  
• Have person sip a glass of water if able to swallow.  
• Do not induce vomiting unless told to do so by a poison control center or doctor.  
• Do not give anything by mouth to an unconscious person.

**IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
• Call a poison control center or doctor for treatment advice.

**IF ON SKIN:** • Take off contaminated clothing.  
**OR CLOTHING:** • Rinse skin immediately with plenty of water for 15-20 minutes.  
• Call a poison control center or doctor for treatment advice.

**IF INHALED:** • Move person to fresh air.  
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.  
• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep in original container in a cool, dry, secured area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. Store away from children and domestic animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Controls these grassy weeds: Crabgrass, Foxtail, Barnyardgrass - by effectively killing the sprouting seeds. Apply after Spring seeding of new lawns or re-seeding of bare spots in established lawns.

**For use on newly-seeded or established plantings of the following grasses:**

- Bluegrass
- Fescue
- Redtop
- Smooth Brome
- Perennial Ryegrass
- Orchardgrass
- Zoysiagrass

**Bentgrass Strains as follows:**

- Penncross
- Seaside
- Highland
- Astoria
- Nimisila
- C-1, C-7 and C-19

**DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS**

## APPLICATION INSTRUCTIONS

1. Rake the lawn to remove leaves and other debris.
2. **On Established Lawns:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
3. **On Newly-Seeded Areas:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
4. Apply with a fertilizer spreader (see How To Apply and settings below) to insure even coverage.
5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

### HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. - 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft. ) two bags are sufficient.

1. Using the Recommended Setting below (calculated to apply one-half rate), spread one-half of the required amount of this product for your lawn, moving at a steady rate in one direction.
2. Spread the other half of the required amount over the same area, moving across or at right angles to the first application. This minimizes skips and overlaps, insuring good coverage. When turning or stopping spreader, close spreader gate.
3. Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step Settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

### SUGGESTED SPREADER SETTINGS

SPREADER	RECOMMENDED	
	TWO-STEP SETTING	ONE-STEP SETTING
Greenfield Model 105	6 1/4	7 1/2
Lawn Beauty	5 1/2	6
Sears	4 1/2	5 1/2
Scotts 35, 75, 100 automatic	4	5
Jackson (drop type)	5 1/4	6
Modern	3	4
Ace (dial on hopper)	2	3

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 2.8 oz. at 1 3/4 lb. (Two-Step) setting, 5.6 oz. at 3.5 lb. (One-Step) setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Greenview® is a registered trademark of Lebanon Seaboard Corporation.

#### **Advertising claims that may be presented on the label**

- The Spring Lawn Treatment Crabgrass Killer/Fertilizer
- Kills Crabgrass Before You See It
- Fertilizes Your Lawn
- Allows Re-Seeding Now

### GREENVIEW YARD-WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Greenview, 1600 East Cumberland St., Lebanon, PA 17042.

**Additional Labeling Requirements:**

If the fertilizer guarantee contains iron, the following statement must appear:

*This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.*

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

*Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.*

For products distributed in the State of Washington, the following statement must appear:

*Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>*