

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Henry E. Rohland Product Registration Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

NOV 9 2007

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Storage & Disposal Changes and Marketing Claims

EPA Reg. No. 961-297

Application Dated October 10, 2007

Dear Mr. Rohland:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/10/07 the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)
Office of Pesticide Programs

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685 FAX (717) 273-9466

10 October 2007

Document Processing Desk (NOTIF)
Office of Pesticide Program (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

ATTN: Joanne Miller (Team 23)

Re: Notification Submission in Response to PR Notice 2007-1

Dear Joanne:

Per the reference PR Notice, enclosed is an Application for Pesticide Form 8570-1, a revised label, Red Line deletions /Blue Line additions, showing the changes, and 3 labels with the changes incorporated.

We also included two marketing statements since these are not changes but additions to the label, which I believe may be accomplished by Notification.

We respectfully request you return a stamped copy upon your approval.

Should you have any questions concerning this submission, please call me at 800-532-0090 ext. 237 or e-mail: hrohland@lebsea.com.

Thanks for your help.

Sincerely,

Henry E. Rohland

EPA Registration Manager

3. Title

5. Date

EPA Registration Manager

16 605 67

2. Signature

4. Typed Name

Henry E. Rohland

GREENVIEW® MODERN TREBL®

DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS

(See List on Back)

ACTIVE INGREDIENT:	
Siduron	2.40%
OTHER INGREDIENTS:	·
CAS. No. 1982-49-6	(L) (D)
EPA Reg. No. 961-297 Tupersan® is a registered trademark of the Gowan Company.	EPA Est. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

GUARANTEED ANALYSIS			
Total Nitrogen (N)	XX%		
X.X% Ammoniacal Nitrogen			
X.X% Water insoluble Nitrogen			
X.X% Urea Nitrogen			
X.X% Other Water Soluble Nitrogen			
Available Phosphate (P ₂ O ₅)	XX%		
Soluble Potash (K ₂ O)	XX%		

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

MANUFACTURED BY
LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.lebsea.com

NET WEIGHT: 17 LBS. 8 OZ. (7.95 kg) TREATS: 5,000 SQ. FT.

> Page 1 of 7 Pages 961-297 Red Line Blue Line 10/10/07

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

FIRST AID

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN:

- Take off contaminated clothing.
- OR CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration; preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. do not cataminate water when disposing of equipment washwaters or rensate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Use as directed or call you local solid waste agency for diposal instructions. Never place unused product

down any indoor or outdoor drain

Controls these grassy weeds: Crabgrass, Foxtall, Barnyardgrass - by effectively killing the sprouting seeds. Apply after Spring seeding of new lawns or re-seeding of bare spots in established lawns.

For use on newly-seeded or established plantings of the following grasses:

Bluegrass

Fescue

Redtop

Smooth Brome

Perennial Ryegrass

Orchardgrass

Zoysiagrass

DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

Bentgrass Strains as follows:

Penncross

Seaside

Highland

Astoria

Nimisila

C-1, C-7 and C-19

Page 2 of 7 Pages 961-297 Red Line Blue Line 10/10/07

APPLICATION INSTRUCTIONS

- 1. Rake the lawn to remove leaves and other debris.
- 2. On Established Lawns: Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.): Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
- 3. On Newly-Seeded Areas: Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
- 4. Apply with a fertilizer spreader (see How To Apply and settings below) to insure even coverage.
- 5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. - 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.) two bags are sufficient.

- 1. Using the Recommended Setting below (calculated to apply one-half rate), spread one-half of the required amount of this product for your lawn, moving at a steady rate in one direction.
- 2. Spread the other half of the required amount over the same area, moving across or at right angles to the first application. This minimizes skips and overlaps, insuring good coverage. When turning or stopping spreader, close spreader gate.
- Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step Settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

SUGGESTED SPREADER SETTINGS

RECOMMENDED			
	TWO-STEP	ONE-STEP	
<u>SPREADER</u>	SETTING	<u>SETTING</u>	
Greenfield Model 105	6 Z/v	7 Z/ x	
Lawn Beauty	5 Z /x	. 6	
Sears	4Z/x	5 Z/ x	
Scotts 35, 75, 100 automatic 4		5	
Jackson (drop type)	5 Z/v	6	
Modern	3	4	
Ace (dial on hopper)	2	3	

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 2.8 oz. at 1 3/4 lb. (Two-Step) setting, 5.6 oz. at 3.5 lb. (One-Step) setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Greenview is a registered trademark of Lebanon Seaboard Corporation.

Advertising claims that may be presented on the label

- The Spring Lawn Treatment Crabgrass Killer/Fertilizer
- Kills Crabgrass Before You See It
- Fertilizes Your Lawn
- Allows Re-Seeding Now
- 4 Stage Lawn Care Program
 MARCH 1 APRIL 30
 GUARANTEED SATISFACTION
 Feeds up to 8 weeks
 For Newly Seeded Lawns

Page 3 of 7 Pages 961-297 Red Line Blue Line 10/10/07 XX% Nitrogen - Provides leaf growth and makes the grass green

XX% Phosphate - Promotes root development

XX% Potash - Helps plant resist drought and disease

(Percentages dependent on fertilizer analysis used by manufacturer.)

AGWAY 4 Stage Lawn Program makes it easier to have a lush, green lawn. Our 4 simple applications eliminate the guesswork and give you professional lawn care results. Each stage combines just the right amount of fertilizer with the right amount of control and prevention. Just match each stage to the correct season and you'll prevent crabgrass, control weeds and insects, and prepare your lawn for the winter. It's what your lawn needs for strong growth.

AGWAY Guarantees Satisfaction

If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.

GREENVIEW YARD-WIDE GUARANTEE


Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Greenview, 1600 East Cumberland St., Lebanon, PA 17042.

Optional Headings: Care & Handling Quality Results

Optional Spreader Directions:

Determining Your Lawn's Square Footage


To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.




Spreader Tips

For the best application results, use an AGWAY spreader. The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also know as a rotary), which throws the material from the spreader.

Drop Spreader: First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. For uniform coverage, it's a good idea to overlap wheel marks. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.





Broadcast Spreader: To start or stop the spreader, slide the shut-off lever to the closed position. You can avoid misses by ensuring that there is some slight overlapping.

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Page 4 of 7 Pages 961-297 Red Line Blue Line 10/10/07

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

FIRST AID

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES: • Hold eve open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN:

- Take off contaminated clothing.
- OR CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not cantaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Controls these grassy weeds: Crabgrass, Foxtail, Barnyardgrass - by effectively killing the sprouting seeds. Apply after Spring seeding of new lawns or re-seeding of bare spots in established lawns.

For use on newly-seeded or established plantings of the following grasses:

Bluegrass

Fescue

Redtop

Smooth Brome

Perennial Ryegrass

Orchardgrass

Zovsiagrass

Bentgrass Strains as follows:

Penncross

Seaside

Highland

Astoria

Nimisila

C-1, C-7 and C-19

DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

Page 5 of 7 Pages 961-297 Red Line Blue Line 10/10/07

APPLICATION INSTRUCTIONS

- 1. Rake the lawn to remove leaves and other debris.
- 2. On Established Lawns: Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabarass and other annual grass weeds emerge.
- 3. On Newly-Seeded Areas: Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
- 4. Apply with a fertilizer spreader (see How To Apply and settings below) to insure even coverage.
- 5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. - 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.) two bags are sufficient.

- 1. Using the Recommended Setting below (calculated to apply one-half rate), spread one-half of the required amount of this product for your lawn, moving at a steady rate in one direction.
- 2. Spread the other half of the required amount over the same area, moving across or at right angles to the first application. This minimizes skips and overlaps, insuring good coverage. When turning or stopping spreader, close spreader gate.
- 3. Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step Settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

SUGGESTED SPREADER SETTINGS

RECOMMENDED TWO-STEP **ONE-STEP SPREADER SETTING SETTING** Greenfield Model 105 6Z/v 7Z/x Lawn Beauty 5Z/x 6 Sears 4Z/x 5Z/x Scotts 35, 75, 100 automatic 4 5 Jackson (drop type) 5Z/v 6 Modern 3 Ace (dial on hopper) 2 3

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 2.8 oz. at 1 3/4 lb. (Two-Step) setting, 5.6 oz. at 3.5 lb. (One-Step) setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Greenview is a registered trademark of Lebanon Seaboard Corporation.

Advertising claims that may be presented on the label

- The Spring Lawn Treatment Crabgrass Killer/Fertilizer
- Kills Crabgrass Before You See It
- Fertilizes Your Lawn
- · Allows Re-Seeding Now
- Practical Solutions for the Serious Turf Professional
- · Practical Solutions for the Turf Professional

GREENVIEW YARD-WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Greenview, 1600 East Cumberland St., Lebanon, PA 17042.

Page 6 of 7 Pages 961-297 Red Line Blue Line 10/10/07

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com