

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Jeanette A. Covert Product & Regulatory Associates, LLC Agent for Lebanon Seaboard Corporation P.O. Box 1683 Voorhees, NJ 08043

OCT 9 2009

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Marketing Statements

EPA Reg. No.961-297

Application Dated September 9, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 09/09/009 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

							4
SEPA	Environmenta	United States	•	Form Ac	Reas	tration dment	O. Approval expires 2-28-95 OPP Identifier Number
		Application	on for Pestic	ide - Sec	tion I		<u></u>
Company/Product Num     Lebanon Seaboard (			1	Product Mai	nager	3. Pr	oposed Classification
4. Company/Product (Nar Greenview Modern			PM# 25				Nestricted
5. Name and Address of Applicant (Include ZIP Code)  Lebanon Seaboard Corporation  1600 East Cumberland Street  Lebanon, PA 17042  Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.				
			Section -	uct Name			
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.			Final printed labels in repsonse to Agency letter dated "Me Too" Application.		NOT	IFICATION	
						UL	T - 9 2009
FIFRA.  1. Material This Product \	Afill Re Deckared In.		Section -	III			
Child-Resistant Packaging			Water Soluble	Packacina	2 Tumo	of Container	<del> </del>
Yes No  * Certification must	Yes No	No. per	Yes No	No. per		Metal Plastic Glass Paper	
be submitted	Unit Packaging wgt	. container	Package wgt	containe	'   <u></u>	Other (S	pecity)
3. Location of Net Conten	ts Information  Container	4. Size(s) Re	tail Container		5. Location of	Label Direction	ns
6. Manner in Which Label is Affixed to Product Lithor Papel Stend		raph glued led	oh Other				
			Section -	IV			
1. Contact Point <i>(Comple</i>	te items directly below	for identification	n of individual to	be contacted,	if necessary, to	process this	application.)
Name Jeanette A. Covert			Title Authorized Rep	resentative fo	or Lebanon	<b>Telephone</b> 856.751.3	a No. (Inplude Area Code) 3432 ัดอออ
	itements I have made or any knowlinglly false or le law.		all attachments ti				6. Date Application Received ((Stamped)
2. Signature	rent		3. Title  Authorized Repre Corporation	sentative for L	ebanon Seaboar		( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
4. Typed Name			5. Date	· · · · · · · · · · · · · · · · · · ·			
Jeanette A. Covert			9-9	9-09			( ( (

# Product & Regulatory Associates, L.L.C.

September 9, 2009

Ms. Sherada Hobgood
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Lebanon Seaboard Corporation EPA Reg. No. 961-297 Notification: Marketing Claims

Dear Ms. Hobgood:

As the authorized representative, Lebanon Seaboard Corporation is submitting a revised label for Greenview Modern Trebl. EPA Reg. No 961-297.

The changes for this label include:

Added additional marketing claims on page 4.

To complete this notification application, enclosed please find:

- Application for Pesticide (EPA Form 8750-1)
- One copy of with changes highlighted (red line/blue line)
- One copy of clean copy of the revised label
- One CD e-label file name 000961-00297.20090908.NotifWarranty.pdf

If you have any questions or concerns about this notification please contact me at (856)751-3432 or jacovert@comcast.net.

Sincerely,

Jeanuth Covert

Product & Regulatory Associates, LLC

Authorized Representative for Lebanon Seaboard Corporation cc: Sylvia Whitman, Lebanon Seaboard Corporation

P.O. Box 1683 Voorhees, NJ 08043-9998 Telephone 856 424-1528

# GREENVIEW® MODERN (REBL®

#### DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS

(See List on Back)

ACTIVE INGREDIENT:			
Siduron			
OTHER INGREDIENTS:			
	100.00%		
CAS. No. 1982-49-6	(L) (D)		
EPA Reg. No. 961-297	EPA Est. No. 961 NOTEFICATION Superscript used is first letter of lot number.		
•	nct - 9 2009		

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

CHADANTEED ANALVOIC

GUARANTEED ANALYSIS	
Total Nitrogen (N)	XX%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	XX%
Soluble Potash (K <sub>2</sub> O)	XX%
trient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by ma	nufacturer

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: 17 LBS. 8 OZ. (7.94 kg) TREATS: 5,000 SQ. FT.

> Page 1 of 8 Pages 961-297 Notification Marketing 9-8-09

#### **OPTION 1: For Homeowner Use**

Optional Headings [Care & Handling]

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

5/11

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

#### **FIRST AID**

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

• Have person sip a glass of water if able to swallow.

• Do not induce vomiting unless told to do so by a poison control center or doctor.

• Do not give anything by mouth to an unconscious person.

IF IN EYES:

• Hold eve open and rinse slowly and gently with water for 15-20 minutes.

• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

IF ON SKIN:

· Take off contaminated clothing.

OR CLOTHING: • R

• Rinse skin immediately with plenty of water for 15-20 minutes.

• Call a poison control center or doctor for treatment advice.

IF INHALED:

· Move person to fresh air.

• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

#### **Optional Heading [Quality Results]**

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

Do not allow people or pets to enter the treated area until dusts have settled.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Controls these grassy weeds: Crabgrass, Foxtail, Barnyardgrass - by effectively killing the sprouting seeds. Apply after Spring seeding of new lawns or re-seeding of bare spots in established lawns.

#### For use on newly-seeded or established plantings of the following grasses:

Bluegrass
Fescue
Redtop
Smooth Brome
Perennial Ryegrass
Orchardgrass
Zoysiagrass

Bentgrass Strains as follows:

Penncross Seaside Highland Astoria Nimisila

C-1, C-7 and C-19

## DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS APPLICATION INSTRUCTIONS

- 1. Rake the lawn to remove leaves and other debris.
- 2. **On Established Lawns:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17.5 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd moving (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.

Page 2 of 8 Pages 961-297 Notification Marketing 9-8-09

- 3. On Newly-Seeded Areas: Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17.5 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
- 4. Apply with a fertilizer spreader (see How To Apply and settings below) to ensure even coverage.
- 5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

#### **HOW TO APPLY**

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. = 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.) two bags are sufficient.

- 1. Using the Recommended Setting below (calculated to apply one-half rate), spread one-half of the required amount of this product for your lawn, moving at a steady rate in one direction.
- 2. Spread the other half of the required amount over the same area, moving across or at right angles to the first application. This minimizes skips and overlaps, ensuring good coverage. When turning or stopping spreader, close spreader gate.
- 3. Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step Settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

#### SUGGESTED SPREADER SETTINGS

RECOMMENDED					
	TWO-STEP	ONE-STEP			
SPREADER	<u>SETTING</u>	<u>SETTING</u>			
Greenfield Model 105	6 ¼	7 ½			
Lawn Beauty	5 ½	6			
Sears	4 ½	5 ½			
Scotts 35, 75, 100 autor	5				
Jackson (drop type)	5 ¼	6			
Modern	3	4			
Ace (dial on hopper)	2	3			

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 2.8 oz. at 1.75 lb. (Two-Step) setting, 5.6 oz. at 3.5 lb. (One-Step) setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

**IF EMPTY:** Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## WARRANTY IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or

buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such testers as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanovi Seuboard Corporation. All such risks shall be assumed by the user or buyer.

Page 3 of 8 Pages 961-297 Notification Marketing 9-8-09

c o c o

0

6000

0 0 0 0 0

0.0 00000 (((((

ر م ہ ،

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHAT-SOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORA-TION'S ELECTION, THE REPLACEMENT OF PRODUCT,

Greenview is a registered trademark of Lebanon Seaboard Corporation. Tupersan® is a registered trademark of Gowan Company

#### Advertising claims that may be presented on the label

- The Spring Lawn Treatment Crabgrass Killer/Fertilizer
- Kills Crabgrass Before You See It
- Fertilizes Your Lawn
- Allows Re-Seeding

4 Stage Lawn Care Program MARCH 1 - APRIL 30 **GUARANTEED SATISFACTION** Feeds up to 8 weeks For Newly Seeded Lawns Placeholder bar code Place holder pictogram Numbers 1,2,3,4 Placeholder pictogram March1 to April 30 Placeholder pictogram No Crabgrass

XX% Nitrogen - Provides leaf growth and makes the grass green XX% Phosphate - Promotes root development XX% Potash - Helps plant resist drought and disease (Percentages dependent on fertilizer analysis used by manufacturer.)

AGWAY 4 Stage Lawn Program makes it easier to have a lush, green lawn. Our 4 simple applications eliminate the guesswork and give you professional lawn care results. Each stage combines just the right amount of fertilizer with the right amount of control and prevention. Just match each stage to the correct season and you'll prevent crabgrass, control weeds and insects, and prepare your lawn for the winter. It's what your lawn needs for strong growth.

#### **AGWAY Guarantees Satisfaction**

If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.

#### GREENVIEW YARD-WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. If not satisfied, describe the (000 nature of your problem, and send with proof of purchase to Greenview, 1600 East Cumberland St., Lebanon, PA 17042,

AGWAY® and Stage® are registered trademarks of Southern States Cooperative, Inc. Manufactured for and distributed by Southern States Cooperative. Inc. 6606 West Broad Street, Richmond, VA 23230

To find a store near you visit www.agway.com

Page 4 of 8 Pages 961-297 Notification Marketing 9-8-09

#### Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

#### **Optional Spreader Directions:**

#### **Determining Your Lawn's Square Footage**

To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure


you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.

#### **Spreader Tips**


For the best application results, use an AGWAY spreader. The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also know as a rotary), which throws the material from the spreader.

**Drop Spreader:** First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. For uniform coverage, it's a good idea to overlap wheel marks. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.

**Broadcast Spreader:** To start or stop the spreader, slide the shut-off lever to the closed position. You can avoid misses by ensuring that there is some slight overlapping.







Page 5 of 8 Pages 961-297 Notification Marketing 9-8-09



LOCO

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

#### **FIRST AID**

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

• Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not give anything by mouth to an unconscious person.

IF IN EYES:

• Hold eye open and rinse slowly and gently with water for 15-20 minutes.

• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

• Call a poison control center or doctor for treatment advice.

IF ON SKIN:

. Take off contaminated clothing.

OR CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

IF INHALED:

Move person to fresh air.

• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### Optional Heading [Quality results]

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

Do not allow people or pets to enter the treated area until dusts have settled.

Non-target plants can be adversely affected by this product.

Controls these grassy weeds: Crabgrass, Foxtail, Barnyardgrass - by effectively killing the sprouting seeds. Apply after Spring seeding of new lawns or reseeding of bare spots in established lawns.

For use on newly-seeded or established plantings of the following grasses:

Bluegrass Bentgrass Strains as follows: Fescue Penncross Redtop Seaside Smooth Brome Highland Astoria Perennial Ryegrass Orchardgrass Nimisila C-5,10-91and C-19 Zoysiagrass

CICLE

DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

Page 6 of 8 Pages 961-297 Notification Marketing 9-8-09

#### **APPLICATION INSTRUCTIONS**

- 1. Rake the lawn to remove leaves and other debris.
- 2. **On Established Lawns:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
- 3. **On Newly-Seeded Areas:** Apply at the rate of 3.5 lbs. per 1,000 sq. ft. (17 1/2 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
- 4. Apply with a fertilizer spreader (see How To Apply and settings below) to ensure even coverage.
- 5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

#### HOW TO APPLY

For best crabgrass control, this product must be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. Apply the contents of one bag to every 5,000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. = 5,000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.) two bags are sufficient.

- 1. Using the Recommended Setting below (calculated to apply one-half rate), spread one-half of the required amount of this product for your lawn, moving at a steady rate in one direction.
- 2. Spread the other half of the required amount over the same area, moving across or at right angles to the first application. This minimizes skips and overlaps, ensuring good coverage. When turning or stopping spreader, close spreader gate.
- 3. Where this two-step procedure is not practical, apply in one trip over the lawn using the One-Step Settings listed below. Be careful to cover lawn completely, since crabgrass can grow in spots which are missed.

#### SUGGESTED SPREADER SETTINGS

RECOMMENDED					
	TWO-STEP	ONE-STEP			
<u>SPREADER</u>	SETTING	SETTING			
Greenfield Model 105	6 ¼	7 ½			
Lawn Beauty	5 ½	6			
Sears	4 ½	5 ½			
Scotts 35, 75, 100 automatic 4		5			
Jackson (drop type)	5 ¼	6			
Modern	3	4			
Ace (dial on hopper)	2	3			

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 2.8 oz. at 1 3/4 lb. (Two-Step) setting, 5.6 oz. at 3.5 lb. (One-Step) setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### WARRANTY IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

Page 7 of 8 Pages 961-297 Notification Marketing 9-8-09 CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

Greenview® is a registered trademark of Lebanon Seaboard Corporation.

#### Advertising claims that may be presented on the label

- The Spring Lawn Treatment Crabgrass Killer/Fertilizer
- Kills Crabgrass Before You See It
- Fertilizes Your Lawn
- · Allows Re-Seeding

#### **GREENVIEW YARD-WIDE GUARANTEE**

Greenview guarantees you will be satisfied with the performance of this product, when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Greenview, 1600 East Cumberland St., Lebanon, PA 17042.

#### Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Greenview® and Trebl® are registered trademarks of Lebanon Seaboard Corporation.

Page 8 of 8 Pages 961-297 Notification Marketing 9-8-09