

Grass Food with Weed Control

Knocks Out Weeds... Greens and thickens lawns

Kills

**Dandelion • Plantain • Buckhorn
Shepherd's Purse • Chickweed
Knotweed • Clover • Henbit**

CAUTION:

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED (SEE BACK
OF BAG FOR ADDITIONAL CAUTIONS).

HERBICIDE INGREDIENT STATEMENT

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2, 4-dichlorophenoxyacetic acid 1.38%
Equivalent to 1.14% 2, 4-dichlorophenoxyacetic acid
Dimethylamine Salt of "Silver" 2-(2, 4, 5-trichlorophenoxy)
propionic acid 0.50%
Equivalent to 0.42% "Silver" 2-(2, 4, 5-trichlorophenoxy)
propionic acid

Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)
propionic acid 0.70%
Equivalent to 0.57% 2-(2-methyl-4-chlorophenoxy)
propionic acid
INERT INGREDIENTS 97.42%

EPA REG NO 827-177

23-3-7
20 Lb. Net Weight

CONOCO

Agrico Grass Food with Weed Control

Agrico Grass Food with Weed Control

CONOCO

Agrico Chemical Division
Conoco Oil Company
P.O. Box 38001

**WHY WHEAT ALERD
LAWNS WITH WEED CONTROL
MEANS TO YOUR LAWN**

For best grass and lawn control results in one easy application,
weed control is necessary. When weeds are actively growing, they absorb control chemicals
to remove a fast, effective kill.

23% Nitrogen promotes good, green color and thick grass
growth. One third of the total nitrogen is in a slow release
form to feed longer, more evenly.

3% Phosphate stimulates root growth for a sturdier, thicker
lawn. Helps insure hardiness during winter weather, too.

7% Potash increases disease resistance and helps grass con-
bat the stresses of dry, hot weather. Also helps develop
springs, rugged grass.

0.9% Iron helps grass hold a deep, rich, green color for a
longer period of time than nitrogen alone.

Agrico Grass Food

RECEIVED
 2-7-72
 827-177

EASY OPEN BAG FULL WHITE TAPE

Agrico Grass Food with Weed Control

961-306
 20 Lb. Net Weight

Agrico

GRASS FOOD with Weed Control

23-3-7

<p>MINIMUM GUARANTEED ANALYSIS</p> <p>Total Nitrogen (N)..... 23.00% 7.00% Water Insoluble Nitrogen Available Phosphoric Acid (P₂O₅)..... 1.00% Soluble Potash (K₂O)..... 7.00% Iron (Fe)..... 90% Potential Acidity 750 Lb. Calcium Carbonate Equivalent Per Ton</p> <p>WEEDS AND INSECTS CONTROLLED BY STATEMENT</p> <p>ACTIVE INGREDIENTS: Dimethylamine Salt of 2, 4-dichlorophenoxyacetic acid 1.38% Equivalent to 1.14% 2, 4-dichlorophenoxyacetic acid Dimethylamine Salt of "Silvex" 2-(2, 4, 5-trichlorophenoxy) propionic acid 0.50% Equivalent to 0.49% "Silvex" 2-(2, 4, 5-trichlorophenoxy)</p>	<p>The three control chemicals in this product are effective in killing:</p> <table border="0" style="width: 100%;"> <tr> <td>-Dandelion</td> <td>-Hickory</td> <td>Ground Ivy</td> </tr> <tr> <td>-Mustard</td> <td>Canada Thistle</td> <td>Figwood</td> </tr> <tr> <td>-Clover</td> <td>Mallow</td> <td>Wild Licorice</td> </tr> <tr> <td>-Stachewort</td> <td>Burdock</td> <td>Puncturevine</td> </tr> <tr> <td>-Plantain</td> <td>Blackweed</td> <td>Pennycress</td> </tr> <tr> <td>-Chickweed</td> <td>Wild Garlic</td> <td>Chicory</td> </tr> <tr> <td>-Sorrel</td> <td>Stinging Nettle</td> <td>Wild Radish</td> </tr> <tr> <td>-Shepherd's Purse</td> <td>Wild Onion</td> <td>Vetch</td> </tr> <tr> <td>-Buckhorn</td> <td>Hoar-All</td> <td>Many Others</td> </tr> <tr> <td>-Lamewood</td> <td></td> <td></td> </tr> </table> <p style="text-align: center;">HOW TO USE</p> <ol style="list-style-type: none"> 1. Apply at the rate of 4 lbs. per 1,000 sq. ft. at any time weeds are actively growing. 2. Apply on moist grass—do not mow or water within 24 hours. 	-Dandelion	-Hickory	Ground Ivy	-Mustard	Canada Thistle	Figwood	-Clover	Mallow	Wild Licorice	-Stachewort	Burdock	Puncturevine	-Plantain	Blackweed	Pennycress	-Chickweed	Wild Garlic	Chicory	-Sorrel	Stinging Nettle	Wild Radish	-Shepherd's Purse	Wild Onion	Vetch	-Buckhorn	Hoar-All	Many Others	-Lamewood		
-Dandelion	-Hickory	Ground Ivy																													
-Mustard	Canada Thistle	Figwood																													
-Clover	Mallow	Wild Licorice																													
-Stachewort	Burdock	Puncturevine																													
-Plantain	Blackweed	Pennycress																													
-Chickweed	Wild Garlic	Chicory																													
-Sorrel	Stinging Nettle	Wild Radish																													
-Shepherd's Purse	Wild Onion	Vetch																													
-Buckhorn	Hoar-All	Many Others																													
-Lamewood																															

Agrico Grass Food with V

WEED CONTROL

23-3-7

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N).....	23.00%
7.00% Water Insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	3.00%
Soluble Potash (K ₂ O).....	7.00%
Iron (Fe).....	.90%
Potential Acidity 750 Lb. Calcium Carbonate Equivalent Per Ton	

PERCENTAGE INGREDIENT STATEMENT

ACTIVE INGREDIENTS:

Diammonium Salt of 2, 4-Dichlorophenoxyacetic acid	1.38%
Equivalent to 1.14% 2, 4-Dichlorophenoxyacetic acid	
Diammonium Salt of "Silver" 2-(2, 4, 5-trichlorophenoxy) propionic acid	0.50%
Equivalent to 0.40% "Silver" 2-(2, 4, 5-trichlorophenoxy) propionic acid	
Diammonium Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.70%
Equivalent to 0.57% 2-(2-methyl-4-chlorophenoxy) propionic acid	
INERT INGREDIENTS	97.42%

EPA REG. NO. 827-177

Registered By



Agrico Chemical Division
Continental Oil Company
Memphis, Tennessee 38101

HERE'S WHAT AGRICO GRASS FOOD WITH WEED CONTROL MEANS TO YOUR LAWN

Fertilizes grass and knocks out weeds in one easy application. When weeds are actively growing, they absorb control chemicals to ensure a fast, effective kill.

23% Nitrogen promotes good, green color and thick grass growth. One third of the total nitrogen is in a slow release form to last longer, more evenly.

3% Phosphate stimulates root growth for a sturdier, thicker lawn. Helps insure hardiness during winter weather, too.

7% Potash increases disease resistance and helps grass combat the stresses of dry, hot weather. Also helps develop springy, rugged grass.

0.9% Iron helps grass hold a deep, rich, green color for a longer period of time than nitrogen alone.

The three control chemicals in this product are effective in killing:

-Dandelion	-Habit	Ground Ivy
-Minted	-Canada Thistle	-Pigweed
-Clover	-Mallow	-Wild Lemnace
-Storkwort	-Burdock	-Puncturevine
-Plantain	-Blackweed	-Pennywort
-Chickweed	-Wild Garlic	-Chicory
-Sorell	-Stinging Nettle	-Wild Radish
-Shepherd's Purse	-Wild Onion	-Vetch
-Buckhorn	-Horn-A-B	-Many Others
-Karnweed		

HOW TO USE

1. Apply at the rate of 4 lbs. per 1,000 sq. ft. at any time weeds are actively growing.
2. Apply on moist grass—do not mow or water within 24 hours after application. Since one third of the total nitrogen is in a slow release form, you don't have to worry about burning if you apply at recommended rates.
3. Apply with spreader to insure even application.
4. Do Not use on Centaurea, St. Augustine, Dichondra, or Carpet grasses. Temporary injury may be experienced on Bentgrass.
5. Keep application at least 2 feet away from shrubs, vegetable gardens, and sensitive trees (such as Willow, Locust, and Dogwood). If new growth on trees or shrubs starts to curl, water heavily.
6. If grass clippings from the first mowing after use of this product are removed, do not feed to livestock or use to mulch ornamental shrubs.
7. May cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water. For eyes, get medical attention.
8. Do not reuse container. Destroy when empty. Do not burn.
9. Do not store near other fertilizers, seeds, insecticides or fungicides.

SUGGESTED SPREADER SETTINGS

SPREADER SETTING	SPREADER SETTING
Agrico Agri-Spread [®] 4½	Jackson, Sears 4½
Agrico Jet-Spread [®] , Cyclone 4	Lawn Beauty 5½
Central 7	M.T.D. 5
Greenfield 6½	Scotts 5

WALKING SPEED, EVENNESS OF LAWN, AND CONDITION OF SPREADER MAY REQUIRE DIFFERENT SETTINGS FOR DESIRED COVERAGE.

Satisfaction from the use of this product is guaranteed when used as directed.

Agrico Grass Food with Weed Control