

961-309
827-223

23

CRAEGRASS CONTROL

Kills crabgrass
before it emerges



Safe to use
while seeding new lawn.

Do not use on Bermuda grass
or certain Bentgrass strains
(see list on back)

10 Lb. Net Weight

961-309

ACCEPTED
MAR 16 1972
U.S. DEPT. OF AGRICULTURE
FEDERAL BUREAU OF INVESTIGATION
FOR ENFORCEMENT OF THE
FEDERAL INSECTICIDE ACT
BY APPOINTED INSPECTION

BEST DOCUMENT AVAILABLE

CAUTION
KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.
SEE BACK OF CAN FOR ADDITIONAL CAUTIONS.
RELATIVE INGREDIENT STATEMENT
ACTIVE INGREDIENTS
2,4-D (2,4-Dichlorophenoxyacetic acid) 44.0%
INERT INGREDIENTS 56.0%
EPA REG. NO. 133-022

19

BEST DOCUMENT AVAILABLE

961-389

Agri-co CRABGRASS CONTROL

Kills crabgrass before it emerges

REGISTERED PATENT STATEMENT
AGRI-CO CHEMICALS
AGRI-CO CHEMICALS
AGRI-CO CHEMICALS

1. Refer to the product label and other details.
2. The Crabgrass Killer—apply at the rate of 4 lbs. per 1,000 sq. ft. (10 lb. bag covers 2,500 sq. ft.). Apply after the soil is firm enough to support the sprayer and other equipment used in the spraying.
3. The Ready-to-Use Crabgrass Killer—apply at the rate of 2 lbs. per 1,000 sq. ft. (10 lb. bag covers 5,000 sq. ft.). Apply immediately after mixing to early spring before crabgrass and other weeds grow enough.
4. Apply with broadcast spreader (see settings listed in this section).
5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is best.

CONOCO Agri-co Chemical Division
Continental Co. Company
Memphis, Tennessee 38101

CAUTION

May cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water. Do not get in eyes. This is a poison to birds. Keep out of holes, drains, or pits. Do not contaminate water by spraying. Apply only as specified on this label. Do not use outdoors. Store in a cool place.

SUGGESTED SPREADER SETTINGS

Refer to the recommended spreader settings in the opposite section for 2 lbs. or 4 lbs. of product per 1,000 sq. ft. of lawn.

SPREADER	SETTING		SPREADER	SETTING	
	ALL	ALL		ALL	ALL
Agri-co Appl. Spreader	26	7 1/2	John Deere	26	7 1/2
Agri-co Appl. Spreader	4 1/2	2 1/2	Yale Sprayer	26	7 1/2
Cushman	2	10	M.T.B.	26	7 1/2
Overhead	2	10	None	0	0

WALKING WITH STRONGS OF LAWN AND CONDITION OF SPREADER MAY REQUIRE SLIGHTLY DIFFERENT SETTINGS FOR DESIRED COVERAGE.

HERE'S WHAT AGRI-CO CRABGRASS CONTROL MEANS TO YOUR LAWN

1. Prevents the emergence of crabgrass seedlings without killing the desirable turf grass below.
2. Prevents emergence of annual and biennial grass weeds.
3. Prevents soil crusting of your lawn while controlling weeds.

HOW TO USE

1. For use on newly seeded or established lawns of the following grasses:
 Kentucky Bluegrass
 Perennial Ryegrass
 Annual Ryegrass
 Bermuda
 St. Augustine
 Zoysia
 Centennial
 Paspalum
 Bahia
 Hybrid
 Fescue
 Poa
 C.C.C. and C.V.
 Do not use on other lawn grasses or other plants.

CRAB

CON

Kills c
before i



1882

WILLIAMSON

Number



Safe to use

while SCOTT'S BOW TIE.

Do not use on Bermuda grass
or certain Ryegrass strains
(see list on back)

10 Lb. Net Weight

961-309

ACCEPTED
MAR 16 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR RECONSTRUCTION PURPOSES
UNDER NO 827 223
TO ATTACH TO THE IS

CAUTION
KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWAL-
LOWED (SEE BACK OF BAG FOR ADDITIONAL CAUTIONS).
INACTIVE INGREDIENT STATEMENT
ACTIVE INGREDIENTS
Silicon, 1-(2-methylcyclohexyl)-
3-phenylpropane..... 4.60%
INERT INGREDIENTS..... 95.40%
EPA REG. NO. 827-223