1112- 601-719

NET WEIGHT: 20 LBS (XXX Kg.) COVERS: 10,000 SQ. FT. (New Seeding)

### **GREENS KEEPER** CRABGRASS KILLER

Contains 4.6% Tupersan\*

#### MANUFACTURED EXCLUSIVELY FOR GOLF COURSES AND PROFESSIONAL USE

Kills Crabgrass Before It Emerges Do Not Use on Bermudagrass or certain Bentgrass Strains (See List on Back)

**ACTIVE INGREDIENT:** 

)

Siduron, 1-(2-Methylcyclohexyl)-3-phylurea\*

4.60%

**INERT INGREDIENTS:** 

95.40%

TOTAL:

100.00%

\*Registered TM of E I\_duPont de Nemours & Co., Inc. for Siduron™ Weed Killer (L)

(D)

EPA Reg. No 961-309

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

### ACCEPTAD 13.15 Under he Rederel Inso, state, Personality, and nodency as amegin in for the positions. registered trader EPA Pog. Ma.

#### CAUTION

KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY Lebanon Chemical Corporation Lebanon, PA 17042

> Page 1 of 4 Pages 961-309 01/10/95

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

### HERE'S WHAT GREENSKEEPER CRABGRASS KILLER MEANS TO YOUR LAWN

- 1. Prevents the emergence of crabgrass seedlings without harming the desirable turfgrasses listed below.
- 2. Prevents seedlings of Foxtail and Barnyardgrass from emerging.
- 3 Permits seeding of your lawn while controlling crabgrass at the same time.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

BEST AVAILABLE COPY

Page 2 of 4 Pages 961-309 01/10/95 1. For use on newly-seeded or established plantings of the following grasses:

Bluegrass

Fescue Redtop

Smooth Brome Perennial Rye Orchardgrass

Zoysia

)

Bentgrass Strains as follows:

Penncross Seaside Highland

Astoria Nimisila

C-1, C-7 and C-19

#### DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

- 2. Rake lawn to remove leaves and other debris.
- 3. ON ESTABLISHED LAWNS: Apply at the rate of 4 lbs. per 1,000 sq. ft. (20 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
- 4. ON NEWLY-SEEDED AREAS: Apply at the rate of 2 lbs. per 1,000 sq. ft. (20 lb. bag covers 10,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
- 5. Apply with a fertilizer spreader (see setting below) to ensure even coverage.
- 6. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.
- A second application one month later will help control late-germinating crabgrass.

## BEST AVAILABLE COPY

Page 3 of 4 Pages 961-309 01/10/95

#### SPREADER SETTINGS

#### 2 Lb. Setting

Show 'N Tell	7		Glorion	7
Greenfield	7		Queen Turf	7
Scott	4		Sears	7
Central	7		Jet Spred	3 1/4
MTD	2 1/2		Cyclone	3 1/4
Jackson	5 1 <i>1</i> 2		Scott Rotary	D
		4 Lb. Setting	•	
Show 'N Tell	8		Glorion	8
Greenfield	8		Queen Turf	8
Scott	5 1/2		Sears	8
Central	8		Jet Spred	4 1/2
MTD	3 1/2		Cyclone	4 1/2
Jackson	6 1/2		Scott Rotary	K

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 3 1/4 cz. at 2 lb. setting, 6 1/2 cz. at 4 lb. setting. Rate of walk, moisture and spreader condition can very the spreader setting necessary to apply the correct amount.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

IIISTORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct

sunlight. Do not store near food, feed, seeds or other pesticides.

)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use

Page 4 of 4 Pages 001-009 01/10/95