

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OCT -6 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Henry Rohland Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

Dear Mr. Rohland:

Subject: Lebanon Crabgrass Control EPA Registration Number 961-309 Application Dated September 15, 2003

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable, provided you make the following changes before you release the product for shipment.

1. Add "or rinsate" to the phrase "Do not contaminate water when disposing of equipment washwaters" under Environmental Hazards.

Submit three (3) copies of final printed labeling incorporating the above changes before you release the product for shipment. Amended labeling will supercede all previously accepted ones. A stamped copy of labeling is enclosed for your records.

Sincerely,

James A. Tompkins, haj Product Manager 25

Herbicide Branch

Registration Division (7505C)

# GREENSKEEPER CRABGRASS KILLER CONTAINS 4.6% TUPERSAN®

## DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS (See List on Back)

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

ACCEPTED with COMMENTS in EPA Letter Dated

ţ


UCT - 6 20**03** 

Under the Federal Insecticide, Fungicide, and Rodenticide Act as smended, for the posticide registered under EPA Reg. No.

961-309

MANUFACTURED BY
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: 20 LBS. (9.09 kg) COVERS: 10,000 SQ. FT. (New Seeding)



#### **OPTION 1 : For Homeowner Use**

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

#### FIRST AID

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- . Do not give anything by mouth to an unconscious person.

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN:

- · Take off contaminated clothing.
- OR CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep in original container in a cool, dry, secured area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. Store away from children and domestic animals.

STICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### HERE'S WHAT GREENSKEEPER CRABGRASS KILLER MEANS TO YOUR LAWN

Prevents the emergence of crabgrass seedlings without harming the desirable turfgrasses listed below.

Prevents seedlings of Foxtail and Barnyardgrass from emerging.

Permits seeding of your lawn while controlling crabgrass at the same time.

#### For use on newly-seeded or established plantings of the following grasses:

Bluegrass

Fescue

Redtop

Smooth Brome

Perennial Ryegrass

Orchardgrass

Zoysiagrass

#### Bentarass Strains as follows:

Penncross \*\*\*\*

: • Shaside

Highfand

Astoria

Nimisila

C-1. C-7 and C-19

DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

#### **APPLICATION INSTRUCTIONS**

- 1. Rake the lawn to remove leaves and other debris.
- 2. On Established Lawns: Apply at the rate of 4 lbs. per 1,000 sq. ft. (20 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
- 3. On Newly-Seeded Areas: Apply at the rate of 2 lbs. per 1,000 sq. ft. (20 lb. bag covers 10,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual grass weeds emerge.
- 4. Apply with a fertilizer spreader (see settings below) to insure even coverage.
- 5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.
- A second application one month later will help control late-germinating crabgrass.

#### SUGGESTED SPREADER SETTINGS

		2 Lb. Setting		
Show 'N Tell	7		Glorion	7
Greenfield	7		Queen Turf	7
Scott	4		Sears	7
Central	7		Jet Spred	31/4
MTD	21/2		Cyclone	31/2
Jackson	51/2		Scott Rotary	D
		4 Lb. Setting		
Show 'N Tell	8	<del>"</del>	Glorion	8
Greenfield	8		Queen Turf	8
Scott	<b>5</b> ¹/₂		Sears	8
Central	8		Jet Spred	41/2
MTD	<b>3</b> ¹/₂		Cyclone	41/2
Jackson	<b>6</b> <sup>1</sup> / <sub>2</sub>		Scott Rotary	K

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 3 1/4 oz. at 2 lb. setting, 6 1/2 oz. at 4 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

#### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not nably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

#### Advertising claims that may be presented on the label

Kills Crabgrass Before It Emerges

#### Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Page 3 of 5 Pages 961-309 LABEL AMENDMENT - 9/12/03

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

#### FIRST AID

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN:

- . Take off contaminated clothing.
- OR CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep in original container in a cool, dry, secured area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. Store away from children and domestic animals.

STICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### HERE'S WHAT GREENSKEEPER CRABGRASS KILLER MEANS TO YOUR LAWN

Prevents the emergence of crabgrass seedlings without harming the desirable turfgrasses listed below.

Prevents seedlings of Foxtail and Barnyardgrass from emerging.

Permits seeding of your lawn while controlling crabgrass at the same time.

#### For use on newly-seeded or established plantings of the following grasses:

Bluegrass

Fescue

Redtop

Smooth Brome

Perennial Ryegrass

**Orchardorass** 

Zovsiagrass

#### Bentgrass Strains as follows:

Penncross \* . . . . \*

Penncross ....

Highland

Astoria Nimisila

\*\* C=1, C-7 and C-19

DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

#### APPLICATION INSTRUCTIONS

- 1. Rake the lawn to remove leaves and other debris.
- 2. On Established Lawns: Apply at the rate of 4 lbs. per 1,000 sq. ft. (20 lb. bag covers 5,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
- 3. On Newly-Seeded Areas: Apply at the rate of 2 lbs. per 1,000 sq. ft. (20 lb. bag covers 10,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual grass weeds emerge.
- 4. Apply with a fertilizer spreader (see settings below) to insure even coverage.
- If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.
- A second application one month later will help control late-germinating crabgrass.

#### SUGGESTED SPREADER SETTINGS

	<u> 2 Lb. Settina</u>		
7		Glorion	7
7		Queen Turf	7
4		Sears	7
7		Jet Spred	31/.
21/2		Cyclone	31/.
51/2		Scott Rotary	D
	4 Lb. Setting		
8	-	Glorion	8
8		Queen Turf	8
<b>5</b> ¹/₂		Sears	8
8		Jet Spred	41/2
3'/2		Cyclone	41/2
61/2		Scott Rotary	K
	4 7 2'/ <sub>2</sub> 5'/ <sub>2</sub> 8 8 5'/ <sub>2</sub> 8 3'/ <sub>4</sub>	7 7 4 7 2'/2 5'/2  4 Lb. Setting 8 8 5'/2 8 3'/2	7 Glorion 7 Queen Turf 4 Sears 7 Jet Spred 21/2 Cyclone 51/2 Scott Rotary  4 Lb. Setting 8 Glorion 9 Queen Turf 51/2 Sears 9 Jet Spred 31/2 Cyclone

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 3 1/4 oz. at 2 lb. setting, 6 1/2 oz. at 4 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

#### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not nably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

#### Advertising claims that may be presented on the label

• Kills Crabgrass Before It Emerges

#### Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear: "

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

••••