


NET WEIGHT: 12 LBS. 8 OZ. (XXX Kg.)

TREATS: 5,000 SQ. FT.

# LEBANON SPRING SEEDING CRABGRASS PREVENTER

## WITH GRASS FOOD

# 18-3-6



- 1 - Grass Food Greens and Thickens Lawns
  - 2 - Crabgrass Control Kills Crabgrass Seedlings
  - 3 - PLUS Triple Action Feature Permits Seeding, Crabgrass Control and Fertilization At The Same Time
- DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS**  
(See List on Back)

**ACTIVE INGREDIENT:**

Siduron, 1-(2-Methylcyclohexyl)-3-phenylurea\* 3.71%

**INERT INGREDIENTS:** 96.29%

**TOTAL:** 100.00%

\*Registered TM of E I DuPont de Nemours Co Inc for Siduron™ Weed Killer

\*Also known as Tupersan

EPA Reg. No. 961-319

(L) (D)  
EPA Est. 961-PA-01:961-IL-01  
Superscript used is first letter of lot number.

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**HARMFUL IF SWALLOWED**  
 See Back Panel for Additional Precautionary Statements

MANUFACTURED BY  
LEBANON CHEMICAL CORPORATION  
LEBANON, PA 17042

Page 1 of 4 Pages  
961-319  
01/10/95

### BEST AVAILABLE COPY

## FERTILIZER ANALYSIS

Total Nitrogen (N)	18.00%
6.5% Water Insoluble Nitrogen	
Available Phosphoric Acid ( $P_2O_5$ )	3.00%
Soluble Potash ( $K_2O$ )	6.00%
Iron (Fe)	0.75%

**NUTRIENT SOURCES:** Urea, Muriate of Potash, Ammonium Phosphate, Ammonium Sulfate.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS. KEEP THIS PRODUCT IN ITS ORIGINAL CONTAINER.**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **CAUTION**

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Wash thoroughly after handling. Avoid breathing dust.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**NOT FOR USE ON TURF BEING GROWN ; OR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.**

Fertilizes grass and controls crabgrass before it emerges as an unsightly lawn weed. Can be used on newly-seeded areas. It will not harm germination of grass seed.

**18% Nitrogen** provides good, green color and promotes thick grass growth.

One-third of the total nitrogen is in a slow release form to feed longer, more evenly.

**3% Phosphate** stimulates root growth for a sturdier, thicker lawn. Helps insure hardiness during Winter weather, too

**5% Potash** increases resistance against disease and helps grass combat the stresses of dry, hot weather. Also helps develop springy, rugged grass blades.

### HOW TO USE

1 Use **ONLY** on the following grasses:

- Bluegrass
- Fescue
- Redtop
- Smooth Brome
- Perennial Ryegrass
- Orchardgrass
- Zoysia

Bentgrass Strains as follows:

- Penncross
- Seaside
- Highland
- Astoria
- Nimisia
- C-1, C-7 and C-19

**DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS**

2. Rake the lawn to remove leaves and other debris.

3. **On Established Lawns:** Apply at the rate of 5 lbs. per 1,000 sq. ft. (12 1/2 lb. bag covers 2,500 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.

4. **On Newly-Seeded Areas:** Apply at the rate of 2 1/2 lb. per 1,000 sq. ft. (12 1/2 lb. bag covers 5,000 sq. ft.) Apply immediately after seeding in early Spring before crabgrass and other annual grass weeds emerge.

5. Apply with a fertilizer spreader to insure even coverage

6. If it does not rain for 3 days after application, water the treated area thoroughly to get desired results. Timing application just ahead of predicted rain is ideal.

### SUGGESTED SPREADER SETTINGS

Following are recommended spreader settings to get approximately 5 lbs. of product per 1,000 sq. ft. of **ESTABLISHED LAWNS**, or 2 1/2 lbs. per 1,000 sq. ft. on **NEWLY SEEDED LAWNS**:

SPREADER	ESTABLISHED LAWNS	NEWLY-SEEDED LAWNS
Agrico Agr-Spred	6	5
Agrico Jet Spred Cyclone	5 1/2	4 1/2
Central	8 1/2	7
Greenfield	8 1/2	7
Jackson, Sears	8	5
Lawn Beauty	6	5
Scotts	8	5
M.T.D.	7 1/2	5 1/2

Walking speed, evenness of lawn, and condition of spreader may require slightly different settings for desired coverage

**BEST AVAILABLE COPY**

### STORAGE AND DISPOSAL

**STORAGE:** Keep in original container in a cool, dry area away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. Store away from children and domestic animals.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

**BEST AVAILABLE COPY**