

961-319

10-16-2008

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Henry E. Rohland  
EPA Registration Manager  
Lebanon Seaboard Corporation  
1600 East Cumberland Street  
Lebanon, PA 17042

OCT 16 2008

SUBJECT: Applications for Pesticide Notification – Revisions per PR Notice 2007-4  
Greenskeeper Balan EPA Reg. No. 961-268  
Lebanon Turf Fungicide Contains Daconil® 2787 EPA Reg. No. 961-277  
Lebanon Spring Seedling Crabgrass Preventer  
with Grass Food EPA Reg. No. 961-319  
Lebanon Green Gold Garden Weed Preventer EPA Reg. No. 961-335  
Lebanon Lawn Crabgrass Preventer with Fertilizer EPA Reg. No. 961-346  
Preen® Garden Weed Preventer Plus Fertilizer EPA Reg. No. 961-407  
Applications Dated November 16, 2007

Dear Mr. Rohland:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,



Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



4/7

# LEBANON SPRING SEEDING CRABGRASS PREVENTER WITH GRASS FOOD

DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS  
(See List on Back)

**ACTIVE INGREDIENT:**

Siduron:1-(2-Methylcyclohexyl)-3-phenylurea\* ..... 3.71%

**OTHER INGREDIENTS:** ..... 96.29%

**TOTAL** ..... 100.00%

CAS. No. 1982-49-6

EPA Reg. No. 961-319

\*Also known as Tupersan®

Tupersan® is a registered trademark of the Gowan Company.

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

### GUARANTEED ANALYSIS

Total Nitrogen (N) ..... XX%

X.X% Ammoniacal Nitrogen

X.X% Water Insoluble Nitrogen

X.X% Urea Nitrogen

X.X% Other Water Soluble Nitrogen

Available Phosphate (P<sub>2</sub>O<sub>5</sub>) ..... XX%

Soluble Potash (K<sub>2</sub>O) ..... XX%


Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

MANUFACTURED BY  
**LEBANON SEABOARD CORPORATION**  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
www.lebsea.com

## NOTIFICATION

OCT 16 2008

NET WEIGHT: 12 LBS. 8 OZ. (5.68 kg)  
TREATS: 5,000 SQ. FT.



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF SWALLOWED:** • Call a poison control center or doctor immediately for treatment advice.  
• Have person sip a glass of water if able to swallow.  
• Do not induce vomiting unless told to do so by a poison control center or doctor.  
• Do not give anything by mouth to an unconscious person.

**IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
• Call a poison control center or doctor for treatment advice.

**IF ON SKIN:** • Take off contaminated clothing.  
**OR CLOTHING:** • Rinse skin immediately with plenty of water for 15-20 minutes.  
• Call a poison control center or doctor for treatment advice.

**IF INHALED:** • Move person to fresh air.  
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.  
• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** -Store product in its original container in a cool, dry, secured locked place, out of reach from children and domestic animals  
**CONTAINER DISPOSAL:**

**IF EMPTY:** Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available.


**IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Fertilizes grass and controls crabgrass before it emerges as an unsightly lawn weed. Can be used on newly-seeded areas. It will not harm germination of grass seed.

**For use on newly-seeded or established plantings of the following grasses:**

- Bluegrass
- Fescue
- Redtop
- Smooth Brome
- Perennial Ryegrass
- Orchardgrass
- Zoysiagrass

**Bentgrass Strains as follows:**

- Penncross
  - Seaside
  - Highland
  - Astoria
  - Nimisila
  - C-1, C-7 and C-19
- 

**DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS**

### APPLICATION INSTRUCTIONS

1. Rake the lawn to remove leaves and other debris.
2. **On Established Lawns:** Apply at the rate of 5 lbs. per 1,000 sq. ft. (12 1/2 lb. bag covers 2,500 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.
3. **On Newly-Seeded Areas:** Apply at the rate of 2 1/2 lbs. per 1,000 sq. ft. (12 1/2 lb. bag covers 5,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.
4. Apply with a fertilizer spreader (see settings below) to insure even coverage.
5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

### SUGGESTED SPREADER SETTINGS

| SPREADER                 | ESTABLISHED LAWNS | NEWLY-SEEDED LAWNS |
|--------------------------|-------------------|--------------------|
| Agrico Agri-Spred        | 6                 | 5                  |
| Agrico Jet Spred Cyclone | 5Z/x              | 4Z/x               |
| Central                  | 8Z/x              | 7                  |
| Greenfield               | 8Z/x              | 7                  |
| Jackson, Sears           | 8                 | 5                  |
| Lawn Beauty              | 6                 | 5                  |
| Scotts                   | 8                 | 5                  |
| M.T.D.                   | 7Z/x              | 5Z/x               |


[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

**NOTE:** Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 4 oz. at 2 1/2 lb. setting, 8oz. at 5 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.

#### Optional spreader directions:

#### **Drop Spreaders**


Apply in a single pass at a rate of 2 1/2 lbs. (New Lawns) or 5 lbs. (Established Lawns) per 1,000 sq. ft. Start on the outside border and apply in a rectangular path working back and forth across the length of the lawn. Overlap the coverage slightly, and shut off spreader before making hard turns.



Graphic Optional

#### **Broadcast Spreaders**

Apply in a single pass at a rate of 2 1/2 lbs. (New Lawns) or 5 lbs. (Established Lawns) per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.



Graphic Optional

If your spreader model does not appear above, go to our website at [www.preen.com](http://www.preen.com), or call toll-free 800-233-1067, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

### WARRANTY


The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

#### **Advertising claims that may be presented on the label**

- Grass Food Greens and Thickens Lawns
- Crabgrass Control Kills Crabgrass Seedlings
- PLUS Triple Action Feature Permits Seeding, Crabgrass Control and Fertilization At The Same Time
- Prevents crabgrass without harming new grass seedlings (unlike ordinary crabgrass control products)
- Fertilizes for superior seed germination and growth
- Apply when seeding new lawns, bare spots, or overseeding an existing lawn
- For Seeding Lawns

• PRACTICAL SOLUTIONS FOR THE TURF PROFESSIONAL  
• PRACTICAL SOLUTIONS FOR THE SERIOUS TURF PROFESSIONAL

Good Housekeeping Seal



7/7

**PREEN GUARANTEE**

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Preen® is a registered trademark of Lebanon Seaboard Corporation.

**Additional Labeling Requirements:**

If the fertilizer guarantee contains iron, the following statement must appear:

*This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.*

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

*Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.*

For products distributed in the State of Washington, the following statement must appear:

*Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>*

