

245024

FERTILIZER

4 Condition
Kill Crabgrass Seedlings

3 Plus
Treat Crabgrass Seedlings

Do not use on lawn grasses or other plants
(see label)

CAUTION: Do not use on lawn grasses or other plants
(see label)

1950

Agrico

18-3-6

- 1 Greens and thickens grass
- 2 Kills crabgrass seedlings
- 3 Plus Triple action feature

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N)	18.00%
Water Soluble Nitrogen	
Available Phosphorus (A.P.P.)	3.00%
Soluble Potash (K ₂ O)	6.00%
Iron (Fe)	0.75%
* Contains Active Crabgrass Control Equipment	
* Contains	

HERBICIDE INGREDIENT STATEMENT

ACTIVE INGREDIENT	
Systemic Herbicide	3.00%
INERT INGREDIENTS	96.20%
EPA REG. NO. 227-200	
* See label for details	

Agrico Chemical Company
Memphis, Tennessee 38101

WHAT AGRICO 1-2-3 PLUS MEANS TO YOUR LAWS

1. **18% Nitrogen** - One third of the nitrogen is water soluble. This means that your lawn will be green and thick.

2. **3% Phosphate** - This is a special type of phosphate which is available to your lawn. It helps your lawn to grow better.

3. **6% Potash** - This is a special type of potash which is available to your lawn. It helps your lawn to grow better.

4. **0.75% Iron** - This is a special type of iron which is available to your lawn. It helps your lawn to grow better.

HOW TO USE

1. Use ONLY on the following types of lawns:	
Bermuda	Bentley
Bluegrass	Bentley
Buffalo	Scrub
St. Augustine	Hydrangea
Perennial Ryegrass	Adonis
Orchardgrass	Samolus
Zoysia	Claytonia

3. On established lawns, apply Agrico 1-2-3 Plus at the rate of 1 lb. per 1,000 sq. ft. of lawn area. Apply after the lawn has been mowed and before the lawn has grown too tall. This is important to insure proper penetration and other annual grasses.
4. On newly seeded areas, apply at the rate of 1 lb. per 1,000 sq. ft. of lawn area. This is important to insure proper penetration and other annual grasses.
5. Apply with a broadcast spreader to lawn areas.
6. If the lawn is heavily shaded, apply after the lawn has been mowed and before the lawn has grown too tall. This is important to insure proper penetration and other annual grasses.

CAUTION

May be harmful to fish, birds, and other animals. Avoid contact with clothing. Do not use in areas where children or animals play. Do not use in areas where children or animals play.

The product is toxic to fish, birds, and other animals. Do not use in areas where children or animals play. Do not use in areas where children or animals play.

Do not use in areas where children or animals play. Do not use in areas where children or animals play.

SUGGESTED SPREADER SETTINGS

For established lawns, use the following settings. For newly seeded lawns, use the following settings.

SPREADER	Established Lawns	Newly Seeded Lawns
Victor-Agri-Spread	1/2	1/2
Victor-Agri-Spread	1/2	1/2
Case	1/2	1/2
Greenleaf	1/2	1/2
John Deere	1/2	1/2
Lawn-Bro	1/2	1/2
Scout	1/2	1/2
M.E.D.	1/2	1/2

Walking speed, unevenness of lawn, and condition of spreader may require slightly different settings for desired coverage.

FERTILIZER

18-5-9

with Herbicide (Benofin) for Northern Grasses

GENERAL INFORMATION

AGRICO'S COUNTRY CLUB 18-5-9 WITH HERBICIDE (BENEFIN) is a combination product for preventive chemical control and high nitrogen complete turf food. When used as directed it will provide proper grass nourishment and protect turf against crabgrass, bermuda grass, poa annua, and kills foxtail, barnyard and goose grass as their seeds sprout in early spring.

For best results in an over-all crabgrass control program, maintain a high level of fertility on turf areas so that permanent grasses produce dense growth and shade out crabgrass seedlings. This cultural method of control when combined with chemical control will produce turf of outstanding beauty . . . free from unsightly crabgrass.

CONVENIENT & ECONOMICAL - AGRICO'S COUNTRY CLUB 18-5-9 WITH HERBICIDE (BENEFIN) will not damage established bluegrass, ryegrass, fescue, zoysia, Bermuda, St. Augustine, and centipede grass turfs when applied as directed. Do not apply to centipede, putting greens, or Dichondra turf. Do not apply to newly swarded areas of bermuda, St. Augustine, or centipede grasses until these turfs are well established. Do not apply to completely new lawns started the previous fall.

WHEN AND HOW TO APPLY

For Crabgrass Control Only: Apply AGRICO'S COUNTRY CLUB 18-5-9 WITH HERBICIDE (BENEFIN) any time in the spring before crabgrass germinates. Apply at the rate of 220 lbs. per acre or one bag to 10,000 sq. ft. of turf (100 x 100 = 10,000 sq. ft.). This application delivers 1 1/2 lbs. of herbicide per acre and .91 lbs. of nitrogen per 1,000 sq. ft. **DO NOT MOW GRASS SEED FOR 6 WEEKS AFTER APPLICATION.**

For Poa Annua Control: Apply in early spring until May 15th or in the late summer between July 15 and August 15. Apply at the rate of 275 lbs. per acre or one bag to 8,000 sq. ft. (50 x 100 = 8,000 sq. ft.). This application delivers 2 lbs. of herbicide per acre and 1.13 lbs. of nitrogen per 1,000 sq. ft. **DO NOT RESEED FOR 12-16 WEEKS AFTER APPLICATION.**

Apply the product evenly over the turf area avoiding dips or missed spots. Follow application rates carefully - do not under apply or over apply.

SPREADER SETTINGS

Spreader	Crabgrass Control 10 lbs. per acre 10,000 square feet	Poa Annua Control 50 lbs. per acre 8,000 square feet
Cyclone 48" Jet 48"	4	4 1/2
Lawn Master	7 1/2	8 1/2

provide proper grass nourishment and protect turf against crabgrass, poa annua, and kills foxtail, barnyard and goose grass as their seeds sprout in early spring.

For best results in an over-all crabgrass control program, maintain a high level of fertility on turf areas so that permanent grasses produce dense growth and shade out crab grass seedlings. This cultural method of control when combined with chemical control will produce turf of outstanding beauty . . . free from unsightly crabgrass.

CONVENIENT & ECONOMICAL - AGRICO'S COUNTRY CLUB 18-5-9 WITH HERBICIDE (BENEFIN) will not damage established bluegrass, ryegrass, fescue, bermuda, Bermuda, St. Augustine, and centipede grass turfs when applied as directed. Do not apply to roof tops, putting greens, or Dichondra turf. Do not apply to newly swarded areas of bermuda, St. Augustine, or centipede grasses until these turfs are well established. Do not apply to completely new lawns started the previous fall.

WHEN AND HOW TO APPLY

For Crabgrass Control Only: Apply AGRICO'S COUNTRY CLUB 18-5-9 WITH HERBICIDE (BENEFIN) any time in the spring before crabgrass germinates. Apply at the rate of 220 lbs. per acre or one bag to 10,000 sq. ft. of turf. (100 x 100 = 10,000 sq. ft.). This application delivers 1 1/2 lbs. of herbicide per acre and .91 lbs. of nitrogen per 1,000 sq. ft. **DO NOT MOW GRASS SLED FOR 6 WEEKS AFTER APPLICATION.**

For Poa Annua Control: Apply in early spring until May 15th or in the late summer between July 15 and August 15. Apply at the rate of 275 lbs. per acre or one bag to 8,000 sq. ft. (50 x 100 = 8,000 sq. ft.). This application delivers 2 lbs. of herbicide per acre and 1.13 lbs. of nitrogen per 1,000 sq. ft. **DO NOT RESEED FOR 12-16 WEEKS AFTER APPLICATION.**

Apply the product evenly over the turf area avoiding skid and wheel tracks. Follow application rates carefully - do not under apply or over apply.

SPREADER SETTINGS

Spreader	Crabgrass Control 50 lb. bag to cover 10,000 square feet	Poa Annua Control 50 lb. bag to cover 8,000 square feet
Cyclone Spreader 48"	4	4 1/2
Lawn Faculty	7 1/2	8 1/2
Northrup-King 36"	3	4
Scotts	5 1/2	6 1/2
Sears 20" Model # (10310)	31	32
Sears 20" Model # (09591)	5 1/2	6 1/2
Ward 20"	5	5 1/2


When using a spreader, set the rate of application according to the above table. Spreader settings may vary slightly due to differences in spreader design and turf conditions.

CAUTION

Avoid breathing dust. Avoid contact with eyes, nose, mouth, and skin. Wash hands thoroughly after use. Do not eat, drink, or smoke while using this product. Do not use near children or pets.

This product is a restricted use pesticide. It is not to be used on lawns, golf courses, or other areas where it may be applied to the general public. It is not to be used on lawns, golf courses, or other areas where it may be applied to the general public.

For more information, contact your local distributor or write to Agrico Chemical Company, P.O. Box 100, St. Louis, Missouri 63101.



Country Club®

FERTILIZER

