


CERTIFICATION OF COMPLIANCE

I, being an authorized representative of Lebanon Chemical Corporation, certify that all containers of Green Gold Lawn Weed-R 27-3-3, EPA Reg. No. 961-334, produced by 15 June 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by 1 January 1995 will be revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

For: Lebanon Chemical Corporation

By: Henry E. Rohland  
Henry E. Rohland  
EPA Registration Manager

Date: 1/25/93



Net Weight: 18 lbs. (8.16 Kg)  
Treats: 5,000 Sq. Ft.

**GREEN GOLD LAWN WEED-R**  
27-3-3

Premium Lawn Food with Control of  
Many Broadleaf Weeds in One Application

Controls Broadleaf and Buckhorn Plantain, Bindweed, Common and Mouse-ear Chickweed, White and Red Clover, Dandelion, Docks, Goldenrod, Ground Ivy, Knotweed, Mallow, Wild Morning Glory, Pigweed, Purslane, Shepherd's Purse, Smartweed, Stitchwort and Others.

**ACTIVE INGREDIENTS:**

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid*...	0.840%
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid**.....	0.810%
INERT INGREDIENTS.....	98.350%
TOTAL:	100.000%

\* Equivalent to 0.70% 2,4-dichlorophenoxyacetic acid

\*\* Equivalent to 0.67% 2-(2-methyl-4-chlorophenoxy) propionic acid

**C A U T I O N**

**KEEP OUT OF REACH OF CHILDREN**

(See Back Panel for Additional Precautionary Statements)

EPA Reg. No. 961-334

(L)

(D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

**MANUFACTURED BY**  
Lebanon Chemical Corporation  
Lebanon, PA 17042

375

Net Weight: 18 Lbs. (8.16 Kg)  
Treats: 5,000 Sq. Ft.

**GREEN GOLD LAWN WEED-R**  
27-3-3  
(Contains 2,4-D and MCPP)

**GUARANTEED ANALYSIS**

Total Nitrogen (N).....	27.0%
Water Insoluble Nitrogen 5.5%	
Available Phosphoric Acid (P2O5).....	3.0%
Soluble Potash (K2O).....	.0%
Primary Plant Foods derived from ammoniated phosphates, urea-formaldehyde, ammonium sulfate, muriate of potash.	

-----  
**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**C A U T I O N**

Do not allow people (other than Applicator) or pets on treatment area during application. Do not enter treatment areas until sprays have dried or dusts have settled.

When using this product, wear a long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**E N V I R O N M E N T A L    H A Z A R D S**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

-----  
**WEEDS CONTROLLED**

The combination of 2,4-D and MCPP gives effective control of the following weeds commonly found in lawns: Broadleaf and Buckhorn Plantain, Bindweed, Common and Mouse-ear Chickweed, White and Red Clover, Dandelion, Docks, Goldenrod, Ground Ivy, Knotweed, Mallow, Wild Morning Glory, Pigweed, Purslane, Shepherd's Purse, Smartweed, Stitchwort and Others.

Do not use on turfs with desirable clovers or on Bentgrass, St. Augustinegrass, Dichondra or Carpetgrass.

Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid drift to susceptible plants, as this product may injure flowers, ornamentals and vegetables.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**WHEN TO APPLY**

May be applied anytime weeds are actively growing, and temperature is 60 degrees Fahrenheit or above. Weed control is less effective at lower temperatures. The best time to apply is in the Spring or early Fall, but product is effective anytime during the growing season. Apply when grass is wet from recent rain shower, dew or sprinkling to get more effective herbicide action. Do not apply to newly-seeded areas until grass has been mowed two or three times, as injury may result to tender grasses. After application, do not reseed for at least three weeks, as the herbicide may inhibit germination and early growth. Do not apply during drought conditions or within 2-3 days of expected rain. Do not over or under apply. Use at recommended rate. The maximum number of broadcast applications per treatment site is two per year.

**HOW TO APPLY**

Apply uniformly over entire lawn area at the rate of 3.6 pounds per 1,000 sq. ft. One 18 pound bag covers 5,000 sq. ft. (50' x 100'). Follow spreader settings below for best results. Do not apply by hand contact. Rain or use of lawn within 24 hours may reduce effectiveness. Do not make additional application for at least two weeks. Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash materials from concrete surfaces because some fertilizers may contain iron which may cause discoloration upon oxidization.

**SUGGESTED SPREADER SETTINGS**

NOTE: These settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 5 1/4 ounces per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the setting necessary to apply the correct amount. When using a spinner-type (rotary) spreader, use extreme caution to avoid any contact with desirable plants.

595

Show 'N Tell	5 1/2	Scott Drop	3 1/2
Central	5 1/2	Glorion	5 1/2
Jackson	5 1/2	Cyclone	3 1/2
Sears	5 1/2	Jet Spred(R)	3 1/2
		Scott Rotary	D

-----  
STORAGE AND DISPOSAL

STORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.  
PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.  
CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

-----  
WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....