Tribes road instructions on rove	are beter comule	ana 17-1	4-200	3 Form Approve	red. OMB No. 2	070-000	O. Approved empires 2-28-	91
United States  Environmental Protection Agency Weshington, DC 20480				v	Registrat Amendm	tion	OPP Identifier Number	
	/	Applicatio	n for Pestic	cide - Section	n I			•
1. Company/Product Number 961-335			2. EPA	A Product Manager ine Miller		3. Pr	roposed Classification None Restricted	-
4. Company/Product (Name) Lebanon Green Gold Garden Weed Preventer			PM#	23				
5. Name and Address of Applicate Lebanon Seaboard Control 1600 East Cumberland Lebanon, PA 17042	101	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name						
			Section -					<u> </u>
Amendment - Explain bel	deted		Final printed labels in repsones to Agency letter dated "Me Too" Application.  NOTIFICATION 1.4. 2002					
Notification - Explain belo	ow.			Other - Explain	below.	•	JUL 1 4 2003	
product. I understand that it is a v consistent with the guidance of P Imay be subject to enforcement a	PR Notice 2001-6 and action and penalties (	nd the requiremen	ents of 40 CFR 156	56.10 and 40 CFR 19 RA.*				
1. Meterial This Product Will Be Child Resistant Parketing   Un			7	- · .,				
Yes No	Yes Yes No			Water Soluble Packaging  2. Type of Contain  Metal Planti Glass Paper			   - 	
	"Yes" nit Packaging wgt.	No. per container	Package wgt	No. per container		Other (S	ipecify)	_
		4. Size(s) Retei	il Container	5.1	Location of Label	I Directio	ns ·	
6. Menner in Which Label is Affi	xed to Product	Lithogra Paper pl Stenoile	aph Aued ad	Other _				
			Section - I	IV				
1. Contact Point (Complete item	ns directly below fo	or identification	of individual to I	be contacted, if no	ecessary, to pro	coss this	application.)	
Name Henry E. Rohland		T	Title EPA R	Registration Mana	1	elephone	e No. (higide Area Code)	,
Certifical Country that the statements I have made on this form and I soknowledge that any knowlingity false or misleading stated both under applicable law.			all attachments thereto are true, accurate and complete.				6. Date Application Received Sunger (Stamped)	٠,
2. Signature Slong E. Killas			<b>-,-</b>	EPA Registration Manager			1	*
f. Typed Name Henry E. Rohland			i. Date 24	Space 03		s v <sup>*</sup> v – ji		

# LEBANON GREEN GOLD® GARDEN WEED PREVENTER

### **CONTAINS TRIFLURALIN**

FOR HOME USE ONLY

NOTIFICATION

JUL 14 2003

### NOT FOR USE ON LAWNS

Prevents appearance of the listed weeds in home flower and home vegetable garden beds by killing their seeds as they germinate.

**ACTIVE INGREDIENT:** 

 Trifluralin
 1.75%

 OTHER INGREDIENTS:
 98.25%

 TOTAL
 100.00%

EPA Reg. No. 961-335

(L) (D)
EPA Est. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

### KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: 13 LBS. 5 OZ. (6.05 kg)

COVERAGE: 10,000 SQ. FT. for Heavy Soil 20,000 SQ. FT. for Light Soil

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

### FIRST AID

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

• Call a poison control center or doctor for treatment advice.

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

IF ON SKIN: • Take off contaminated clothing.

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. <u>For Emergency Medical Information</u> call (888) 208-1368.

### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will expose canals, lakes, streams, ponds, marshes, or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters or rinsate.

Do not apply directly to water.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides. **PESTICIDE DISPOSAL:** Securely wrap unused product in several layers of newspaper and diseard in trach.

CONTAINER DISPOSAL: Do not rouse bag. Discard bag in trach.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### GENERAL INFORMATION HOW TO APPLY

On garden areas being prepared for subsequent planting, first loosen soil thoroughly, remove all visible weeds and smooth surface. Apoly this product at the recommended rate over the surface uniformly, and rake or spade the product into the soil to a depth of 2 to 3 inches. Subsurface incorporation should be done in two directions, at right angles to each other, to insure uniform distribution of particles. Shallow cultivation during the growing season will not reduce effectiveness.

On established plantings, remove all visible weeds, and then apply this product at the recommended rate uniformly over the soil surface. Rake the product into the soil, being careful not to disturb the established plants or roots.

Allow untreated area for planting of corn, squash and other vegetables not specified for treatment.

### WEEDS CONTROLLED

### Annual Grasses

Crabgrasses Barnyardgrass (Watergrass) Johnsongrass (from seed)

Texas panicum

Brachiaria

Sprangletop

Foxtails (including Giant Foxtail)

Goosegrass Wild Cane (Shattercane) Stinkgrass **Bromegrass**  Sandbur Jungle-rice Cheat

**Annual Broadleaves** 

Pigweeds (Spiny, Redroot)

Lambsquarters

Russian Thistle

Purslane

Knotweed

Goosefoot

Carelessweed

Carpetweed

Kochia

Florida Pusley

Stinging Nettle

Chickweed

WILL NOT CONTROL certain resistant weeds such as Cocklebur, Velvetleaf, Jimsonweed, Ragweed, Venice mallow, Nutgrass and established Bermudagrass and Johnsongrass.

**APPLICATION RATES** 

One pound of this product is equal to 2 4/5 cups.

Use the following chart to aid in the proper application at the various recommended rates:

Per 100

1 Lb./1500 Sq. Ft.

1 Lb. /1000 Sq. Ft.

1 Lb. /750 Sq. Ft.

Sq. Ft.

3 Tablespoons

4 1/2 Tablespoons

6 Tablespoons

### **GENERAL PRECAUTIONS AND RESTRICTIONS**

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

#### **ENTRY RESTRICTIONS**

Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

This product is not recommended for use on muck soils. Do not apply to any vegetable crop not listed on the label. Do not apply to Ajuga, Myrtle, Pachysandra and other ornamental ground covers as injury may result. Use only at the rate recommended; overtreatment may cause injury. Applications made according to directions under normal growing conditions will not harm treated plants. Seedling disease, cold weather in combinations with deep planting and excessive moisture, high salt concentration and drought may weaken crop seedlings and increase the possibility of damage from this product. Under these conditions, delayed crop development may result.

### **APPLICATION INSTRUCTIONS** FOR VEGETABLES

RECOMMENDED FOR USE ON Drybeans, Southern peas (cowpeas, field peas, black-eyed peas), Snap-beans, Lima beans, Okra and transplants of Tomatoes, Peppers, Broccoli, Brussels Sprouts, Cabbage, Cauliflower. Apply from 6 weeks before planting up to day of planting. Apply at the following rates, except on Snap beans and Lima beans: Use 1 lb. to 1,500 sq. ft. on sandy and sandy loam (light) soils. Use 1 lb. to 1,000 sq. ft. on loam (medium) soils. Use 1 lb. to 750 sq. ft. on silt and clay (heavy) soils. On sandy soils containing 2%-5% organic matter, apply 1 lb. per 1,000 sq. ft. and on sandy soils containing 5%-10% organic matter, apply 1 lb. per 750 sq. ft.

On Snap beans and Lima beans, apply 1 lb. to 1,500 sq. ft. on sandy, sandy loam or loam soils and 1 lb. to 1,000 sq. ft. on silt and clay soils.

#### FOR ORNAMENTAL SHRUBS, TREES AND FLOWERS

RECOMMENDED FOR USE ON Established Ornamental Shrubs and Trees and the Following Flowers: Ageratum, Aster, Balsam, Calendula, California Poppy, Calliopsis, Camation, Cosmos, Daffodils, Dahlia, Forget-Me-Not, Four-O'Clocks, Gaillardia, Gladiolus, Hollyhock, Lobelia, Marigold, Morning Glory, Nasturtium, Periwinkle, Petunia, Portulaca, Shasta Daisy, Snapdragon, Stocks, Sunflower, Sweet Alyssum, Sweet Pea, Tulips, Zinnia. Apply at the rate of 1 lb. to 750 to 1,000 sq. ft. in the Spring around shrubbery and trees and in flower beds after plants have become established.

Hand held granular applicators designed to apply herbicide or insecticide granules are ideal for applying this product. Calibrate the applicator according to the manufacturer's directions prior to use and check frequently during application to be sure the equipment is working properly and distributing the granules uniformly. Do not apply more than the recommended amount.

### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label-when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

> Page 3 of 3 Pages 961-335 LABEL NOTIFICATION - CHANGES SHOWN - 06/18/03