

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

November 8, 2007

Mr. Henry E. Rohland **EPA Registration Manager** LEBANON SEABOARD CORPORATION 1600 East Cumberland Street Lebanon, PA 17042

Subject: Label Notification

Dear Mr. Rohland:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/10/07 for EPA Registration 961-335. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Sherada Hobgood of my staff at 703-308-8893.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse before completing form	z. Form A	proved. OMB No. 20	70-0060, Approval expires 2-28-9
United St Environmental Prote Washington, D	ection Agency	Registrat Amendm Other	1
Applic	cation for Pesticide - Sec	ction I	
1. Company/Product Number 961-335	2. EPA Product Ma Joanne Miller	nager	3. Proposed Classification ✓ None Restricted
4. Company/Product (Name) Lebanon Trifluralin G-5	PM# 23		
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 Check if this is a new address	(b)(i), my product to: EPA Reg. No. Product Name	: is sim ila on idelitic	ce with FIFRA Section 3(c)(3)
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated	Agency le "Me Too" Other - Ex	ed labels in repsonse tter dated Application. splain below.	to
Explanation: Use additional page(s) if necessary. (For a Response to PR Notice 2007-1 and 2 Marketing statements. This notification is consistent with the guidance in PR Notice other changes have been made to the labeling or the confide to willfully make any false statement to EPA. I further underst requirements of 40 CFR 156.10 and 40 CFR 152.46, this prosections 12 and 14 of FIFRA."	Deletions in RED Additions in BLUE 2007-1 and the requirements of EPA's ntial statement of formula of this produand that if this notification is not considuct may be in violation of FIFRA and	regulations at 40 CFR ict. I understand that it stent with the guidance	is a violation of 18 U.S.C. Sec. 1001 of PR Notice 2007-1 and the
	Section - III		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Unit Packaging Ves No If "Yes" Unit Packaging wgt.			Conteiner Metal Plastic Glass Paper Other (Specify)
3. Location of Net Contents Information 4. Size	s) Retail Container	5. Location of Labe	el Directions
6. Manner in Which Label is Affixed to Product	Lithograph Oth Paper glued Stenciled	eer	
	Section - IV		((
1. Contact Point (Complete items directly below for identi	fication of individual to be contacted	i, if necessary, to pro	cess this application.)
Name Henry E. Rohland	Title EPA Registration	1.	Telephone No. Jinglijûe Area Code) 712-273-1685 င
Cer I certify that the statements I have made on this form I acknowledge that any knowlingly false or misleadi both under applicable law.		ue, accurate and com fine or imprisonment,	er a (Stämped)
2. Signature	3. Title EPA Registration M		
4. Typed Name	5. Date		



LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685 FAX (717) 273-9466

10 October 2007

Document Processing Desk (NOTIF)
Office of Pesticide Program (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

ATTN: Joanne Miller (Team 23)

Re: Notification Submission in Response to PR Notice 2007-1

Dear Joanne:

Per the reference PR Notice, enclosed is an Application for Pesticide Form 8570-1, a revised label, Red Line deletions /Blue Line additions, showing the changes, and 3 labels with the changes incorporated.

We also included two marketing statements since these are not changes but additions to the label, which I believe may be accomplished by Notification.

We respectfully request you return a stamped copy upon your approval.

Should you have any questions concerning this submission, please call me at 800-532-0090 ext. 237 or e-mail: hrohland@lebsea.com.

Thanks for your help.

Henry E. Rohland

Sincerek

EPA Registration Manager

NOTIFICATION

LEBANON GREEN GOLD®NOV ® 8 2007 GARDEN WEED PREVENTER

CONTAINS TRIFLURALIN

FOR HOME USE ONLY

NOT FOR USE ON LAWNS

Prevents appearance of the listed weeds in home flower and home vegetable garden beds by killing their seeds as they germinate.

ACTIVE INGREDIENT:			
Trifluralin		1.75%	
OTHER INGREDIENTS:		<u>98.25%</u>	
TOTAL		100.00%	
	(L)	(D)	
EPA Reg. No. 961-335	EPA Est. 961-PA-01:961-IL-01		
·	Superscript used is first letter of lot number.		

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: 13 LBS. 5 OZ. (6.05 kg)

COVERAGE: 10,000 SQ. FT. for Heavy Soil 20,000 SQ. FT. for Light Soil

Page 1 of 3 Pages 961-335 NOTIFICATION10/10/07



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

• Call a poison control center or doctor for treatment advice.

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

IF ON SKIN: • Take off contaminated clothing.

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will expose canals, lakes, streams, ponds, marshes, or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters or rinsate.

Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Use as directed or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION HOW TO APPLY

On garden areas being prepared for subsequent planting, first loosen soil thoroughly, remove all visible weeds and smooth surface. Apply this product at the recommended rate over the surface uniformly, and rake or spade the product into the soil to a depth of 2 to 3 inches. Subsurface incorporation should be done in two directions, at right angles to each other, to insure uniform distribution of particles. Shallow cultivation during the growing season will not reduce effectiveness.

On established plantings, remove all visible weeds, and then apply this product at the recommended rate uniformly over the soil surface. Rake the product into the soil, being careful not to disturb the established plants or roots.

Allow untreated area for planting of corn, squash and other vegetables not specified for treatment.

WEEDS CONTROLLED

Annual Grasses

Crabgrasses
Barnyardgrass (Watergrass)
Foxtails (including Giant Foxtail)

Johnsongrass (from seed)

Goosegrass
Wild Cane (Shattercane)

Texas panicum Stinkgrass Brachiaria Sandbur Sprangletop Cheat

Bromegrass Jungle-rice

Page 2 of 3 Pages 961-335 NOTIFICATION 10/10/07

Annual Broadleaves

6/6

Pigweeds (Spiny, Redroot) Carelessweed Lambsquarters

Carpetweed

Russian Thistle

Kochia

Purslane Florida Pusley Knotweed Stinging Nettle Goosefoot Chickweed

WILL NOT CONTROL certain resistant weeds such as Cocklebur, Velvetleaf, Jimsonweed, Ragweed, Venice mallow, Nutgrass and established

Bermudagrass and Johnsongrass.

APPLICATION RATES

One pound of this product is equal to 2 4/5 cups.

Use the following chart to aid in the proper application at the various recommended rates:

Per 100

1 Lb./1500 Sq. Ft.

1 Lb./1000 Sq. Ft.

1 Lb. /750 Sq. Ft.

Sq. Ft.

3 Tablespoons

4 1/2 Tablespoons

6 Tablespoons

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

This product is not recommended for use on muck soils. Do not apply to any vegetable crop not listed on the label. Do not apply to Ajuga, Myrtle, Pachysandra and other ornamental ground covers as injury may result. Use only at the rate recommended; overtreatment may cause injury. Applications made according to directions under normal growing conditions will not harm treated plants. Seedling disease, cold weather in combinations with deep planting and excessive moisture, high salt concentration and drought may weaken crop seedlings and increase the possibility of damage from this product. Under these conditions, delayed crop development may result.

APPLICATION INSTRUCTIONS FOR VEGETABLES

RECOMMENDED FOR USE ON Drybeans, Southern peas (*cowpeas, field peas, black-eyed peas*), Snap-beans, Lima beans, Okra and transplants of Tomatoes, Peppers, Broccoli, Brussels Sprouts, Cabbage, Cauliflower. Apply from 6 weeks before planting up to day of planting. Apply at the following rates, **except on Snap beans and Lima beans:** Use 1 lb. to 1,500 sq. ft. on sandy and sandy loam (light) soils. Use 1 lb. to 1,000 sq. ft. on loam (medium) soils. Use 1 lb. to 750 sq. ft. on silt and clay (heavy) soils. On sandy soils containing 2%-5% organic matter, apply 1 lb. per 1,000 sq. ft. and on sandy soils containing 5%-10% organic matter, apply 1 lb. per 750 sq. ft.

On Snap beans and Lima beans, apply 1 lb. to 1,500 sq. ft. on sandy, sandy loam or loam soils and 1 lb. to 1,000 sq. ft. on silt and clay soils.

FOR ORNAMENTAL SHRUBS, TREES AND FLOWERS

RECOMMENDED FOR USE ON *Established* Ornamental Shrubs and Trees and the Following Flowers: Ageratum, Aster, Balsam, Calendula, California Poppy, Calliopsis, Carnation, Cosmos, Daffodils, Dahlia, Forget-Me-Not, Four-O'Clocks, Gaillardia, Gladiolus, Hollyhock, Lobelia, Marigold, Morning Glory, Nasturtium, Periwinkle, Petunia, Portulaca, Shasta Daisy, Snapdragon, Stocks, Sunflower, Sweet Alyssum, Sweet Pea, Tulips, Zinnia. *Apply at the rate of 1* lb. to 750 to 1,000 sq. ft. in the Spring around shrubbery and trees and in flower beds after plants have become established.

Hand held granular applicators designed to apply herbicide or insecticide granules are ideal for applying this product. Calibrate the applicator according to the manufacturer's directions prior to use and check frequently during application to be sure the equipment is working properly and distributing the granules uniformly. Do not apply more than the recommended amount.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Advertising Claims that may be presented on the label

NOV 08 2007

PRACTICAL SOLUTIONS FOR THE SERIOUS TURF PROFESSIONAL PRACTICAL SOLUTIONS FOR THE TURF PROFESSIONAL