



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 24, 2022

Jeanette Covert
Authorized Representative for Lebanon
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Subject: Registration Review Label Mitigation for Trifluralin
Product Name: Lebanon Green Gold Garden Weed Preventer
EPA Registration Number: 961-335
Application Date: 3/26/2020
Decision Number: 561145

Dear Jeanette Covert:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Trifluralin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Page 2 of 2
EPA Reg. No. 961-335
Decision No. 561145

If you have any questions about this letter, please contact Quinn Gavin by phone at 202-566-2284, or via email at gavin.quinn@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", with a long horizontal flourish extending to the right.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure

LEBANON GREEN GOLD® GARDEN WEED PREVENTER

CONTAINS TRIFLURALIN

FOR HOME USE ONLY

NOT FOR USE ON LAWNS

Prevents appearance of the listed weeds in home flower and home vegetable garden beds by killing their seeds as they germinate.

ACTIVE INGREDIENT:

Trifluralin 1.75%

OTHER INGREDIENTS: 98.25%

TOTAL 100.00%

EPA Reg. No. 961-335


(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements.

**MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com**

**NET WEIGHT: 13 LBS. 5 OZ. (6.05 kg)
COVERAGE: 10,000 SQ. FT. for Heavy Soil
20,000 SQ. FT. for Light Soil**



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID

- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
 - Call a poison control center or doctor for treatment advice.
- IF SWALLOWED:**
- Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to by a poison control center or doctor.
 - Do not give anything to an unconscious person.
- IF ON SKIN:**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- IF INHALED:**
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
 - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will expose canals, lakes, streams, ponds, marshes, or estuaries to aerial drift. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

NON-TARGET ORGANISM ADVISORY STATEMENT: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize drift.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

HOW TO APPLY

On garden areas being prepared for subsequent planting, first loosen soil thoroughly, remove all visible weeds and smooth surface. Apply this product at the recommended rate over the surface uniformly, and rake or spade the product into the soil to a depth of 2 to 3 inches. Subsurface incorporation should be done in two directions, at right angles to each other, to insure uniform distribution of particles. Shallow cultivation during the growing season will not reduce effectiveness.

On established plantings, remove all visible weeds, and then apply this product at the recommended rate uniformly over the soil surface. Rake the product into the soil, being careful not to disturb the established plants or roots.

Allow untreated area for planting of corn, squash and other vegetables not specified for treatment.

This product must be soil-incorporated within 24 hours of application either by at least 0.5 acre inch of water (rainfall, irrigation) or mechanical incorporation. If a second incorporation is needed it should be delayed 3 to 5 days after the first incorporation and be completed prior to planting.

WEEDS CONTROLLED

Annual Grasses

Crabgrasses	Johnsongrass (<i>from seed</i>)	Texas panicum	Brachiaria	Sprangletop
Barnyardgrass (<i>Watergrass</i>)	Goosegrass	Stinkgrass	Sandbur	Cheat
Foxtails (including <i>Giant Foxtail</i>)	Wild Cane (<i>Shattercane</i>)	Bromegrass	Jungle-rice	

Annual Broadleaves

Pigweeds (<i>Spiny, Redroot</i>)	Lambsquarters	Russian Thistle	Purslane	Knotweed	Goosefoot
Carelessweed	Carpetweed	Kochia	Florida Pusley	Stinging Nettle	Chickweed

WILL NOT CONTROL certain resistant weeds such as Cocklebur, Velvetleaf, Jimsonweed, Ragweed, Venice mallow, Nutgrass and established Bermudagrass and Johnsongrass.

APPLICATION RATES

One pound of this product is equal to 2 4/5 cups.

Use the following chart to aid in the proper application at the various recommended rates:

Per 100	<u>1 Lb./1500 Sq. Ft.</u>	<u>1 Lb. /1000 Sq. Ft.</u>	<u>1 Lb. /750 Sq. Ft.</u>
Sq. Ft.	3 Tablespoons	4 1/2 Tablespoons	6 Tablespoons

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

This product is not recommended for use on muck soils. Do not apply to any vegetable crop not listed on the label. Do not apply to Ajuga, Myrtle, Pachysandra and other ornamental ground covers as injury may result. Use only at the rate recommended; overtreatment may cause injury. Applications made according to directions under normal growing conditions will not harm treated plants. Seedling disease, cold weather in combinations with deep planting and excessive moisture, high salt concentration and drought may weaken crop seedlings and increase the possibility of damage from this product. Under these conditions, delayed crop development may result.

APPLICATION INSTRUCTIONS FOR VEGETABLES

RECOMMENDED FOR USE ON Drybeans, Southern peas (*cowpeas, field peas, black-eyed peas*), Snap-beans, Lima beans, Okra and transplants of Tomatoes, Peppers, Broccoli, Brussels Sprouts, Cabbage, Cauliflower. Apply from 6 weeks before planting up to day of planting. Apply at the following rates, **except on Snap beans and Lima beans:** Use 1 lb. to 1,500 sq. ft. on sandy and sandy loam (light) soils. Use 1 lb. to 1,000 sq. ft. on loam (medium) soils. Use 1 lb. to 750 sq. ft. on silt and clay (heavy) soils. On sandy soils containing 2%-5% organic matter, apply 1 lb. per 1,000 sq. ft. and on sandy soils containing 5%-10% organic matter, apply 1 lb. per 750 sq. ft.

On Snap beans and Lima beans, apply 1 lb. to 1,500 sq. ft. on sandy, sandy loam or loam soils and 1 lb. to 1,000 sq. ft. on silt and clay soils.

FOR ORNAMENTAL SHRUBS, TREES AND FLOWERS

RECOMMENDED FOR USE ON *Established* Ornamental Shrubs and Trees and the Following Flowers: Ageratum, Aster, Balsam, Calendula, California Poppy, Calliopsis, Carnation, Cosmos, Daffodils, Dahlia, Forget-Me-Not, Four-O'Clocks, Gaillardia, Gladiolus, Hollyhock, Lobelia, Marigold, Morning Glory, Nasturtium, Periwinkle, Petunia, Portulaca, Shasta Daisy, Snapdragon, Stocks, Sunflower, Sweet Alyssum, Sweet Pea, Tulips, Zinnia. **Apply at the rate of 1 lb. to 750 to 1,000 sq. ft. in the Spring around shrubbery and trees and in flower beds after plants have become established.**

Hand held granular applicators designed to apply herbicide or insecticide granules are ideal for applying this product. Calibrate the applicator according to the manufacturer's directions prior to use and check frequently during application to be sure the equipment is working properly and distributing the granules uniformly. Do not apply more than the recommended amount.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL:

IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

Advertising Claims that may be presented on the label

Contains Treflan* Herbicide

Treflan Helping Hands Logo

Treflan and Treflan Logo are Trademarks of Dow AgroSciences, LLC.

Untreated [with pictogram of weeds]

Treated [with pictogram of weeds]

Controls weeds before they germinate