

CERTIFICATION OF COMPLIANCE

I, being an authorized representative of Lebanon Chemical Corporation, certify that all containers of Lebanon Weed Control with Fertilizer 32-3-3, EPA Reg. No. 961-339; produced by 15 June 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by 1 January 1995 will be revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

For: Lebanon Chemical Corporation

By: 
Henry E. Rohland
EPA Registration Manager

Date: 1/29/93

Covers: 5,000 Sq. Ft.

LEBANON WEED CONTROL WITH FERTILIZER
32-3-3

This product is a remarkably effective lawn fertilizer which combines fast and long-lasting feeding actions, plus effective weed control. This product produces a thick, green turf while killing weeds to make way for new turf growth.

This product is designed for the control of dandelion, clover and may other broadleaf weeds. Weeds contacted by this product gradually die and disappear from the lawn. See back panel for a list of weeds controlled.

ACTIVE INGREDIENTS:

Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid*.....	1.350%
Isooctyl Ester of 2-(2-methyl-4-chlorophenoxy) Propionic Acid**.....	1.370%
INERT INGREDIENTS.....	97.280%
TOTAL:	100.000%

* 2,4-Dichlorophenoxyacetic Acid Equivalent .90% Isomer Specific by AOAC Method.

** Equivalent to .90% 2-(2-methyl-4-chlorophenoxy) Propionic Acid


EPA Reg. No. 961-339	(L)	(D)
	EPA Est. 961-PA-01:961-IL-01	
	Superscript used is first letter of lot number.	

C A U T I O N

KEEP OUT OF REACH OF CHILDREN

(See Back Panel for Additional Precautionary Statements)

MANUFACTURED BY
Lebanon Chemical Corporation
Lebanon, PA 17042



Net Weight: 15 Lbs.
Covers: 5,000 Sq. Ft.

LEBANON WEED CONTROL WITH FERTILIZER
32-3-3

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N).....	32.0%
2.0% Ammoniacal Nitrogen	
6.0% Water Insoluble Nitrogen	
25.0% Water Soluble Urea Nitrogen	
Available Phosphoric Acid (P2O5).....	3.0%
Soluble Potash (K2O).....	3.0%
Primary nutrients derived from ammonium phosphate, urea, methylene ureas, muriate of potash.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

C A U T I O N

Do not allow people (other than Applicator) or pets on treatment area during application. Do not enter treatment areas until sprays have dried or dusts have settled.

When using this product, wear a long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

E N V I R O N M E N T A L H A Z A R D S

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

496

This product is designed for control of broadleaf weeds in lawns such as:

Bindweed
Black Medic
Blue Lettuce
Buckhorn
Burdock
Chickweed
Chicory
Cinquefoil
Clover
Cocklebur
Croton
Dandelion
Dock
Fanweed
Galinsoga
Goldenrod

Ground Ivy
Hawkweed
Heal-All
Henbit
Jewelweed
Jimson Weed
Kochia
Knotweed
Lambsquarters
Mallow
Morning Glory
Mustard
Nettles
Oxalis

Pennywort
Peppergrass
Pigweed
Plantain
Poverty Weed
Purslane
Ragweed
Shepherd's Purse
Smartweed
Speedwell
Spotted Spurge
Thistle
Vervains
Vetch
Wild Aster
Wild Lettuce
Wild Radish
Yarrow

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION

This product may be used on Bluegrass, Fescue, Rye, Bermuda, Bahia and Zoysia lawns.

DO NOT USE on Dichondra, Carpetgrass or St. Augustinegrass.

DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery.

The maximum number of broadcast applications per treatment site is two per year.

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash materials from concrete surfaces because some fertilizers may contain iron which may cause discoloration upon oxidization.

WHEN TO APPLY

Best results are obtained when weeds are actively growing in Spring or early Fall at temperatures of 60 degrees Fahrenheit or higher, but may be effectively used anytime during the growing season.

IMPORTANT: Apply when grass is wet from recent rain, sprinkling or dew. Do not apply to newly-seeded areas until grass has been mowed two or three times. Do not water treated area or apply within two days of expected rainfall. Do not reseed area for at least four weeks after application. Do not over or under apply Use at recommended rate.

Avoid contact with valuable shrubs, plants or flowers. Vapors from this product may injure susceptible plants in the immediate vicinity.

HOW TO APPLY

Apply at the rate of 3 lbs. per 1,000 sq. ft. (15 lb. bag covers 5,000 sq. ft.).

Lawns that are heavily overrun by weeds and that are in poor condition may require more than one application of this product. A suggested second application should be made in approximately 30 days. Lawn can be reseeded 4 to 5 weeks after weeds are killed.

Apply evenly with a lawn spreader to assure uniform distribution and correct coverage of area to be treated.

SUGGESTED SPREADER SETTINGS

NOTE: These settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 4 3/4 oz. per 100 sq. ft. Rate of walk, moisture and spreader condition can vary the setting necessary to apply the correct amount. When using a spinner-type (rotary) spreader, use extreme caution to avoid any contact with desirable plants.

Show 'N Tell	6	Sears	5	Cyclone	3
Central	6	Scott Drop	4	Jet Spred(R)	3
Jackson	6	Glorion	5 1/2	Scott Rotary E	

STORAGE AND DISPOSAL

STORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.