

761-3455

106
PM 25

Net Wt. 20 lbs.
(9.07 Kg.)

Covers
5,000 sq. ft.

Lebanon
Insect and Crabgrass Control
with Fertilizer
19-4-4

A modern combination product to control Lawn Insects, Crabgrass, and other annual grasses while supplying your plant food requirements, all in one easy application. Contains Oftanol^(R) and Balan^(R).

ACTIVE INGREDIENTS:

*1-Methylethyl 2- [[ethoxy [(1-methylethyl) amino] -phosphinothioyl]-oxy] benzoate 1.15%

**N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine 1.15%

INERT INGREDIENTS:

TOTAL 97.70%
100.00%

*Oftanol is a Registered Trademark of the Parent Company of Farberfabriken Bayer GmbH, Leverkusen. U.S. Patent Number 3,621,082; Canadian Patent Number 825,198.

**Balan is the Registered Trademark for Elanco Products Company Benefin.

EPA Registration No. 961-

Applies 2 lbs. of each active ingredient per acre.

Keep Out of Reach of Children

CAUTION

See back of bag for statements of practical treatment and other precautionary statements. Read entire label before using this product.

ACCEPTED
JUN - 3 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 761-3455

LEBANON CHEMICAL CORPORATION

Lebanon, PA 17042

BACK #1

Net Wt. 20 lbs.
(9.07 Kg)

Covers
5,000 sq. ft.

Lebanon
Insect and Crabgrass Control
with Fertilizer
19-4-4

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	19%
3.0 Water Insoluble Nitrogen	
13.0 Ammoniacal Nitrogen	
3.0 Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	4%

Nutrient Sources: Urea, Methylene Ureas, Ammonium Sulfate, Ammonium Phosphate, Muriate of Potash.

Potential acidity equivalent to 1400 lbs. Calcium Carbonate per ton.

Lebanon Insect and Crabgrass Control with Fertilizer will truly delight the modern homeowner, not only for its time-saving threefold function, but also for the very pleasant effect on your lawn - freedom from undesirable and annoying insects and weeds, and pride-promoting, rich green grass. The following insects and weeds (annual grasses) are controlled:

Insects: White Grub larvae (Japanese beetle, Black turf grass ateniuss, Northern masked chafer, European chafer, June and May beetle), Billbug larvae, Hyperodes weevil, Mole Crickets, Sod webworm larvae, and Chinchbugs.

Annual Grasses: Smooth and hairy crabgrass, annual bluegrass (Poa Annua), goosegrass (Silver crabgrass or crowfoot), Water grass (Barnyard grass), and Yellow and Green Foxtail.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.

BACK #2

SYMPTOMS OF POISONING: a sense of "tightness" in the chest, Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

In case of poisoning, call a physician or Poisoning Control Center. Have patient lie down and keep quiet.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Get medical attention immediately. If on skin, wash skin immediately with soap and warm water. If irritation occurs, get medical attention. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention.

TO PHYSICIAN: ANTIDOTE - Atropine sulfate has a slight antidotal effect and should be administered in therapeutic doses. Repeat as necessary to the point of tolerance.

Active ingredient inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of or disposal of wastes.

STORAGE AND DISPOSAL

Storage: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse bag. Discard bag in trash.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. If material cannot be used as directed, dispose of by wrapping in paper and put in trash collection.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Applied as directed, Lebanon Insect and Crabgrass Control with Fertilizer will prevent the germination of the annual grasses named above, and also will control the insects named. It may be safely applied to established Bluegrass, Ryegrass, Fescue, Zoysia, Bermuda, St. Augustine, Bahia and Centipede grass lawns. Do not apply in the spring to turfgrasses planted the previous fall. Do not apply to putting greens, bent grasses or Dichondra grass, nor to newly sprigged areas of Bermuda, St. Augustine or Centipede grasses.

TIME OF APPLICATION

In general, a spring application, in April or early May, will control both insects and most grasses listed. If you have a particular problem involving one of the pests listed, consult your local Extension Service for advice on exact timing in your area. Mole crickets, Sod webworm, or chinchbugs observed later may require a later application.

Also, Poa annua germination must be controlled in the early fall period, while Goosegrass usually germinates about 4 to 6 weeks after the early spring grasses, and must be treated accordingly.

HOW TO USE

Lebanon Insect and Crabgrass Control with Fertilizer should be applied at the rate of 4 pounds per 1,000 sq. ft. (one 20 lb. bag covers 5,000 sq. ft.). This yields 2 pounds of each active ingredient per acre, or about 3/4 ounce per 1,000 sq. ft. Immediately after application, wash the product into the soil with 1/2 to 1 inch of water, by sprinkling or natural rainfall.

IMPORTANT: Do not allow children or pets on treated area until the grass has dried. Do not use clippings from treated area for animal forage, or allow animals to graze on treated area. Do not exceed two applications of this product per year, or in any case do not exceed the application of 1.45 ounces of Oftanol per 1,000 sq. ft. per year. Allow 30 days to elapse between application.

Apply this product only with calibrated spreading equipment. Adjust your spreader to apply 6 1/2 ounces per 100 sq. ft., equivalent to 4 pounds per 1,000 sq. ft. The table below suggests settings to use, but your individual spreader, rate of walk, and terrain all may vary your own settings.

BACK #4

SPREADER SETTINGS

Show 'N Tell ^(R)	6 1/4	Central	6 1/4	Cyclone	4 1/2
Scott Rotary	H	HTD	2 3/4	Sears	6 1/4
Scott PF100	4	Jackson	5 3/4	Jet-Spred ^(R)	4 1/2
		Glorion	6 1/4		

WARRANTY

Lebanon Chemical Corporation warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

LEBANON CHEMICAL CORPORATION
 Lebanon, PA. 17042

—
 —

.....

