961-346

02/12/2009



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

1 2 FEB 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Richard J. Newmaster, Jr. Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

Dear Mr. Newmaster:

Subject:

Alternate Brand Name Lebanon Pro Brand Fertilizer with Team Herbicide Crabgrass Control EPA Registration Number 961-346 Application Dated November 5, 2008

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended is acceptable. If you have any questions, please contact Tracy White by phone at (703) 308-0042 or via email at white.tracy@epa.gov.

Sincerely,

Miller

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505P)

Enclosure



Fertilizer with TEAM* HERBICIDE CRABGRASS CONTROL						
	15)-	5-	5		
	cont GUAR AN TEED	SC	-	c 86685		
Total Nitrogen 2.0% Amnor 13.0% Urea N Available Phosp	niacal Nitrogen			22-4	1775 199	
Derived From: Chickine (CI) not	Ammonium Phose more than alable Nitrogen from	ohate, Sultur	Coalod Urea, Ure	ia, Muriate of P	otash. 	
	SUDCESTED SPREADER SETTINGS					
	-	UCCESTED 6PR	EADER BETTINGS			
	Sancca ey a. Datings	anton as R	fjrmair	entrate in R. Gall	enter	
Apresia Lateresitet Optime	encesa, a. Baby	841000 Bg R. 5%	EADER BETTINGS Grader Mail Jahr & Accent	avitaisa, k. Gali N Pi	ф	
Cythens Bellinup Rollery	ental 6, 8, 040p	844000 Bg R FM F4 30	Rymatic Proc. And Proc. Proc.	APRIL N		
Cycleme Bod Inny RCBcty Eccur Ficar (NEI) Gaster	encesa, a. Baby	841000 Bg R. 5%	Eponetier Priost Aller of the Acceptor Priost Aller of the T	APRIL N	erana e	
Cythens Bellinup Rollery	47009 83 7. 64000 4% 5 5 00 39 80 80 80	844000 Bg R FM F4 30	Eponetier Prival Jacob P accepter Prival Jacob P (Carls 1)	APRIL N		
Cycleme Bod Inny RCBcty Eccur Ficar (NEI) Gaster	67103633, 0609 65 5 5 6 3 6 8 8	844000 Bg R FM F4 30	Eprester Prostudier (# 40000.00 Prostudier (# 1 Prostudier (# 1 Prostudier) Enderstander Enderstander	APRIL N		

A Granular Fertilizer Containing TEAM* for the Preemergence Control of Crabgrass, Foxtail, Goosegrass, Poa Annua and Other Annual Weed Grasses in Established Turfgrass.

2

ACTIVE INGREDIENTS:	
Benefin	
Triburalin	
OTHER INGREDIENTS:	
TOTAL	
Benefin CAS. No. 1861-40-1 Taflurain CAS. No. 1582-09-8	a) (B
EPA Reg. No. 961-346 *Taxdemark of DowAgeoSciences LLC.	(L) EPA Est. No. 961-PA-01:0614L-01 Superscript used in Entlietter of Int sumber
KEEP OUT OF REACH OF	CHILDREN
CAUTION	
See back panel for First Aid and additional P	recautionary Stataments.

NOTICE: Read the entire tabel. Use only according to tabe directions. Before buying the product, read the Warranly Soction elsewhere on this label. If terms are not acceptable, return the unopened container at once.

ACCEPTED

1 2 FEB 2009 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

961-346

ιĉο

0

C C C



For technical assumations of more from who alcost a very destinations of the www.Lebenont Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. * Lebanon, PA 17042 Made in the U.S.A. www.LebanosTurf.com

NET WT. 50 LBS. (22.7 kg)



A Granular Fertilize Containing TEAM* for the Preemer nce Control of Crabgrass, ⁷ Foxtail, Goosegrass, Poa Annua and Other Annual Weed Grasses in Established Turfgrass.

ACTIVE INGREDIENTS:

Benefin	
Trifluralin	
OTHER INGREDIENTS:	
TOTAL	

Benefin CAS. No. 1861-40-1 Trifluralin CAS. No. 1582-09-8 EPA Reg. No. 961-346

*Trademark of Dow AgroSciences LLC.

EPA Est. No. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional Precautionary Statements.

NOTICE: Read the entire label. Use only according to label directions. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.



For technical assistance or more information about our products visit www.LebanonTui?com Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 Made in the U.S.A. www.LebanonTurf.com

NET WT. 50 LBS. (22.7 kg)



Fertilizer with **FEAM* HERBICIDE CRABGRASS CONTROL**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

hul if absorbed through skin. Avoid contact with skin, eyes or ciothing. Prolonged or frequently repeated skin contact may cause allorgic reaction in some individuals.

- Personal Protective Equipment (PPE)
- All loaders, applicators and other handlers must wear: Long-sleeved shirt and long pants,

- Socks plus shoes, and,
 Chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry

	ately after handling this product. Wash the outside of gioves before removing. As soon as possible, wash thoroughly and change into clean dofting.
	FIRST AID
IF ON SKIN:	Take off contaminated clothing.
OR CLOTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
F SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
F IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact tenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
F INHALED:	Move person to fresh air.
	· If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
	inar or tabal with you when estima a contral contrar or noter or noter for treatment for Emergency Martina bell (200) 200, 1260

ENVIRONMENTAL HAZARDS

nime, and estuarime ish and aquatic invertebralas including shrimp and cyster. Do not apply in a manner that will directly expose canals, lakas, streams, ponds, marshes or estuaries to aerial drift. Do not apply This pesticide is extremely toxic to frashv directly to water, or to areas where surface water is present or to interfidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or insate. Drift and runoff may be hazardous to aquatic organism in water adjacent to treated areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Not for use on plants grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications.

Entry Restrictions: This product must be watered in as soon as possible after application. Do not enter or allow other people (or pets) to enter the treated area until dusts have settled. Except for those people involved in the watering-in - do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry.

GENERAL INFORMATION

.......

ccc. ...

concer

er annual grasses: Smooth and Hairy Crabgrass, Goos This turf fertilizer product contains TEAM, a preemergence heroicide which is applied to established turfgrasses for the control of the winter annual grass ual Blue ss (Poa a nua); and summ (silver crabgrass or crowtootgrass), Barry ard grass (watergrass) and Green and Yellow Foxtal. This product also provides partial control of prostrate spurge (Euphorbia humistrate), epoched spurge (Euphorbia maculate), creeping spurge (Euphorbia serpens), Croeping woodsome! (Dxalis control and yellow woodsome! (Dxalis control and yellow woodsome! (Dxalis stricta), creeping spurge (Euphorbia serpens), Croeping woodsome! (Dxalis control and yellow woodsome! (Dxalis stricta), creeping spurge (Euphorbia serpens), Croeping woodsome! (Dxalis control and yellow woodsome! (Dxalis stricta), creeping spurge (Euphorbia serpens), Croeping woodsome! (Dxalis control of prostrate spurge (Euphorbia serpens), Croeping serpens), Croeping serpens), Croeping se creeping woodsorrel (Oxalis comiculata) and yellow woodsorrel (Oxalis stricta). ĉ (L

This Product is Recommended For Use On The Following Established Warm and Cool Season Perennial Turfgrass Species. Established Cool Season Turtgrasses - Bentgrass Faiways, Kentucky Bluegrass, Perennial Ryegrass, Fescues Established Warm Season Turfgrasses - Bahagrass, Bermudagrass, Centipedegrass, St. Augustinegrass, Zoysiagrass.

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a property calibrated granular familizer spreader which will uniformly distribute (, s, roduct over the target area. Avoid skips and ex sive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are impated soon after application. This product will not harm most nearby ornamentals. i i L

In areas with extended growing seasons or where desired, a second application at the recommended rate can be made 8 to 10 weeks following the initial application on cool seasons es and 10 to 12 weeks following the initial application on warm sea turfgrasses. . .

GENERAL PRECAUTIONS AND RESTRICTIONS

Do Not Ship or Store with Food, Feeds, Drugs or Clothing.

Reseeding: Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings. Do not reseed treated areas for a minimum of 8 weeks after a single application of 4 lbs. per 1,000 sq. ft. (174 lbs. per acre) or 12 to 16 weeks after a single application of 6 lbs. per 1,000 sq. ft. (260 lbs. per acre). For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3 lbs. per 1,000 sq. ft. rate (130 lbs. per acre) or 10 to 12 weeks after the last 4 lbs. per acre).

Use caution to confine product to intended application area, as the active ingredients may stain concrete, plastic or other materials.

Do not apply this product to golf course putting greens, dichondra, or newly sprigged areas of Bermudagrass, SL Augustinegrass, Centipedegrass, or Zoysiagrass.

Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

APPLICATION INSTRUCTIONS

Broadcast Application Rates:	Cool Season Turfgrasses	Warm Season Turfgrasses
Summer Annual Grass Weeds	130 to 195 lbs./acre	260 lbs./acre
(Spring Application)	3 to 4.5 lbs./1000 sq. ft.	6 lbs./1000 sq. ft.
Winter Annual Grass Weeds	130 to 174 lbs./acre	260 lbs./acre
(Fall Application)	3 to 4 lbs./1000 sq. ft.	6 lbs./1000 sq. ft.

For the active ingregient benefin, the following rate restrictions apply:

Maximum of 1.5 lbs. ai per acre per application. Maximum of 2 applications per year. Maximum of 3 lbs. ai per acre per year.

<u>Warm Season Turf:</u> Maximum of 3 lbs. ai per acre per application. Maximum of 2 applications per year. Maximum of 6 lbs. ai per acre per year.

Split Applications for Extended Control and Lawn Care Operator Programs:

As an alternative to single application programs, this product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time.

Apply this product at 3 lbs. plus 3 lbs. per 1,000 sq. ft. (130 lbs. plus 130 lbs. per acre) for Cool Season Turfgrasses and in the northern half of the Warm Season Turfgrass area of the U.S. or 4 lbs. per 1,000 sq. ft. (174 lbs. plus 174 lbs. per acre) in the southern half of the Warm Season Turfgrasses area of the U.S. The second application should be made 8 to 10 weeks following the 3 lbs. per 1,000 sq. ft. rate (130 lbs. per acre) and 10 to 12 weeks following the 4 lbs. per 1,000 sq. ft. rate (174 lbs. per acre).

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, of, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or

2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

MANUFACTURED BY:

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON, PA 17042

For technical assistance or more information about our products visit www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-lebsea.com