

961-348

7/17/2012

1/20



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

SAFETY
PREVENTION

OFFICE OF CHEMICAL
AND POLLUTION

Jeanette A Covert
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon PA 17042

JUL 17 2012

Subject Label Amendment
Product Name Lebanon Lawn Fertilizer with Team Crabgrass Control
EPA Reg No 961 348
Submission Dated April 2 2012

Dear Ms Covert

The labeling referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended is acceptable

Please note the following correction that should be made to the label

- 1 Please add the bracketed qualifier [on products containing no phosphorus] after marketing claims 4 5 and 6 on page 11 This will make it clear that these claims will only be made on labels for formulas with 0 00% phosphorus


A stamped copy of your label is enclosed for your records This label supersedes all previously accepted labels You must submit one (1) copy of the final printed label before you release the product for shipment Products shipped after eighteen (18) months from the date of this letter or the next printing of the label whichever occurs first must bear the new revised label If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA §6(e) Your release for shipment of the product constitutes acceptance of these conditions

Should you wish to add/retain a reference to the company's website on your label then please be aware that the website becomes labeling under the FIFRA and is subject to review by the Agency If the website is false or misleading the product would be misbranded and unlawful to sell or distribute under FIFRA §12(a)(1)(E) 40CFR §156.10(a)(5) list examples of statements EPA may consider false or misleading In addition regardless of whether a website is referenced on your product's label claims made on the website may not substantially differ from those claims approved through the registration process Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration the website will be referred to the EPA's Office of Enforcement and Compliance

2/20

If you have any questions please contact Emily Hartman of my staff at (703) 347 0189
or hartman emily@epa gov

Sincerely



Kathryn Montague Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

3/20

Sublabel 1 Intended for Commercial Use

LEBANON LAWN FERTILIZER WITH TEAM® CRABGRASS CONTROL

ACTIVE INGREDIENTS

Benefin	1 030%
Trifluralin	0 515%

OTHER INGREDIENTS

	98 455%
TOTAL	100 000%

EPA Reg No 961 348
Benefin CAS No 1861 40 1
Trifluralin CAS No 1582 09 8

(L) (D)
EPA Est No 961 PA 01 961 IL 01
Superscript used is first letter of lot number

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

NOTICE Read the entire label Use only according to label directions
Before buying this product read the Warranty Section elsewhere on this label
If terms are not acceptable return the unopened container at once

**ACCEPTED
with COMMENTS
in EPA Letter Dated**

JUL 17 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act
as amended for the pesticide
registered under EPA Reg No

961-348

Optional Headings [Fertilizer]

GUARANTEED ANALYSIS

Total Nitrogen (N)	XX/
X X% Ammoniacal Nitrogen	
X X% Water Insoluble Nitrogen	
X X/ Urea Nitrogen	
X X/ Other Water Soluble Nitrogen	
Available Phosphate (P ₂ O ₅)	XX/
Soluble Potash (K ₂ O)	XX/

Nutrient Sources (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer)

[MANUFACTURED BY] [Distributed By] [Produced By]

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON PA 17042

Made in the U S A

www lebsea com

NET WEIGHT 30 LBS (13 6 kg)[Net Weight] [Net Wt] xx lbs [LBS] [POUNDS] (xx x kg) [(XX X KG)]

Treats XX XXX Sq Ft [SQ FT] [Square Feet] [SQUARE FEET]

TREATS [or COVERS] XX 000 sq ft

TREATS xxxx SQ FT

4/20

Optional Headings [Care & Handling]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

All loaders, applicators and other handlers must wear:
Long sleeved shirt and long pants
Socks plus shoes and
Chemical resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information, call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes, or estuaries to aerial drift. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

Optional Headings [Quality Results]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Read all directions carefully before applying this product.

5/20

PRODUCT INFORMATION

This turf fertilizer product contains TEAM a preemergence herbicide which is applied to established turfgrasses for the control of the winter annual grass Annual Bluegrass (*Poa annua*) and summer annual grasses Smooth and Hairy Crabgrass Goosegrass (silver crabgrass or crowfootgrass) Barnyardgrass (watergrass) and Green and Yellow Foxtail This product also provides partial control of Prostrate Spurge (*Euphorbia humistrata*) Spotted Spurge (*Euphorbia maculata*) Creeping Spurge (*Euphorbia serpens*) Creeping Woodsorrel (*Oxalis corniculata*) and Yellow Woodsorrel (*Oxalis stricta*)

This Product Is Suggested For Use On The Following Established Warm and Cool Season Perennial Turfgrass Species

Established Cool Season Turfgrasses Bentgrass Fairways Kentucky Bluegrass Perennial Ryegrass Fescues

Established Warm Season Turfgrasses Bahiagrass Bermudagrass Centipedegrass St Augustinegrass Zoysiagrass

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur Optimum weed control performance will be obtained if treated areas are irrigated soon after application This product will not harm most nearby ornamentals

In areas with extended growing seasons or where desired a second application at the specified rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses

Cool Season Turf Maximum of 1.5 lbs a.i. per acre per application Maximum of 2 applications per year Maximum of 3 lbs a.i. per acre per year

Warm Season Turf Maximum of 3 lbs a.i. per acre per application Maximum of 2 applications per year Maximum of 6 lbs a.i. per acre per year

PRODUCT PRECAUTIONS AND RESTRICTIONS

NOT FOR USE ON PLANTS GROWN FOR SALE OR OTHER COMMERCIAL USE OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES OR CLIMATIC MODIFICATION AND BEING GROWN IN ORNAMENTAL GARDENS OR PARKS OR ON GOLF COURSES OR LAWNS AND GROUNDS

Do Not Ship or Store with Food Feeds Drugs or Clothing

Application Restrictions Do not apply this product in a way that will contact workers or other persons either directly or through drift Only protected handlers may be in the area during applications

Entry Restrictions This product must be watered in as soon as possible after application Do not enter or allow people (or pets) to enter the treated area until dusts have settled Except for those people involved in the watering in do not enter or allow other people (or pets) to enter the treated areas until the watering in is complete and the surface is dry

Reseeding Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings Reseeding should be delayed for a least 8 weeks after application When using at the highest specified rate reseeding should be delayed 12 to 16 weeks after application

Use caution to confine product to intended application area as the active ingredients may stain concrete plastic or other materials

Do not apply this product to golf course putting greens dichondra or newly sprigged areas of Bermudagrass St Augustinegrass Centipedegrass or Zoysiagrass

All of the Summer annual grasses do not germinate at the same time If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label weed control results may be erratic or poor

Any cultural practices that disturb the soil such as aeration or verticutting should be done prior to application

APPLICATION INSTRUCTIONS

For most effective annual weedgrass control make application uniformly over your lawn area with no skips or misses annual weedgrass will be uninhibited in untreated areas Do not over apply or under apply Early morning applications when the wind is calm and dew is on the ground are ideal Wheel tracks are easy to follow and granules can be spread uniformly

Broadcast Application Rates

For Preemergence Weed Control of	Product Application Rate	Specific Use Directions
Spring Germinating Annual Grasses including Crabgrass Foxtail Barnyardgrass	Northern (Cool Season) Turfgrass 3 lbs per 1 000 sq ft	Apply in Spring 1 to 2 weeks prior to the onset of conditions favorable for annual weed grass seed germination
	Southern (Warm Season) Turfgrass 3 to 4.5 lbs per 1,000 sq ft	Apply in late Winter or early Spring 1 to 2 weeks prior to the onset of conditions favorable for annual weed grass seed germination
Late Spring Early Summer Germinating Annual Grasses including Goosegrass	Northern (Cool Season) Turfgrass 3 lbs per 1,000 sq ft	Goosegrass normally germinates 4 to 6 weeks later than crabgrass foxtails etc Time applications accordingly in late Spring or early Summer 1 to 2 weeks prior to the expected germination of goosegrass
	Southern (Warm Season) Turfgrass 3 to 4.5 lbs per 1 000 sq ft	
Poa Annua (Annual Bluegrass)	Northern (Cool Season) Turfgrass 3 lbs per 1 000 sq ft	Apply in late Summer or early Fall and again in late Winter or Spring 1 to 2 weeks prior to the expected germination of annual bluegrass
	Southern (Warm Season) Turfgrass 4.5 lbs per 1 000 sq ft	Apply in late Summer or early Fall 1 to 2 weeks prior to the expected germination of annual bluegrass A second application of 6 lbs per 1 000 sq ft can be made 10 to 12 weeks after initial treatment for extended control

SUGGESTED SPREADER SETTINGS

[Note Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and specified use rates as listed above]

These settings were calibrated and field tested However age and condition of spreader speed of operation and evenness of terrain may require slightly different settings for desired coverage

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

Pesticide Storage Store product in its original container in a cool dry locked place out of the reach of children and animals

Pesticide Disposal Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

Container Handling Nonrefillable container Do not reuse or refill this container Completely empty container into application equipment then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities by burning If burned stay out of smoke

[WARRANTY

[NOTE] To the extent consistent with applicable law Buyer assumes all responsibility for safety and performance if this product is not used according to the directions]

LEBANON LAWN FERTILIZER WITH TEAM® CRABGRASS CONTROL

ACTIVE INGREDIENTS

Benefin	1 030%
Trifluralin	0 515%

OTHER INGREDIENTS

	98 455%
TOTAL	100 000%

EPA Reg No 961 348
 Benefin CAS No 1861 40 1
 Trifluralin CAS No 1582 09 8

(L) (D)
 EPA Est No 961 PA 01 961 IL 01
 Superscript used is first letter of lot number

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

NOTICE Read the entire label Use only according to label directions
 Before buying this product read the Warranty Section elsewhere on this label
 If terms are not acceptable return the unopened container at once

Optional Headings [Fertilizer]

GUARANTEED ANALYSIS

Total Nitrogen (N)	XX /
X X / Ammoniacal Nitrogen	
X X / Water Insoluble Nitrogen	
X X % Urea Nitrogen	
X X% Other Water Soluble Nitrogen	
Available Phosphate (P ₂ O ₅)	XX /
Soluble Potash (K ₂ O)	XX /

Nutrient Sources (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer)

[MANUFACTURED BY] [Distributed By] [Produced By]

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON PA 17042

Made in the U S A

www.lebsea.com

NET WEIGHT 30 LBS (13 6 kg)[Net Weight] [Net Wt] xx lbs [LBS] [POUNDS] (xx x kg) [(XX X KG)]

Treats XX XXX Sq Ft [SQ FT] [Square Feet] [SQUARE FEET]

TREATS [or COVERS] XX 000 sq ft

TREATS xxxx SQ FT

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin Avoid contact with skin eyes or clothing Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals Wear long sleeved shirt long pants socks shoes and Chemical resistant gloves made of any waterproof material

User Safety Recommendations

Wash hands before eating drinking chewing gum using tobacco or using the toilet
Remove clothing immediately if pesticide gets inside Then wash thoroughly and put on clean clothing
Remove clothing immediately after handling this product Wash the outside of gloves before removing As soon as possible wash thoroughly and change into clean clothing

FIRST AID

IF ON SKIN OR CLOTHING	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
IF INHALED	Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible Call a poison control center or doctor for further treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment For Emergency Medical Information call (888) 208 1368

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine and estuarine fish and aquatic invertebrates including shrimp and oyster Do not apply directly to water Do not apply in a manner that will directly expose canals lakes streams ponds marshes or estuaries to drift or runoff Do not contaminate water when disposing of equipment washwaters

To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area Sweeping any product that lands on a driveway sidewalk or street back onto the treated area of the lawn will help to prevent run off to water bodies and drainage systems

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling
Read all directions carefully before applying this product

PRODUCT INFORMATION

This turf fertilizer product contains TEAM a preemergence herbicide which is applied to established turfgrasses for the control of the winter annual grass Annual Bluegrass (*Poa annua*) and summer annual grasses Smooth and Hairy Crabgrass Goosegrass (silver crabgrass or crowfootgrass) Barnyardgrass (watergrass) and Green and Yellow Foxtail This product also provides partial control of Prostrate Spurge (*Euphorbia humistrata*) Spotted Spurge (*Euphorbia maculata*) Creeping Spurge (*Euphorbia serpens*) Creeping Woodsorrel (*Oxalis corniculata*) and Yellow Woodsorrel (*Oxalis stricta*)

This Product Is Suggested For Use On The Following Established Warm and Cool Season Perennial Turfgrass Species

Established Cool Season Turfgrasses Bentgrass Fairways Kentucky Bluegrass Perennial Ryegrass Fescues

Established Warm Season Turfgrasses Bahiagrass Bermudagrass Centipedegrass St Augustinegrass Zoysiagrass

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur Optimum weed control performance will be obtained if treated areas are irrigated soon after application This product will not harm most nearby ornamentals

In areas with extended growing seasons or where desired a second application at the specified rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses

Cool Season Turf Maximum of 1.5 lbs a.i. per acre per application Maximum of 2 applications per year Maximum of 3 lbs a.i. per acre per year

Warm Season Turf Maximum of 3 lbs a.i. per acre per application Maximum of 2 applications per year Maximum of 6 lbs a.i. per acre per year

PRODUCT PRECAUTIONS AND RESTRICTIONS

NOT FOR USE ON PLANTS GROWN FOR SALE OR OTHER COMMERCIAL USE OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES OR CLIMATIC MODIFICATION AND BEING GROWN IN ORNAMENTAL GARDENS OR PARKS OR ON GOLF COURSES OR LAWNS AND GROUNDS

Do Not Ship or Store with Food Feeds Drugs or Clothing

Application Restrictions Do not apply this product in a way that will contact any person or pet either directly or through drift Keep people and pets out of the area during application

Entry Restrictions This product must be watered in as soon as possible after application Do not enter or allow people (or pets) to enter the treated area until dusts have settled Except for those people involved in the watering in do not enter or allow other people (or pets) to enter the treated areas until the watering in is complete and the surface is dry

Reseeding Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings Reseeding should be delayed for a least 8 weeks after application When using at the highest specified rate reseeding should be delayed 12 to 16 weeks after application

Use caution to confine product to intended application area as the active ingredients may stain concrete plastic or other materials

Do not apply this product to dichondra or newly sprigged areas of Bermudagrass St Augustinegrass Centipedegrass or Zoysiagrass

All of the Summer annual grasses do not germinate at the same time If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label weed control results may be erratic or poor

Any cultural practices that disturb the soil such as aeration or verticutting should be done prior to application

APPLICATION INSTRUCTIONS

For most effective annual weedgrass control make application uniformly over your lawn area with no skips or misses annual weedgrass will be uninhibited in untreated areas Do not over apply or under apply Early morning applications when the wind is calm and dew is on the ground are ideal Wheel tracks are easy to follow and granules can be spread uniformly

Broadcast Application Rates

10/20

For Preemergence Weed Control of	Product Application Rate	Specific Use Directions
Spring Germinating Annual Grasses including Crabgrass Foxtail Barnyardgrass	Northern (Cool Season) Turfgrass 3 lbs per 1 000 sq ft	Apply in Spring 1 to 2 weeks prior to the onset of conditions favorable for annual weed grass seed germination
	Southern (Warm Season) Turfgrass 3 to 4.5 lbs per 1 000 sq ft	Apply in late Winter or early Spring 1 to 2 weeks prior to the onset of conditions favorable for annual weed grass seed germination
Late Spring Early Summer Germinating Annual Grasses including Goosegrass	Northern (Cool Season) Turfgrass 3 lbs per 1 000 sq ft	Goosegrass normally germinates 4 to 6 weeks later than crabgrass foxtails etc Time applications accordingly in late Spring or early Summer 1 to 2 weeks prior to the expected germination of goosegrass
	Southern (Warm Season) Turfgrass 3 to 4.5 lbs per 1 000 sq ft	
Poa Annua (Annual Bluegrass)	Northern (Cool Season) Turfgrass 3 lbs per 1 000 sq ft	Apply in late Summer or early Fall and again in late Winter or Spring 1 to 2 weeks prior to the expected germination of annual bluegrass
	Southern (Warm Season) Turfgrass 4.5 lbs per 1 000 sq ft	Apply in late Summer or early Fall 1 to 2 weeks prior to the expected germination of annual bluegrass A second application of 6 lbs per 1 000 sq ft can be made 10 to 12 weeks after initial treatment for extended control

SUGGESTED SPREADER SETTINGS

[Note Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and specified use rates as listed above]

These settings were calibrated and field tested However age and condition of spreader speed of operation and evenness of terrain may require slightly different settings for desired coverage

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal
Pesticide Storage Store product in its original container in a cool dry locked place out of the reach of children and animals
Pesticide Disposal and Container Handling Nonrefillable container Do not reuse or refill this container **If empty** Place in trash or offer for recycling if available **If partly filled** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

[WARRANTY

[NOTE] To the extent consistent with applicable law Buyer assumes all responsibility for safety and performance if this product is not used according to the directions]

11/20

Advertising claims that may be presented on the labels

Team and Team logo are registered trademarks of Dow AgroSciences LLC
Contains TEAM® herbicide [placeholder for pictogram of TEAM Logo]
GreenGold is a registered trademark of Lebanon Seaboard Corporation
A Granular Fertilizer Containing TEAM for the Preemergence Control of Crabgrass Foxtail Goosegrass Poa Annua and Other Annual Weed Grasses in Established Turfgrass

GREENVIEW Optional Marketing Claims

- 1 Greenview® Keeps Your Piece of America Beautiful
- 2 YARD WIDE GUARANTEE with logo Results guaranteed or your money back
- 3 Greenview guarantees you will be satisfied with the performance of this product when used as directed or your money back Simply send proof of purchase to Greenview 1600 East Cumberland Street Lebanon PA 17042
- 4 For more information on our complete line of Greenview Lawn and Garden Products visit our website at www.greenviewfertilizer.com
- 5 For additional information on our complete line of Greenview and Garden products visit our website at www.lebsea.com
- 6 Greenview is a registered trademark of Lebanon Seaboard Corporation
- 7 GreenView logo



Agway® Brand of Products Optional Marketing Claims

1




2



- 3 AGWAY GUARANTEED SATISFACTION
- 4 GUARANTEED SATISFACTION
- 5 [Brand] is a [registered] trademark of [Company]
- 6 4 Stage Lawn Care Program
- 7 Agway Guarantees Satisfaction
- 8 (Subregistrant) Guarantees Satisfaction
- 9 4 Stage Lawn Care Program [Pictogram numbers 1-4] [pictogram for 4 Step Program]
March 1 – April 30
April 15 – June 15
August 1 September 30
- 10 [Pictogram crabgrass circle with slash through it]
- 11 Stage 1 [Pictogram crabgrass with slash through it]
- 12 [AGWAY(Subregistrant)] 4 Stage Lawn Program makes it easier to have a lush green lawn Our 4 simple applications eliminate the guesswork and give you professional lawn care results Each stage combines just the right amount of fertilizer with the right amount of control and prevention Just match each stage to the correct season and you'll prevent crabgrass control weeds and insects and prepare your lawn for winter It's what your lawn needs for strong growth
- 13 AGWAY S Greenlawn products are the quality choice in complete lawn care You determine your lawn needs and you'll find a Greenlawn product to help you Fertilizers lawn starters crabgrass prevention weed and insect control winterizers everything your lawn needs for a lush green lawn and year round protection Each one is easy to apply and guaranteed to produce quick long lasting results
- 14 Notice Read the entire label Use only according to label directions Before buying this product read the Warranty Section elsewhere on this label If terms are not acceptable return the unopened container at once
- 15 Notice Read the entire label Use only according to label directions Before buying this product read Warranty Disclaimer Inherent Risks of Use and Limitations of Remedies at end of label If terms are not acceptable return the unopened container at once
- 16 If for any reason you are not fully satisfied with the performance of this product we want to know Just bring the item back to the store and we will exchange it or issue a refund

17



12/20


- 17 AGWAY® and Stage® are registered trademarks of Southern States Cooperative Inc
Manufactured for and distributed by Southern States Cooperative Inc
6606 West Broad Street Richmond VA 23230
- 18 To find a store near you visit www.agway.com
- 19 To find an Agway store near you visit www.agway.com
- 20 For best results use an Agway spreader
- 21 For more information on spreader settings go to www.agway.com

XX / Nitrogen Provides leaf growth and makes the grass green [For dense green lawn]
 XX / Phosphate Promotes root development [Improves root growth]
 XX / Potassium Vital for Growth & Drought Resistance
 XX% Potash Helps plant resist drought and disease
 (Percentages dependent on fertilizer analysis used by manufacturer)


Optional Spreader Directions [Note to the reviewer that the pictograms and text is all options in this section]

[Determining Your Lawn's Square Footage


To determine how much of this product to apply you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape try dividing it up into a number of square areas. Calculate the square footage for each area then add the figures together to reach your total lawn size.]



[Fig A]



[Fig B]



[Spreader Tips

For the best application results use an AGWAY spreader. The two main types of spreaders are the Drop Spreader which drops the material straight down the width of the spreader as you push and the Broadcast Spreader (also known as a rotary) which throws the material from the spreader.]

[Drop Spreader (See Fig A) First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. For uniform coverage it's a good idea to overlap wheel marks. On each pass as you reach the strips at the top and bottom of the area to be covered shut off the spreader. It's also important to shut off the spreader when you are stopped.]

[Broadcast Spreader (See Fig B) Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.]

Optional Spreader Language

The above spreader settings are approximate.

To check your spreader 1 lb of material should cover approximately 333 sq ft (3 lbs of material per 1 000 sq ft)

Note: if your spreader model does not appear above please call 800 233 1067 8am - 5pm EDT Monday - Friday for additional model settings.

Additional Labeling Requirements

1. If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

13/20

2 If the recommended use rate applies less than 1 pound nitrogen per 1 000 sq ft per application the following statement must appear

Note Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1 000 sq ft

3 For products distributed in the State of Washington the following statement must appear

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory.info/lebbea.com>

Optional Marketing Claims

- 1 Grow healthier plants faster
- 2 Promotes root growth for a thicker greener lawn
- 3 Promotes root growth and increases root mass for a thicker greener lawn
- 4 Zero phosphate helps protect our waterways
- 5 Zero Phosphate formulation
- 6 No phosphate helps protect our waterways
- 7 Easier on the gardener & increases the likelihood of success
- 8 Gets more nutrients into the plant not just the soil
- 9 Promotes root growth & stronger deeper roots – enhancing nutrient absorption by grass roots
- 10 Improved Nitrogen Efficiency – Reduces Leaching
- 11 Provides your soil with nutrients
- 12 Restores nutrients to your soil
- 13 The fertilizer that improves efficiency and lowers application rates providing high quality turf at a reduced cost
- 14 Enhances seedling establishment
- 15 Increases root mass
- 16 Enhances nutrient absorption
- 17 Enhances nutrient absorption for stronger deeper roots
- 18 Easier on the gardener for a greener thicker lawn
- 19 Easier way to a greener thicker lawn
- 20 Easy way to a greener thicker lawn
- 21 Easy way to a thick green lawn
- 22 The Easy Way To A Greener Thicker Lawn
- 23 Feeds greens and thickens lawns while preventing crabgrass and other grassy weeds
- 24 Feeds up to 8 weeks
- 25 Feeds your Lawn for 8 weeks
- 26 Feeds lawn with a slow release fertilizer
- 27 Feeds Greens and Thickens Lawns
- 28 Increases nutrient uptake thereby increasing root mass
- 29 Larger and stronger root system results in a more robust plant [lawn] and reduces the negative effects of stress such as drought on the turf [lawn]
- 30 Formulated to release nutrients [fertilizer] to the plants for easy absorption [uptake]
- 31 Allows the use of less Nitrogen
- 32 Increase nutrient uptake in grass up to 20%
- 33 Enhances nutrient absorption by grass roots promoting root growth & stronger deeper roots
- 34 Puts more nutrients into the plant with less leaching from the soil
- 35 20% less nutrients required for the same great lawn results
- 36 Improved nutrient release and absorption into the lawn allows 20% less nutrients to be applied while still providing quality lawn
- 37 Lowers your cost of fertilizing for the same great lawn results
- 38 20% lower rates of applied nutrients results in lower costs while still getting more of the applied nutrients absorbed into the plant so less can be applied at a lower cost
- 39 Reduces stress on lawns protecting them from drought & heat

14/20

- 40 Requires less watering by growing deeper stronger roots
- 41 Requires less watering
- 42 Less water needed
- 43 Less watering needed
- 44 Less watering needed drought resistant
- 45 Reduces plant [lawn] stress related to drought
- 46 Reduces plant [lawn] stress related to drought more nutrient absorption
- 47 Reduces Stress On Lawns Protects From Drought & Heat
- 48 Reduces plant stress related to drought poor nutrient response
- 49 Utilizes less fertilizer
- 50 Faster establishment
- 51 Enhances nutrient absorption by grass roots promoting root growth & stronger deeper roots
- 52 More robust plants [lawn] with more nutrients and deeper roots are more colorful and grow to a thicker lawn
- 53 Allows for easier nutrient uptake into the plant [lawn] thus promoting stronger and deeper rooting
- 54 Improved nutrient release and absorption results in more nutrients in the plant [lawn] [turf] for healthy strong roots
- 55 Improved nutrient release makes it easy on plants [lawns] [turf] to absorb nutrients making it easy for plants [lawns] [turf] to grow more colorful
- 56 Gets more nutrients into the plant by restoring nutrients in the soil
- 57 Gets more nutrients into the plant by revitalizing the soil
- 58 Gets more nutrients into the lawn by making it easier for lawns to absorb
- 59 Gets more nutrients into the lawn by making it easier for lawns to absorb nutrients
- 60 Gets More Nutrients Into Lawns Easier For Lawns To Absorb
- 61 Gets More Nutrients Into Lawns
- 62 Gets More Nutrients Into The Lawn Not Just The Soil
- 63 Easier For Lawns To Absorb
- 64 Enhances soil/nutrient availability & balance
- 65 Greater gardener satisfaction by increasing the likelihood of lawn success
- 66 Greater satisfaction by increasing the likelihood of lawn success
- 67 More nutrient absorption leads to stronger and deeper root systems that can take in water deeper from the soil resulting in a more robust lawn that is more drought resistant and requires less additional watering
- 68 Unlocks the nutrients in soil enhancing nutrient absorption reducing stress on lawns protecting them from drought & heat
- 69 Unlocks the nutrients in soil enhancing nutrient absorption so you can grow a thicker greener lawn with less water
- 70 Unlocks the nutrients in your soil
- 71 Prevents crabgrass before it grows
- 72 Controls crabgrass before it germinates
- 73 Prevents Crabgrass and other Grassy Weeds
- 74 Controls Crabgrass before it grows [pictogram of crabgrass]
- 75 Lowers your cost of fertilizing
- 76 Spring Crabgrass Control
- 77 For Use in Spring
- 78 A Selective Preemergence Herbicide for the Control of Crabgrass and Most Other Annual Weed Grasses on Lawns and Golf Courses
- 79 In case of emergency endangering health or the environment involving this product call 1 800 992 5994
- 80 Agricultural Chemical Do not ship or store with food feeds drugs or clothing
- 81 Refer to back panel for additional Precautionary Information and Directions for Use including Storage and Disposal

15/20

- 82 Homogeneous Fertilizer
- 83 Telephone and computer mouse graphic with phone # and website address
- 84 Pictogram Placeholder for Bar Code
- 85 Crabgrass Control & Fertilizer

Advertising claims that may be presented on the label continued

1 The distributor warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose express or implied extends to the use of this product contrary to label instructions or abnormal conditions or under conditions not reasonably foreseeable to Distributor and Buyer
 Manufactured by LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON PA 17042
 Exclusively for COMMERCE CORPORATION 7603 ENERGY PARKWAY BALTIMORE MD 21226

2 GUARANTEE If this quality lawn fertilizer does not perform to your satisfaction send proof of purchase and empty container with an explanation of the problem to Commerce Corporation within 60 days

3 Distributed and guaranteed by
 Lebanon Seaboard Corporation
 1600 East Cumberland Street
 Lebanon PA 17042
 www.lebsea.com

ACE Hardware Marketing Claims

- 1 Ace Green Turf Crabgrass Preventer with Fertilizer
- 2 Why does your lawn need Ace Green Turf Crabgrass Preventer with Fertilizer?
- 3 The ACE® Promise
 If this ACE product when used for its intended purpose fails to give you complete satisfaction return the item to the ACE Hardware store where purchased for free replacement of the same or similar item
- 4 (Spanish translation of the above)
- 5 Made in the USA for ACE Hardware Corp
 Oak Brook Illinois 60523 USA ©2009
- 6 Questions or Comments?
 Call 1 800 233 1067
- 7 Ace Promise Satisfaction Guaranteed [pictogram medallion]

Emerald Park Premium Lawn Care

Claims regarding GreenSmart Fertilizer Properties



- 1 GreenSmart (logo)
- 2 GREENSMART ENHANCED EFFICIENCY FERTILIZER FOR A GREEN LAWN and Design is a registered trademark of Lebanon Seaboard Corporation

16/20



Sta Green is a [registered] trademark of [will insert name of company]

Optional Warranty

[WARRANTY
IMPORTANT READ BEFORE USE

Read the entire Directions for Use Conditions Disclaimer of Warranties and Limitations of Liability before using this product If terms are not acceptable return the unopened product container at once

By using this product user or buyer accepts the following Conditions Disclaimer of Warranties and Limitations of Liability

CONDITIONS The directions for use of this product are believed to be adequate and must be followed carefully However it is impossible to eliminate all risks associated with the use of this product Crop injury ineffectiveness or other unintended consequences may result because of such factors as weather conditions presence of other materials or the manner of use or application all of which are beyond the control of Lebanon Seaboard Corporation All such risks shall be assumed by the user or buyer

DISCLAIMER OF WARRANTIES To the extent consistent with applicable law LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein To the extent consistent with applicable law Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT

LIMITATIONS OF LIABILITY To the extent consistent with applicable law THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT WARRANTY TORT NEGLIGENCE STRICT LIABILITY OR OTHERWISE SHALL NOT EXCEED THE PURCHASE PRICE PAID OR AT LEBANON SEABOARD CORPORATION'S ELECTION THE REPLACEMENT OF PRODUCT]

Wal Mart Expert Gardener Brand of Products Optional Marketing Claims

1 Expert Gardener logo




2 Expert Gardener Guarantee



Guarantee

When you choose Expert Gardener® products you can be assured of high quality and performance in your lawn and garden. If for any reason you are not completely satisfied with this product we will refund your money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address listed below. Also to ensure quality control please write us a brief note explaining your experience with our product and reason for seeking a refund.

3 Guaranteed and Distributed by [company name]



Consumer Helpline 1 866 369 2533



Information regarding the contents and levels of metals in this product is available on the internet at [website]

6 Expert Gardener® is Marketed Exclusively by Wal Mart Stores Inc Bentonville AR 72716
7 Shop @ www.walmart.com

True Value Brand of Products Optional Marketing Claims

1 GreenThumb logo



2 Manufactured by [Company Name and address]
3 [Brand] is a registered trademark of [Company]
4 [Brand] is a trademark of [Company]

Tractor Supply Brand of Products Optional Marketing Claims

1 Ground Work logo



2 Manufactured by [Company name]

3 Manufactured Exclusively for Tractor Supply Company®

4 GroundWork™ is a trademark of Tractor Supply Company®

Marketing Claims that can be used for the Commercial labeling

1 [Bar code] [product number]

2 [Item number]

3 [Not] Proof of Purchase

4 If the fertilizer guarantee contains iron the following statement must appear [Note][Notice]This product contains the secondary nutrient iron Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing Do not wash off with water

5 The following statement must appear (relevant to the fertilizer guarantee) [Note] Information regarding the contents and levels of metals in this product is available on the internet at [http //www regulatory info lebsea com](http://www.regulatory.info/lebsea.com)

6 The following statement may appear when the application rate applies less than 1 pound of nitrogen per 1 000 sq ft [Note] Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 pound nitrogen per 1 000 sq ft

7 The following statement may appear if application rate instructions specify different rates based on different regions in Florida [Optional fertilizer text for state of Florida] Florida Applications [X] annual feedings [with the exception of [listed turfgrass species (X feedings in the north and X feedings in the central and south)] This package applies X X lbs of product per 1 000 sq ft]

8 For products sold in the state of Florida the following statement may appear [Optional text for state of Florida] We suggest that you follow the Golf Course BMP s at [http //www dep state fl us/water/nonpoint/docs/nonpoint/glfbmp07 pdf](http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf)

9 For products sold in the state of Florida the following statement may appear [Optional text for state of Florida] Do not apply near water storm drains or drainage ditches Do not apply if heavy rain is expected Apply this product only to your lawn/garden and sweep any product that lands on the driveway sidewalk or street back onto your lawn/garden

10 Questions or Comments? Call 1 xxx xxx xxxx (insert phone graphic)

11 Made in U S A

12 This Bag Treats Up to _____ Square Feet

13 [www lebanonturf com](http://www.lebanonturf.com)

14 Logo based on granular size





Best of All Worlds™



Claims regarding Fertilizer Properties

- 1 Fertilizes to provide rich color
- 2 Improves soil fertility
- 3 Promotes root growth for thicker greener turf

Claims regarding Slow Release Fertilizer Properties

- 1 Greens up to 8 weeks
- 2 MESA® is a registered trademark of Lebanon Seaboard Corporation
- 3 MESA Logo



- 4 MESA Video QR Code (optional when the product contains MESA)



- 5 Meth EX® is a registered trademark of Lebanon Seaboard Corporation
- 6 Meth EX Logo



- 7 EXPO® is a registered trademark of Lebanon Seaboard Corporation
- 8 EXPO Logo



- 9 Patented controlled release nitrogen for continuous fertilizing

Claims regarding GreenSmart Fertilizer Properties

- 1 GreenSmart Enhanced Efficiency Fertilizer® for green turf
- 2 Contains GreenSmart Enhanced Efficiency Fertilizer® for green turf
- 3 GreenSmart Enhanced Efficiency Fertilizer is a registered trademark of Lebanon Seaboard Corporation



LebanonTurf Brand of products optional marketing claims

- 1 [PennMulch®] [ProScape®] [LSN® LebanonTurf Stabilized Nitrogen] [MESA®] [Meth EX®] [EXPO®] [GreenSmart Enhanced Efficiency Fertilizer® for Green Turf] are registered trademarks of Lebanon Seaboard Corporation
- 2 PennMulch® is a registered trademark of Lebanon Seaboard Corporation
- 3 ProScape® is a registered trademark of Lebanon Seaboard Corporation
- 4 LSN® LebanonTurf Stabilized Nitrogen is a registered trademark of Lebanon Seaboard Corporation
- 5 LSN LebanonTurf Stabilized Nitrogen Logo

