

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	9/13/89
	NAME OF PESTICIDE PRODUCT DEDANON LURE FOOD GRAIN STORE Insect Control	

NOTICE OF PESTICIDE: REGISTRATION
 REREGRISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[]

[]

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

1. Submit/Complete the following for registration:
 - a. Add the phrase "EPA Registration No. 961-355."
 - b. Add a Note to Physician with an antidote statement, something like:

NOTE TO PHYSICIAN: Carbaryl insecticide is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Narcotics and other sedatives should not be used and drugs like 2-PAM (pyridine-2-aldoxime methiodide) are not recommended.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
Dennis H. Edwards	9/13/89

c. Change the first paragraph in Environmental Hazards to read:

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

Net Wt. 50 Lbs.

Treats 16,600 Sq. Ft.

LEBANON TURF FOOD
WITH SEVIN^(R) INSECT CONTROL

CONTAINS SEVIN^(R) BRAND CARBARYL INSECTICIDE AND
FERTILIZER TO CONTROL PROBLEM INSECTS AND FERTILIZE
TURFGRASSES IN ONE APPLICATION

ACCEPTED
with COMMENTS
to EPA Letter Dated

SEP 13 1989

INSECTICIDE INGREDIENT STATEMENT

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

961-955

ACTIVE INGREDIENT:

*Carbaryl (1-Naphthyl-N-Methylcarbamate) 5.93%

INERT INGREDIENTS: 94.07%
100.00

*Sevin^(R) is the registered Trademark of Ruone-Poulenc Nederland B. V. for
Carbaryl insecticides.

EPA Reg. No. 961-

(L) (D)
EPA EST. 961-PA-01; 961-IL-01
SUPERSCRIPIT USED IS FIRST LETTER
OF LOT NUMBER.

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) 19%
 3.0 Water Insoluble Nitrogen
 13.0 Ammoniacal Nitrogen
 3.0 Urea Nitrogen
Available Phosphoric Acid (P₂O₅) 4%
Soluble Potash (K₂O) 6%

Nutrient Sources: Urea, Methylene Ureas, Ammonium Sulfate,
Ammonium Phosphate, Muriate of Potash.

Potential acidity equivalent to 1400 lbs. Calcium Carbonate
per ton.

CAUTION

KEEP OUT OF REACH OF CHILDREN

STOP—READ THIS LABEL BEFORE USE

See back panel for additional Precautionary Statements and
Statements of Practical Treatment.

LEBANON CHEMICAL CORPORATION
LEBANON, PA. 17042

Net Wt. 50 Lbs.

Treats 16,600 Sq. Ft.

B-1

4

LEBANON TURF FOOD
WITH SEVIN^(R) INSECT CONTROL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Get medical attention.

If in eyes: Flush with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed.

Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from area treated.

Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

LAWNS AND RECREATIONAL AREAS

To fertilize and control turfgrass pests, apply granules uniformly to the turfgrass. For optimum control, follow specific directions for proper watering or irrigation after application. Do not allow public use of treated area during application.

SITE	INSECT	POUNDS OF GRANULAP 1000 SQ. FT.	SPECIFIC DIRECTIONS
TURF GRASSES	Ants, Armyworm, Centipede, Chiggers, Chinch bugs, Cutworms, Earwigs, Essex skipper, European chafer, Fall armyworm, Firey skipper, Fleas, Grasshoppers, June beetles, Leafhoppers, Lucerne moth, Millipedes, Sawbugs, Spittlebug, Springtails, Ticks, Yellowstriped armyworm	3	Apply granules uniformly when grass is dry. Water lawn lightly after application. Repeat as necessary.
	White grubs (such as Japanese Beetle, Chafer Beetle, Phyllophaga spp., and Green June beetle grubs)	3	For white grub control, applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. Water or irrigate turf thoroughly soon after treatment.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings in pounds per 1000 sq. ft.
	Ground MPH	PTO RPM		3.0 lbs.
Cyclone B-1	3		6 ft.	4
Cyclone Pro	3		6 ft.	4
Ortho Rotary	3		6 ft.	3
Spyker Rotary	3		6 ft.	3½
Scott's Drop	3			4½
Scott's RB	3		6 ft.	F
Scott's Rotary	3		6 ft.	G
Lesco Rotary	3		6 ft.	G
Lesco Pendulum	5	540	20 ft.	30
Vicon PS 402	5	540	20 ft.	30
Lely (HR) (W)	4	425	24 ft.	4 II

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

STORAGE AND DISPOSAL

STORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food, feed, seeds or other pesticides.

PESTICIDE DISPOSAL:

Securely wrap original container in several layers of newspaper, discard in trash.

CONTAINER DISPOSAL:

Do not reuse bag. Discard bag in trash.

WARRANTY

Lebanon Chemical Corporation warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured By

LEBANON CHEMICAL CORPORATION
LEBANON, PA. 17042