<u>P</u>	<u>m 23</u>	961-361	page 1			
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS: 767) WASHINGTON, DC 20460		EPA REGISTRATION NO. Jul-Jul	21 UL SUPER			
		TERM OF ISSUANCE	reu: July 31, 1974			
NOTICE OF PESTICIDE: 2	REGISTRATION	NAME OF PESTICIDE PRODU	Cr			
(Under the Federal Insecticids, Fungicide, and Rodenticide Act, as amended)		1	Lebanon Sectifizer with Dimenuion (0-198) Cruckrass Control			
E AND ADDRESS OF REGISTRAN	7 (Include ZIP code)					
Г		Г				
2.0. DOX 100						
Leoanon, Pen	insylvaria 1704)	2				
L		_1				
	Registration Division pr		n with this registration must be ce In any correspondence on this			
the basis of information furnish Federal Insecticide, Furgicide			by Registered/Reregistered under			
copy of the labeling accepted in	n connection with this F	Registration/Reregistration is ret	urred herewith.			
de in accordance with the Act.	The accorptance of any	ion, may at any time suspend or on name in connection with the regis to exclusive use of the name or				
inis (c)(7)(c)		rajittera in aderida cu:	lee with flike			
LELULE YOU 2. COUNTLE LIVE	release the gro	tation no. 901-301" to Guet for Shipment. The final printed lace Y Shiment.				
you rerease						
ingreatent of this	product, scholt	, the manufacturer of S the regarded data to lated in the upperact	CONTINUE			
Subject to cancella for shipment of the	ation in accorate s product consti	applied with, the regis nee with rIFKA soction tutes acceptance of th closed for your records	666). Your release lese conditions.			
	.1	loanne 17 miller				
Enclosufe	i t	Wanne I. Miller Toouct Hanager (23) WhylClue-Herbicide Bra Wylstration Division (
ENCLUSUET	i t v	requet Hanager (23) Ungleige-Herbicide Bra Registration Division (
	ذ ۲ ۳	requet Hanager (23) Ungleige-Herbicide Bra Registration Division (u-7505C)			

١

)

LB. NET WEIGHT

(Kg)

LEBANON

FERTILIZER WITH DIMENSION (0.19%)

CRABGRASS CONTROL

FERTILIZER ANALYSIS

Total Nitrogen (N) 23%	i.
Ammoniacal Nitrogen 6.0%	
Urea Nitrogen 17.0%	
Available Phosphoric Acid (P,O ₅) 6%	
Soluble Potash (K ₂ O) 11%	

Nutrient Sources: Urea, Sulfur Coated Urea, Di-Ammonium Phosphate, Muriate of Potash, Methylene Urea, Sulfate of Potash.

NOT 100

EPA Reg. No. 961- Under the Federal Instruction Fungical at the Poleral Instruction as amended to produce registered under EPA Rep. No.

}

i

)

)

(L) (D) EPA Est. 961-PA-01:961-IL-01 Superscript Used is First Letter of Lot Number.

Dimension is a registered trademark of Monsanto Company.

* This product contains 0.045 pounds of active ingredient, dithiopy:, per 50 pound bag.

Product protected by U.S. Fatent No. 4,692,184. Other patents pending.

Page 1 of 9 Lebanon Chemical Corporation Dimension 0.19X 10/92

PEST	AVAILABLE	Capy

こう

FOR PROFESSIONAL TURF APPLICATOR USE ONLY

Dimension is a selective herbicide that provides preemergence control of listed annual grasser and broadleaf weeds in established cool and warm-season turfgrasses in lawns and ornamentel turf.

Read the entire label before using this product.

Use only according to label instructions. Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

> CAUTION: Keep Out of Reach of Children Harmful If Swallowed (See Back of Bag for Additional Cautions)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

BEST AVAILABLE COPY

Keep out of reach of children.

CAUTION!

)

}

CAUSES EYE IRRITATION.

HARMFUL IF INHALED.

Avoid contact with eyes or clothing.

Avoid breathing dust.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

Prolonged or frequently repeated skin contact while handling this material may cause an allergic reaction in some individuals.

Page 2 of 9 Lebanon Chemical Corporation Dimension 0.19X 10/92

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

This pesticide is toxic to fish. Drift or runoff may adversely affect aquatic organisms. Do not apply directly to water, or to area where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

BIRD CAUTION:

)

}

)

)

While avian toxicology studies have shown low acute toxicity to birds, the potential for avian reproduction effects is still being evaluated. To reduce potential exposure, to birds, do not apply this product in split applications; make only one application per season; do not apply more than 263 pounds of this product per acre (0.5 lb ai/A). Avoid known bird nesting sites and areas where birds are actively feeding when applying this product.

DIRECTIONS FOR USE

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

For information on use of this product call 1-800-233-0628.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product in original container only. In case of spill, sweep up material and dispose of material according to label directions.

Page 3 of 9 Lebanon Chemical Corporation Dimension 0.19X 10/92 Completely empty bag into application equipment. Dispose of emptied bag(s) in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

)

)

ł

)

GENERAL INFORMATION

This product is a selective horbicide that provides preemergence control of crabgrass and other susceptible annual grasses and broadlea? weeds in established lawns and orgamental tarf. This product will not have more stablished ornamentals when used according to label directions.

PRECAUTIONS

For best results, cultural practices that disturb the soil, such as core aerification or verticutting, should be done before application of this product. Turfgrass should be allowed to recover from these cultural practices prior to application of this product. Irrigation or rainfall within 7 days after application may improve the performance of this product.

Reseeding or Sprigging: Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrass. When reseeding or overseeding, proper cultural practices such as soil cultivation, irrigation and fertilization should be followed. For best results, use mechanical or power seeding equipment (slit seeders) designed to give good seed to soil contact.

This product may be used on seeded, sodded, or sprigged turigrass that are well-established. Allow the turf to develop a good root system and uniform stand before application.

Use of this product on turfgrass not well-established, weakened by weather, or mechanical related stress may increase the potential for injury.

DO NOT apply over-the-top of desirable flowers, vegetables, shrubs or trees.

DO NOT use clippings from treated turf for mulching around vegetables or fruit trees.

DO NOT allow domestic animals to feed or forage on the treated turf.

TURFGRASSES

When applied as directed under the conditions described, the following established turfgrasses are tolerant to this product:

Page 4 of 9 Lebanon Chemical Corporation Dimension 0.19% 10/92 BEST AVAILABLE COPY

10

<u>Cool-Season Grasses</u> Bentgrass, creeping Agrostis stolonifera

}

i

Ì

)

Bluegrass, Kentucky Poa pratensis

Fescue, fine* Festuca rubra

Fescue, tall Festuca arundinacea

Ryegrass, perennial Lolium perenne

<u>Warm-Season Grasses</u> Bahiagrass Paspalum notatum

> Bermudagrass Cynodon dactylon

Buffalograss Buchloe dactyloides

Carpetgrass Axonopus affinis

Centipedegrass Eremochloa ophiuroides

Kikuyugrass Pennisetum clandestinum

St. Augustinegrass Stenotaphrum secundatum BEST AVAILABLE COPY

10

Zoysiagrass Zoysia japonica

*The following fine fescue valeties have benn found to be sensitive to this product: 'Atlanta', 'Banner', 'Beauty', 'Bilgart', 'CF-2', 'Enjoy', 'HF-95', 'Highlight', 'Ivalo', 'Kokat', 'Majenta', 'Mary', 'Pennlawn', 'Tamara', 'Walforf', and 'Waldina'.

> Page 5 of 9 Lebanon Chemical Corporation Dimension 0.19X 10/92

10

c]

This product provides preemergence control of listed annual grasses and broadleaf weeds when applied prior to their germination in established curfgrass.

Control of Annual Grasses and/or Annual Broadleaf Weeds

1

ł

)

This product should be applied prior to the germination of annual grasses and/or broadleaf weeds. Use the higher recommended use rates where weed infestations are dense and/or applications are made early and longer residual control is desirable.

For preemergence control of annual bluegrass and listed winter annual broadleaf weeds, apply this product in the fall prior to their germination and emergence. Use the higher recommended use rates where weed infestations are dense.

Refer to the following table for recommended use rates of this product for the preemergence control of annual grasses and/or broadleaf weeds.

Page 6 of 9 Lebanon Chemical Corporation Dimension 0.19X 10/92

Weeds	Suggested Use Rate			
	Lbs. / 1,000 Sq. Ft.			
	Northern U.S.		hern .S.	
Crabgrass,				
Large				
Smooth				
Foxtail,	1.5 to 3.0	3 .0 to	4.6*	
Green				
Yellow				
Barnyardgrass	<u></u> <u></u>			
Crowfootgress				
Kikuyugrass				
Lespedeza, common				
Oxalis,	3.0	4.	.6	
Buttercup Oxalis				
Creeping Woodscrrel				
Yellow Woodsorrel				
Purslane, common				
Speedwell, corn				
Smutgrass				
Bluegrass, annual	·······	<u>. </u>		
Bittercress				
Chickweed				
Geranium, Carolina				
Goosegrass	3.0 to 4.6*	4.6 to 6.0*		
Henbit				
Parsley-piert				
Pineappleweed				
Ryegrass,				
Annual				
Perennial			,	
Shepherdspurse		· 1		
Spurge,			• • • •	
Prostrate				
Spotted				

Weeds Controlled and Use Rate Recommendations

)

Ì

ł

)

*Higher use rates are recommended where weed infestations are heavy and/or dense.

Page 7 of 9 Lebanon Chemical Corporation Dimer vion 0.19% 10/92

APPLICATION EQUIPMENT AND INSTRUCTIONS

)

)

)

)

)

Apply this product with drop or rotary-type spreaders designed to apply granular herbicides. Calibrate application equipment prior to usage, and apply this product uniformly over the turfgrass area. A more uniform application can be made by spreading half of the required amount over the area and then applying the remaining half at a right angle to the previous. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Avoid streaking, skips, or overlaps during application. Check equipment frequently to ensure equipment is functioning properly and applying uniform distribution of granules.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label pamphlet ("Directions") when used in accordance with those Directions under the conditions described herein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict hability, other tort or otherwise. Notice of these claims may be made by calling 1-800-323-1421.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT,

> Page 8 of 9 Lebanon Chemical Corporation Dimension 0.19X 10/92



10 01 10

NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY.

IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the lerms of this LIMIT OF WARRANTY AND LIABILITY which may notbe varied by any verbal or written agreement.

LEBANON CHEMICAL CORPORATION P.O. BOX 180 LEBANON, PA 17042-0180

)

j

)

...

Page 9 of 9 Lebanon Chemical Corporation Dimension 0.15% 10/92