



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 961-365	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lebanon Fert. W/ Barricade .38% Preemergence Weed Cont.	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**

MAY 27 2004

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Add - "Note:Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended rates."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	* Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Henry E. Rohland	Title EPA Registration Manager	Telephone No. (Include Area Code) 717-273-1685
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title EPA Registration Manager	
4. Typed Name Henry E. Rohland	5. Date 17 May 2004	

2/6

NOTIFICATION  
MAY 27 2004

**ProScape** LEBANON **FERTILIZER WITH BARRICADE® .38% PREEMERGENCE WEED CONTROL**

# LEBANON ProScape®

**HOMOGENEOUS FERTILIZER WITH BARRICADE® .38% PREEMERGENCE WEED CONTROL**

## 20-0-25

GUARANTEED ANALYSIS

Total Nitrogen (N)	20%
6.5% Water Insoluble Nitrogen	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen *	
Soluble Potash (K2O)	25%
Total Sulfur (S)	8.8%
8.5% Combined Sulfur (S)	
Nutrient Sources: Methylurea Urea, Urea, Sulfate of Potash	
Chlorine (Cl)	2.0% Foss
*10.5% Slowly Available Nitrogen from Methylurea Urea	53529

For selective preemergence control of grass and broadleaf weeds in:  
• established lawns (excluding golf course putting greens) and lawns  
• landscape environments (including established perennials & wildflower plantings)

**ACTIVE INGREDIENT:**

Proflumaric acid, N-(2-propyl-2,4-dinitro-6-(trifluoromethyl)- p-phenylene)amino	0.38%
INERT INGREDIENTS	99.62%
TOTAL	100.00%

EPA Reg. No. 981-385 (D) EPA Est. 981-PA-01-0114-01  
Barricade is a Registered Trademark of a Syngenta Group Company. Supercide used as Inert. N or its number

**READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.**  
Before applying this product, read the thoroughly directions, statements on this label.  
If terms are not acceptable, return the unopened container to the place of purchase at once.

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See the following section, Precautionary Statements, Hazards to Humans and Domestic Animals, for additional information

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Caution: Irritates eyes, nose, throat, and skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated contact with handling this material may cause other conditions to become irritable.

**FIRST AID**

**IF ON SKIN:** - Wash any area that feels sticky and greasy thoroughly for 15 minutes.  
- Remove contaminated clothing. If contact, after the fact's contact, decontaminate clothing or shoes by washing with soap and water.  
- Call a poison control center or doctor for further treatment advice.  
**IF ON EYES:** - Take out contaminated contact lenses.  
- Flush eyes immediately with plenty of water for 15-20 minutes.  
- Call a poison control center or doctor for further treatment advice.  
**IF SWALLOWED:** - Drink water to flush out.  
- Do not induce vomiting, unless told to do so by a healthcare provider.  
- Call a poison control center or doctor for further treatment advice.  
- Have the product container or label with you when seeking medical attention. For more information, call 1-800-368-5767.

**ENVIRONMENTAL HAZARDS**

This product may be acutely toxic to birds. It is also toxic to aquatic life. However, no acute toxicity was observed to fish, daphnia, or water fleas. It may be toxic to fish. Do not apply directly to water or areas which surface water is present or to riparian areas where the water may collect. Call 1-800-368-5767 for more information. Do not apply to areas where birds are present. Do not apply to areas where birds are present. Do not apply to areas where birds are present.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.  
SPILLAGE: Cover spill, absorb with an absorbent material, place in a sealed container, and dispose of it in a sanitary manner.  
DISPOSAL: If empty, do not reuse this container. Place in a sealed container for disposal. If partially full, call your local health department or 1-800-368-5767 for disposal instructions. Never store around children and pets.

Lebanon Seaboard Corporation  
1600 E. Cumberland St. • Lebanon, PA 17042  
www.LebanonTurf.com

NET WEIGHT **50** LBS. (22.68 KG)

**LEBANON ProScape® .38% BARRICADE® .38% PREEMERGENCE WEED CONTROL WITH FERTILIZER**

# 20-0-25

## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	20%
6.5% Water Insoluble Nitrogen	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen *	
Soluble Potash (K <sub>2</sub> O) .....	25%
Total Sulfur (S) .....	8.8%
8.5% Combined Sulfur (S)	
Nutrient Sources: Methylene Ureas, Urea, Sulfate of Potash	
Chlorine (Cl) .....	2.0% F699
*10.5% Slowly Available Nitrogen from Methylene Ureas.	53529

- For selective preemergence control of grass and broadleaf weeds in:
- established turfgrasses (excluding golf course putting greens) and lawns
  - landscape ornamentals (including established perennials & wildflower plantings)

### ACTIVE INGREDIENT:

Proflaminate: [N,N <sup>3</sup> -Di-n-propyl-2,4-dinitro-6-(trifluoromethyl)- m-phenylenediamine .....	0.38%
INERT INGREDIENTS: .....	99.62%
TOTAL .....	100.00%

EPA Reg. No. 961-365 (L) (D)  
Bamicide® is a Registered Trademark of a Syngenta Group Company. EPA Est. 961-PA-01961-IL-01  
Superscript used is first letter of lot number.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.  
If terms are not acceptable, return the unopened container to the place of purchase at once.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See the following section, **Precautionary Statements, Hazards To Humans and Domestic Animals**, for additional information.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

#### FIRST AID

- IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
• Call a poison control center or doctor for treatment advice.
- IF ON SKIN:** • Take off contaminated clothing.  
**OR CLOTHING:** • Rinse skin immediately with plenty of water for 15-20 minutes.  
• Call a poison control center or doctor for treatment advice.
- IF INHALED:** • Move person to fresh air.  
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.  
• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact (888) 208-1388 for emergency medical treatment information.

#### ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

If material is spilled, contain and sweep up material of spill for disposal or use per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water-in remainder disc under, cover with layer of soil or leave exposed to sunlight, as deemed appropriate to the situation.

#### STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- STORAGE:** Store this product only in its original container in a dry, cool, secured storage area, away from other fertilizer, feed, or food stuffs and separated from other pesticides.
- DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available.  
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
[www.LebanonTurf.com](http://www.LebanonTurf.com)

3/6

**BAMICIDE PREEMERGENCE FERTILIZER WITH**

**LEBANON Seaboard®**

NOTIFICATION  
MAY 27 2004

4/16

# LEBANON **ProScape**®

NOTIFICATION  
MAY 27 2004

## HOMOGENEOUS FERTILIZER WITH **BARRICADE**® .38% PREEMERGENCE WEED CONTROL

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in established turfgrasses (excluding golf course putting greens) and lawns, landscape ornamentals, established perennials and wildflower plantings. This product controls susceptible weeds by inhibiting weed seeds germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application.

Not for use on plants being grown (1) for sale or other commercial use, (2) for commercial seed production, or (3) for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not graze or feed livestock forage cut from areas treated with this product.

Do not apply this product through any type of irrigation system.

Do not apply aerially.

Do not apply to golf course putting greens.

### APPLICATION DIRECTIONS

Apply uniformly with suitable, calibrated application equipment.

#### ESTABLISHED TURF




This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turfgrasses and lawns. The maximum amount of this product that may be applied per year is given for each turfgrass species in the Maximum Annual Rates section of this label.

Most effective weed control in turfgrasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

#### CRABGRASS SEED GERMINATION DATES



#### Approximate Date

-  After May 30
-  After May 10
-  After April 20
-  After March 20
-  January 1 to March 20

### USE PRECAUTIONS

The following precautions apply to the use of this product in turfgrasses and lawns:

Application of this product may thin emerged annual bluegrass and newly overseeded grasses.

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year.

Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.

Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.

Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species.

### RATES OF APPLICATION

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

### MAXIMUM ANNUAL RATES

This product is recommended for use on the turfgrass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

#### MAXIMUM APPLICATION RATE/CALENDAR YEAR OF LEBANON PROSCAPE HOMOGENEOUS FERTILIZER WITH BARRICADE .38% PREEMERGENCE WEED CONTROL by Turfgrass Species<sup>1)</sup>

Turf Species:	Lbs. Product/Acre	Lbs. AI/Acre	Lbs./1,000 Sq. Ft.
Bermudagrass <sup>2)</sup> , Bahiagrass, Centipedegrass, Seashore Paspalum, St. Augustinegrass, Tall Fescue (including turf-type), Zoysia	395	1.5	8.9
Buffalograss, Kentucky Bluegrass, Perennial Ryegrass	265	1.0	5.9
Creeping Red Fescue	195	0.75	4.4
Creeping Bentgrass	170	0.65	3.9

<sup>1)</sup> These are the maximum rates per calendar year by species limitations.

<sup>2)</sup> May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 137 lbs./Acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression of Foxtail, Goosegrass and Rescuegrass due to reduced product rates used in sprigging situations.

- Do not apply more than 395 lbs. of this product per calendar year.
- Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum application rates specified in the Maximum Annual Rates Table.

**WEEDS CONTROLLED**

When used in accordance with this label this product will provide control of the following weeds:

Barryardgrass	Chickweed, Mouseear (from seed)	Forbials, Annual	Johnsongrass (from seed)	Lambsquarter, Common	Purslane, Common	Speedwell, Persian
Bluegrass, Annual ( <i>Poa annua</i> )	Crisgrass (large, smooth)	Goosegrass <sup>1</sup>	Junglerice	Lovegrass	Pusley, Florida	Sprangletop
Carpetweed	Crowfootgrass	Henbit	Kochia	Panicum (Texas, Fall, Browntop)	Rescuegrass <sup>2</sup>	Spurge, Prostrate
Chickweed, Common	Cupgrass, Woolly	Itchgrass	Knotweed	Pigweed	Shepherd's Purse <sup>2</sup>	Witchgrass
					Signalgrass, Broadleaf	Woodsorrel, Yellow (from seed)

<sup>1</sup> In many areas a single application of 170 to 395 lbs./Acre of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 170 to 265 lbs./Acre followed after 60 to 90 days by a second application at doses that would not exceed those given in the Maximum Annual Rate Table. Do not exceed the maximum rate for turfgrass species listed in the Maximum Annual Rate Table above.

<sup>2</sup> Applications for this weed should be made in late summer, fall or winter prior to germination.

<sup>3</sup> Suppression only.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

**WHEN TO APPLY AFTER OVERSEEDING TURF**

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

**WHEN TO OVERSEED AFTER APPLICATION**

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

LEBANON PROSCAPE HOMOGENEOUS FERTILIZER WITH BARRICADE .38% PREEMERGENCE WEED CONTROL Rate (lb./A)				Months Before Overseeding	
Product	All	North	Transition	South	
132	.50	4	4	4	
170	.66	5	4	4	
195	.74	6	5	5	
210	.80	---	6	6	
265	1.00	---	7	7	
300	1.14	---	---	9	
342	1.30	---	---	10	
395	1.50	---	---	12	

**LANDSCAPE ORNAMENTALS (including Established Perennials and Wildflower Plantings)**

This product may be applied for residual preemergence weed control in ornamentals.

**USE RATES**

Apply this product at 170 to 395 lbs./Acre in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 395 lbs./Acre.

**APPLICATION TIMING AND INFORMATION**

This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inches) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation or the use of an appropriate postemergence herbicide.

**ESTABLISHED LANDSCAPE ORNAMENTALS**

This product may be applied at any time to established ornamentals as a broadcast, over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil.

**NEWLY TRANSPLANTED LANDSCAPE ORNAMENTALS**

This product may be applied to newly transplanted ornamentals as a broadcast, over the top or directed application. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union.

**TOLERANT ORNAMENTAL SPECIES**

This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species.

When plants are under stress (such as heat, drought, or frost damage) some cultivars of listed plants may be sensitive to this product.

Fir species** (Balsam, Fraser, Noble, etc.)	Festuary Cassia	Gaura sp.	Edelweiss	Canary Island Pine	'White Gumbo'
Abelia: Sherwood	Wild Lilac	Gentian	Chinese Privet: Variegata	Slash Pine	Lady Bank's Rose
Japanese Maple	<i>Ceratostigma plumbegonioides</i>	Cranesbill	Amur Privet	Aleppo Pine	Rosemary
Norway Maple	False Cypress	Gladiolus species**	Japanese Privet	Austrian Pine	Black-Eyed Susan: Goldstrum
Yarrow: King Edward	<i>Chrysanthemum nipponicum</i>	Baby's Breath	Glossy Privet (Waxleaf)	Longleaf Pine	Santolina
Kiwi	Cleyera	English Ivy	Lily: Jazz	Monterey Pine	Saxifrage, Purple Dome
Lily-of-the-Nile (African Lily)	Citrus species*	Sunrose	Big Blue Lily; Turf; Silver Mound;	Japanese Black Pine	Pincushion Flower
<i>Agapanthus orientalis</i>	<i>Coreopsis (Calliopis):</i> Early Sunrise, Moonbeam	Daylily: Aztec Gold, Stella De Oro, Tender Love	Evergreen Giant	Eastern White Pine	Stoncrop ( <i>Sedum album</i> )
Five-Leaf or Chocolate Vine	Flowering Dogwood	Rose of Sharon**	Liriope, Variegated	Scotch Pine	Stoncrop; Lidakense
Lady's Lace, Nodding Onion	American Dogwood	Mellow: Disco Belle White	Liriope, Creeping	Loblolly Pine	Stoncrop ( <i>Sedum dasyphyllum</i> )
Japanese Anemone	Pampas Grass	Chinese Hibiscus	Cardinal Flower, Indian Pink	Virginia Pine	Spirea: Anthony Waterer
Aquilegia: Red and Gold	Cranberry Cotoneaster	Hosta, Plantain Lily (Fragrant)	Japanese Honeysuckle	Pistachio*	Australian Brushcherry
Vine Hill Manzanita	Cotoneaster	Hosta, "Searsucker"	Tatarian Honeysuckle	Japanese Pittosporum	Japanese Yew
Cape Weed	Bearberry Cotoneaster	<i>Houttuynia cordata var. variegata</i>	Burgundy	Japanese Yew	Yew
Wormwood; Silver Mound, Castle	Rockspray Cotoneaster	Bigleaf Hydrangea	Loosestrife; Modern Pink	English Laurel	Germander
Aster: Bonny Blue, Purple Dome	Hawthorne	Holly	Magnolia species**	Almond, Apricot, Nectarine, Peach, Plum and Prune*	Meadow Rue
Aster X <i>Frikantii</i>	Lucifer	Chinese Holly	Ice Plant	Douglas Fir**	Amelica, <i>A. florovita</i>
Lady Fern; Fern Lady	Italian Cypress	Japanese Holly; Helleri	Crabapple*	Firethorn (Scarlet)	Star, Jasmine
Japanese Aucuba	White Trailing Ice Plant	American Holly	Heavenly Bamboo	Firethorn ( <i>P. fortuneana</i> )	Canada Hemlock
Fibrous Begonia: Hardy Grandis	Cooperi Pink	Yaupon Holly; Schillings	Narcissus species**	Firethorn ( <i>P. koizumii</i> )	Tulip species
Barberry	Lankapur; Blue Elf	<i>Inula ensifolia</i>	Oleander	Bradford Pear sp.	Veronica, Speedwell; Sunny Border
Wintergreen Barberry	Dianthus: Maiden Pinks "Zing"	Sword-Leaved Iris; Jodlesong	Olive*	Oak, Shumard's Red	Japanese Viburnum
Merlot Barberry	Cheddar Pink	Siberian Iris; Cabernet	Mondo Grass	Oak species	Sweet Viburnum
Japanese Barberry	Hop Bush	Iris species**	Osmanthus (False Holly); Gulf Tide	Indian Hawthorne	Jacaneas Snowball
Warty Barberry	Coneflower, Purple; Magnus	Winter Jasmine	Trailing African Daisy	Yedda Hawthorn	Cornus (Siam); Viburnum
<i>Bergenia cordifolia</i>	Silverberry	Chinese Juniper; Nick's Compact, Parsonii	Sourwood	'Coral Bells'	Aronwood Viburnum
Snowbank	Wintercreeper	Shore Juniper; Blue Pacific	Tree Peony	'Delaware Valley White'	Leucostylos
Butterfly-Bush (Dwarf Blue); Royal Red	Japanese Spindle Tree (Evergreen Euonymus)	Parsoni	Fountain Grass (Dwarf)	'Flame Creeper'	Cranberry Bush
Japanese Boxwood	Spreading Euonymus	Creeping Juniper	<i>Perovskia atriplicifolia</i>	'Formosa'	Leatherleaf Viburnum
Weeping Bottlebrush	Japanese Aralia	Walnut	Avocado*	'Grand Crimson'	Greater Periwinkle, Vinca
Scotch Heather	Border Forsythia	Shrimp Plant	Frasier's Phloxia (Redtip)	'George L. Tabor'	Common Periwinkle, Vinca
Tussock Bellflower, (White Clips)	Weeping Forsythia	Crape Myrtle	Dragonhead, False, Vivid	'Hino-crimson'	Grape
Trumpet Creeper, Trumpet Flower,	Greenstem Forsythia	Crape Myrtle; Tuscarora	Spruce species** (Colorado Blue, Norway, etc.)	'PJM'	Old Fashioned Weigela
					Spanish Bayonet, Yucca

Madame Galen  
Hortentol Fig (Ice Plant)

Gaillardia, Blanket Flower, "Goblin"  
Gardenia, Cape-Jasmine, Radicans  
Weeping Lantana  
Lavender, Munstead

Lily-of-the-Valley Bush  
Calabrian Pine

'Roseum Elegans'  
'Wakeiebisii'

Adam's Needle, Yucca

6/6

\* Do not use on food producing trees, vines, or plants. \*\* Not for use on container grown plants.

NOTE: Supplemental applications of lawn fertilizer may be needed to achieve a minimum of 1 pound nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS			
Spreader	Settings 3#/1000 Sq. Ft. (.5# A.I./Acre)	Spreader	Settings 3#/1000 Sq. Ft. (.5# A.I./Acre)
Cyclone	4 1/2	PrizeLAWN® BF & CBR III	L
Earthway Rotary	16	PrizeLAWN® CBR II	4 1/2
Ezee Flow (109)	C2 1/2	PrizeLAWN® LF	3 1/2
Gandy	26	Republic Rotary	4 1/2
Lely (HR, 1250, 1500, 2010)	5 1/2 II	Scotts AccuPro	K
Lely (W)	5 1/2 II	Scotts (Rotary) RTX	H
Lesco (letter dial)	I	Scotts (Rotary) RBA	L
Lesco (numeric dial)	17	Spyker	4 1/2
Ortho Rotary	4 1/2	Vicon (all models)	26

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

### LIMITATION OF WARRANTY AND LIMITATION OF LIABILITY

NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of The Manufacturer or Seller. All such risks shall be assumed by Buyer or User.

The Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. THE MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no event shall The Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product.

The Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing limitations of warranty and limitation of liability, which may not be modified by any oral or written agreement.

MANUFACTURED BY:  
**LEBANON SEABOARD CORPORATION**  
 1600 EAST CUMBERLAND STREET  
 LEBANON, PA 17042  
[www.jebsea.com](http://www.jebsea.com)

ProScape® is a registered trademark of Lebanon Seaboard Corporation  
 Information regarding the contents and levels of metals in this product is available  
 on the Internet at <http://www.regulatory-info-jebsea.com>

