

 United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	--	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number <p style="text-align: center;">961-367</p>	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lebanon ProScape Homogeneous Fertilizer with Barricade 2:	PMS <p style="text-align: center;">23</p>	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---



NOTIFICATION  
MAR 14 2003

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 A correction for a typographical error to the referenced product. Under the Maximum Application Rates/Calendar Year, the previous label indicated: 170 Lbs. and the correct amount should be 225 Lbs. Application rates do not change.  
 (See Reverse Side)

**Section - III**

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No * Certification must be submitted	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt.    No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt    No. per container	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input checked="" type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container <p style="text-align: center;">- 18 to 50 lbs</p>	5. Location of Label Directions <input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled <input type="checkbox"/> Other _____			

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Henry E. Rohland	Title EPA Registration Manager	Telephone No. (Include Area Code) 800-532-0090 ext. 237
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received: (Stamped)
2. Signature 	3. Title EPA Registration Manager	
4. Typed Name Henry E. Rohland	5. Date <p style="text-align: center;">6 MAR 03</p>	

2/8

**Notification of Alternate Brand Name per PR Notice 98-10.**

**This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.**

**NOTIFICATION  
MAR 14 2003**



# 20-4-10



### GUARANTEED ANALYSIS

Total Nitrogen (N)	20%
11.0% Ammoniacal Nitrogen	
4.8% Water Insoluble Nitrogen	
1.2% Urea Nitrogen	
3.0% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	4%
Soluble Potash (K <sub>2</sub> O)	10%
Total Iron (Fe)	0.5%
0.05% Water Soluble Iron (Fe)	
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Isobutyridene Diurea, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.	
Chlorine (Cl) not more than	8.0%
*3.0% Slowly Available Nitrogen from Methylene Ureas.	F699

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

54459

# BA FREE

# WITH FERTILIZER

For selective preemergence control of grass and broadleaf weeds in:

- established turfgrasses (excluding golf course putting greens) and lawns
- landscape ornamentals (including established perennials & wildflower plantings)

### ACTIVE INGREDIENT:

Proclamate: [N <sup>3</sup> ,N <sup>3</sup> -Di- <i>n</i> -propyl-2,4-dinitro-6-(trifluoromethyl)- <i>m</i> -phenylenediamine	0.29%
INERT INGREDIENTS:	99.71%
TOTAL	100.00%

EPA Reg. No. 961-367 (L) (D)  
EPA Est. 961-PA-01-961-IL-01  
Barricade® is a Registered Trademark of Novartis Crop Protection, Inc. Superscript used is first letter of lot number.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See the following section, Precautionary Statements, Hazards To Humans and Domestic Animals, for additional information.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

**STATEMENTS OF PRACTICAL TREATMENT**

IF IN EYES: Flush thoroughly with water for several minutes. Get medical attention if irritation persists.  
IF ON SKIN: Wash with soap and water. Rinse thoroughly. Get medical attention if irritation persists.  
IF INHALED: Remove victim to fresh air.  
For Emergency Medical Information call (888) 208-1368.

**ENVIRONMENTAL HAZARDS**

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

If material is spilled: Contain and sweep up material of spill for disposal or use per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water-in remainder, disc under, cover with layer of soil, or leave exposed to sunlight, as deemed appropriate to the situation.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in original container away from other fertilizer, feed, or food stuffs and separated from other pesticides.

**PESTICIDE DISPOSAL:** Residues resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or at an incineration facility, or, if allowed by state and local authorities, by burning locally if burned, stay out of smoke.

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
[www.lebsea.com](http://www.lebsea.com)

**Our reputation is growing yours.™**

# LEBANON Scape®

# LEBANON ProScape

## HOMOGENEOUS FERTILIZER WITH BARRICADE® .29% PREEMERGENCE WEED CONTROL

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in established turfgrasses (excluding golf course putting greens) and lawns, landscape ornamentals, established perennials and wildflower plantings. This product controls susceptible weeds by inhibiting weed seeds germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application. Not for use on plants being grown (1) for sale or other commercial use, (2) for commercial seed production, or (3) for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds. Do not graze or feed livestock forage cut from areas treated with this product. Do not apply this product through any type of irrigation system. Do not apply aerially. Do not apply to golf course putting greens.

### APPLICATION DIRECTIONS

Apply uniformly with suitable, calibrated application equipment.

#### ESTABLISHED TURF

This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turfgrasses and lawns. The maximum amount of this product that may be applied per year is given for each turfgrass species in the Maximum Annual Rates section of this label. Most effective weed control in turfgrasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

CRABGRASS SEED GERMINATION DATES



Approximate Date

- After May 30
- After May 10
- After April 20
- After March 20
- January 1 to March 20

### USE PRECAUTIONS

The following precautions apply to the use of this product in turfgrasses and lawns: Application of this product may kill emerged annual bluegrass and newly overseeded grasses. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not less than plus soil. Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year. Application of this product to turf stressed by drought, low fertility, or past damage may result in turf injury. Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control. Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species.

### RATES OF APPLICATION

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

### MAXIMUM ANNUAL RATES

This product is recommended for use on the turfgrass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table.

MAXIMUM APPLICATION RATE/CALENDAR YEAR of LEBANON PROSCAPE HOMOGENEOUS FERTILIZER WITH BARRICADE .29% PREEMERGENCE WEED CONTROL by Turfgrass Species<sup>1)</sup>

Turf Species:	Lbs. Product/Acre	Lbs. AI/Acre	Lbs./1,000 Sq. Ft.
Bermudagrass <sup>2)</sup> , Bahiagrass, Centipedegrass, Seashore Paspalum, St. Augustinegrass, Tall Fescue (including turf-type), Zoysia	518	1.5	11.6
Buffalograss, Kentucky Bluegrass, Perennial Ryegrass	345	1.0	7.8
Crested Red Fescue	280	0.75	6.0
Crested Bentgrass	225	0.65	5.2

- <sup>1)</sup> These are the maximum rates per calendar year by species limitations.
- <sup>2)</sup> May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 179 lbs./Acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass and Paspalum due to reduced product rates used in sprigging situations.
- Do not apply more than 518 lbs. of this product per calendar year.
- Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type but do not exceed the maximum application rates specified in the Maximum Annual Rates Table.

### WEEDS CONTROLLED

When used in accordance with this label this product will provide control of the following weeds:

Bermudagrass	Chickweed, Mouseear (from seed)	Foxtails, Annual	Johnsongrass (from seed)	Lambquarter, Common	Purslane, Common	Speedwell, Persian
Bluegrass, Annual ( <i>Poa annua</i> )	Crabgrass (large, smooth)	Goosegrass <sup>1)</sup>	Juncifera	Lovegrass	Pursley, Florida	Sprangletop
Carpenter	Crewfootgrass	Henbit	Kochia	Panicum (Texas, Fat, Browntop)	Rescuegrass <sup>2)</sup>	Sturge, Prostrate
Chickweed, Common	Cuscutra, Woolly	Isygrass	Knowweed	Pigweed	Shepherd's Purse <sup>3)</sup>	Witchgrass
					Signalgrass, Broadleaf	Woodruff, Yellow (from seed)

<sup>1)</sup> In many areas a single application of 225 to 518 lbs./Acre of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 225 to 345 lbs./Acre followed after 60 to 90 days by a second application at doses that would not exceed those given in the Maximum Annual Rate Table. Do not exceed the maximum rate for turfgrass species listed in the Maximum Annual Rate Table above.

<sup>2)</sup> Applications for this weed should be made in late summer, fall or winter prior to germination.

<sup>3)</sup> Suppression only.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

### WHEN TO APPLY AFTER OVERSEEDING TURF

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seeding secondary roots are in the second inch of soil, not thatch plus soil.

**WHEN TO OVERSEED AFTER APPLICATION**

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/germinating results.

Product	LEBANON PROSCAPE HOMOGENEOUS FERTILIZER WITH BARRICADE 25% PREEMERGENCE WEED CONTROL, Plus (L.A.)		Months Before Overseeding Transition	
	AI	North	Transition	South
172	.50	4	4	4
225	.66	5	4	4
250	.74	6	5	5
275	.80	—	6	6
345	1.00	—	7	7
380	1.14	—	—	9
446	1.30	—	—	10
518	1.50	—	—	12

**LANDSCAPE ORNAMENTALS (Including Established Perennials and Wildflower Plantings)**

This product may be applied for residual preemergence weed control in ornamentals.

**USE RATES**

Apply this product at 225 to 518 lbs./Acre in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 518 lbs./Acre.

**APPLICATION TIMING AND INFORMATION**

This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when the product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inches) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation or the use of an appropriate postemergence herbicide.

**ESTABLISHED LANDSCAPE ORNAMENTALS**

This product may be applied at any time to established ornamentals as a broadcast, over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil.

**NEWLY TRANSPLANTED LANDSCAPE ORNAMENTALS**

This product may be applied to newly transplanted ornamentals as a broadcast, over the top or directed application. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or other bud/grafts have taken to avoid any inhibition of the tissue union.

**TOLERANT ORNAMENTAL SPECIES**

This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface, avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species.

When plants are under stress (such as heat, drought, or frost damage) some cultivars of listed plants may be sensitive to this product.

Fr species** (Banana, Fraser, Noble, etc.)	Festuary Cassia	Gaura sp	Edelweiss	Canary Island Pine	White Gumbo
Azalea: Sherwood	Wild Lilac	Gastonia	Chinese Privet: Variegata	Slash Pine	Lady Bank's Rose
Japanese Maple	Caragana plumbeagonoides	Caranastoli	Amur Privet	Alseppo Pine	Rosemary*
Norway Maple	Falae Cypress	Gleditsia species**	Japanese Privet	Australian Pine	Black-Eyed Susan: Goldstrum
Yarrow: King Edward	Chrysanthemum japonicum	Baby's Breath	Goodya Privet (Waxleaf)	Landscape Pine	Bartonia
Iris*	Claytonia	English Ivy	Lily: Jazz	Monterey Pine	Sea purslane: Purple Dome
Lily-of-the-Nile (African Lily)	Cistus species**	Sarcocolla	Big Blue Lily: Turf Silver Mound;	Japanese Black Pine	Pincushion Flower
Agapanthus orientalis	Conocarpus (Callicarpus): Early	Daylily: Aztec Gold, Stella De Oro,	Evergreen Giant	Eastern White Pine	Stonecrop (Sedum album)
Fire-Lad or Chocolate Vine	Sunrise Moonbeam	Tender Love	Liriodendron	Scotch Pine	Stonecrop: Luteolens
Lady's Lace, Nodding Onion	Flowering Dogwood	Rose of Sharon**	Cordus, Creeping	Loblolly Pine	Stonecrop: (Sedum dasyphyllum)
Japanese Anemone	American Dogwood	Mallow: Disco Belle White	Cardinal Flower, Indian Pink	Virginia Pine	Stonecrop: Dragon's Blood
Aquilegia, Red and Gold	Pampas Grass	Chinese Hibiscus	Japanese Honeycudde	Pistachio*	Spirea: Anthony Waterer
Vine Hill Manzanita	Cranberry Colonaster	Hosta, Plantain Lily (Fragrant)	Tatarian Honeycudde	Oregonian Pterisporium	Australian Bushcherry
Cape Weed	Colonaster	Hosta, "Sensuella"	Burgundy	Japanese Viburnum	Japanese Yew
Wormwood: Silver Mound, Cottle	Heartberry Colonaster	Houttuynia cordata var. variegata	Loosestrife: Moon Pink	Japanese Yew	Yew
Aster: Bonny Blue, Purple Dome	Rockrose Colonaster	Bigleaf Hydrangea	Magnolia species**	English Laurel	Germander
Aster X Folkland	Hawthorne	Chinese Holly	Ice Plant	Almond, Apricot, Nectarine, Peach,	Meadow Rue
Lady Fern: Fern Lady	Luobler	Japanese Holly: Helleri	Coleopella*	Plum and Prune*	American Arborvitae
Japanese Aucuba	Italian Cypress	American Holly	Yalu Jira, Silberfeder	Douglas Fir**	Star Jasmine
Fibrous Begonia: Hardy Grandis	White Trailing Ice Plant	Yaupon Holly: Schillinge	Heavenly Bamboo	Firethorn (Scarlet)	Canada Hemlock
Barberry	Cooperi Pink	Inula arvensis	Narcissus species**	Firethorn (P. Fortuneana)	Tulip species
Wintergreen Barberry	Lantana: Blue Elf	Sword-Leafed Iris: Jodeosong	Olender*	Firethorn (P. Koizumi)	Veronica, Speedwell: Sunny Border
Japanese Barberry	Dianthus: Maiden Pinks "Zing"	Siberian Iris: Cabernet	Mondo Grass	Bradford Pear sp.	Japanese Viburnum
Warty Barberry	Cheddar Pink	Iris species**	Demarthus (False Holly): Gull Tide	Oak: Shumard's Red	Sweet Viburnum
Bergenia cordifolia	Hop Bush	Winter Jasmine	Yucca: African Daisy	Indian Hawthorne	Japanese Snowball
Snowflake	Conestower, Purple; Magnus	Chinese Juniper: Nick's Compact,	Sourwood	Yucca Hawthorne	Japanese Snowball
Butterfly-Bush (Dwarf Blue):	Bluesberry	Parsonii	Yucca	Yucca Hawthorne	Japanese Snowball
Royal Palm	Wintercreeper	Stone Juniper: Blue Pacific	Yucca	Yucca Hawthorne	Japanese Snowball
Japanese Bamboo	Japanese Spindle Tree (Evergreen)	Parson	Yucca	Yucca Hawthorne	Japanese Snowball
Weeping Bottlebrush	Eucalyptus	Creeping Juniper	Yucca	Yucca Hawthorne	Japanese Snowball
Scotch Heather	Spreading Eucalyptus	Weinmuller	Yucca	Yucca Hawthorne	Japanese Snowball
Troutstock Bellflower, (White Clips)	Japanese Anolis	Shrimp Plant	Yucca	Yucca Hawthorne	Japanese Snowball
Trumpet Creeper, Trumpet Flower,	Border Forsythia	Crope Myrtle	Yucca	Yucca Hawthorne	Japanese Snowball
Madame Galen	Weping Forsythia	Crope Myrtle: Tuscarora	Yucca	Yucca Hawthorne	Japanese Snowball
Hottentot Fig (Ice Plant)	Greenstem Forsythia	Weeping Lantana	Yucca	Yucca Hawthorne	Japanese Snowball
	Gallardia, Blanket Flower: "Goblin"	Lavender: Murestead	Yucca	Yucca Hawthorne	Japanese Snowball
	Gardenia, Cape-Jasmine, Radicans		Yucca	Yucca Hawthorne	Japanese Snowball

\* Do not use on food producing trees, vines, or plants. \*\* Not for use on container grown plants.  
NOTE: Supplemental applications of lawn fertilizer may be needed to achieve a minimum of 1 pound nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS					
Spreader	Settings		Spreader	Settings	
	5.28/1000 Sq. Ft. (.859 AJ/Acre)	5.28/1000 Sq. Ft. (.859 AJ/Acre)		5.28/1000 Sq. Ft. (.859 AJ/Acre)	5.28/1000 Sq. Ft. (.859 AJ/Acre)
Cyclone	5 1/2		Pro-LAWN® CBR II	4 1/2	
Earthway Rotary	18		Pro-LAWN® LF	4 1/2	
Edge Flow (100)	C3		Scotts Drop	7	
Gandy	35		Scotts Rotary	N	
Lady (HR)	71		Scotts RTX	J	
Lady (W)	71		Scotts RBA	N	
Lusco	K		Spyder	5	
Pro-LAWN® BF & CBR III	L		Vicon PS 402	30	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and unevenness of terrain may require slightly different settings for desired coverage.

**LIMITATION OF WARRANTY AND LIMITATION OF LIABILITY**

NOTICE: Read the Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of The Manufacturer or Seller. All such risks shall be assumed by Buyer or User.

The Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. THE MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no event shall the Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product.

The Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing limitations of warranty and limitation of liability, which may not be modified by any oral or written agreement.

MANUFACTURED BY:  
**LEBANON SEABOARD CORPORATION**  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
www.lebees.com

ProScape® is a registered trademark of Lebanon Seaboard Corporation  
Information regarding the contents and levels of metals in this product is available

7/8



**LEBANON SEABOARD CORPORATION**

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685

FAX (717) 273-9466

6 March 2003

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U. S. Environmental Protection Agency  
Room 266 A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

**ATTN: Joanne Miller PM 23 Registration Division (7504C)**

**Re: Notification of Typographical Correction to Lebanon ProScape Homogeneous  
Fertilizer with Barricade .29% Preemergence Weed Control, EPA Reg. No. 961-367**

Dear Ms. Miller:

Enclosed please find a label indicating a correction for a typographical error to the referenced product. Under the Maximum Application Rates/CalanderYear, the previous label indicated:

Creeping Bentgrass - Lbs. Product/Acre = 170


Corrected Label:

Creeping Bentgrass - Lbs. Product/Acre = 225

This is obviously a typographical error since the Lbs. AI/Acre and Lbs./1,000 Sq. Ft. do not changed.

Contents of this submission:

- Transmittal Document (this letter).
- Application for Pesticide, EPA Form 8570-1
- One (1) copy of the edited label
- Three (3) copies of the corrected label



8/8

Should you have any questions, please contact me at 800-532-0090 ext. 237.

Sincerely,

  
Henry E. Rohland  
EPA Registration Manager

Enclosures

• • • • •  
• • • • •

• • • • •  
• • • • •  
• • • • •

• • • • •  
• • • • •  
• • • • •

• • • • •  
• • • • •

• • • • •  
• • • • •

• • • • •  
• • • • •