

961-367

04-24-2009

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

APR 24 2009

Mrs. Sylvia Whitman
State Registration Coordinator
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

RE: Notification of Alternate Brand Name: Lebanon Pro Brand Fertilizer with Barricade 0.29%
Registration Number: 961-367
Submission Dated: February 23, 2009

Dear Mrs. Whitman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, February 23, 2009, for the product, Lebanon Fertilizer with Dimension Crabgrass Control. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely yours,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 961-367	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lebanon Fertilizer with Barricade Preemergence Weed Contro	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>APR 24 2009</u> Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Alternate Brand Name: Lebanon Pro Brand Fertilizer with Barricade 0.29%
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No				<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container			4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Sylvia Whitman	Title State Registration Manager	Telephone No. (include Area Code) 717-273-1685	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title State Registration Manager	
4. Typed Name Sylvia Whitman		5. Date Feb. 23, 2009	

3
9/3



LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685

FAX (717) 273-9466


March 5, 2009

Document Processing Desk
Office of Pesticide Program (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 33302-4501

ATTN: Joanne Miller (Team 23)

RE: Alternate Brand Names

- EPA Reg. No. 961-359 Lebanon Pro Brand Fe & Postemergence Annual Grassy Weed Control
- EPA Reg. No. 961-360 Lebanon Pro Brand Fe Postemergence Annual Grassy Weed Control
- EPA Reg. No. 961-361 Lebanon Pro Brand Fe Postemergence Annual Grassy Weed Control
- EPA Reg. No. 961-362 Lebanon Pro Brand Fe Preemergence Weed Control
- EPA Reg. No. 961-365 Lebanon Pro Brand Fertilizer with Barricade 0.38% Preemergence Weed Control
- EPA Reg. No 961-367 Lebanon Pro Brand Fertilizer with Barricade 0.29%



Dear Ms. Miller:

Please find enclosed Lebanon's applications for Alternate Brand Name.


- Transmittal Document (this letter)
- EPA Form 8570-1 (6)
- Copy of each referenced label (6)

Should you have any questions, please feel free to contact me at 800/532-0090 ext. 361.

Sincerely,

Sylvia Whitman
Sylvia Whitman
State Registration Coordinator

enclosures:



Lebanon Pro

21f



15-0-10



FERTILIZER WITH BARRICADE® 0.29%

GUARANTEED ANALYSIS

Total Nitrogen (N) 15.0%
 15 (N) Urea Nitrogen* 10.0%
 Soluble Phosph (P₂O₅) 0.0%
 Sulfur (S) 2.0%
 2.0% Free Sulfur (S)

Derived from Urea, Sulfur Coated Urea, Murates of Potash
 Chloride (Cl) not more than 8.0%
 7.3% Slowly Available Nitrogen from Sulfur Coated Urea.



22-42474

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulations.gov>.

Proflorath and Profloraz are registered trademarks of Lebanon Seaboard Corporation.

Machine	Setting	Machine	Setting
Circle K	180000-200000	Proflorath	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474
Case IH	1800	Profloraz	22-42474

- For selective preemergence control of grass and broadleaf weeds in:
 - established turfgrasses (excluding golf course putting greens) and lawns
 - landscape ornamentals (including established perennials & wildflower plantings)

ACTIVE INGREDIENT: Proflorazine 0.29%
 OTHER INGREDIENTS: 99.71%
 TOTAL: 100.00%

EPA Reg. No. 891-027
 HomeCare is a registered trademark of a Syngenta Group Company.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.
 Before buying this product, read the Warranty Section elsewhere on this label.
 If terms are not acceptable, return the unopened container to the place of purchase at once.

**KEEP OUT OF REACH OF CHILDREN
 CAUTION
 PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 CAUTION**

Causes moderate eye, nasal irritation. Irritates if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Precautions of pregnancy repeated plus contact with handling the material that causes allergic reactions in some individuals.

FIRST AID	
IF IN EYES:	• Hold eye open and flush slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes. Continue flushing eyes. • Call a poison center or doctor for treatment advice.
IF ON SKIN:	• Take off contaminated clothing. • Rinse skin thoroughly with plenty of water for 15-20 minutes. • Call a poison center or doctor for treatment advice. • If these steps do not help: • If inhaled: • If inhaled, move to fresh air. • If on skin: • If on skin, wash with soap and water. • Call a poison center or doctor for treatment advice.
IF INHALED:	• If inhaled, move to fresh air. • If on skin: • If on skin, wash with soap and water. • Call a poison center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS
 This product has low mobility in water. At the water solubility, this product is not a fish toxin. However, it is toxic to aquatic organisms above the level of water to 100 ppm. It may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to streams, rivers, or lakes. Do not contaminate water when disposing of containers and labels. Do not contaminate water when disposing of materials. Do not contaminate water when disposing of materials.
 If inhaled or ingested: • Call a poison center or doctor for treatment advice.
 If on skin: • If on skin, wash with soap and water.
 Call a poison center or doctor for treatment advice.
 Keep the product container or label with you when using. Precautions of pregnancy repeated plus contact with handling the material that causes allergic reactions in some individuals.
 You may also consult 24 hours for emergency medical treatment information.

NOTIFICATION

APR 24 2009



For technical assistance or more information about our products visit www.LebanonTurf.com
 Manufactured By:
Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042
 Made in the U.S.A.
www.LebanonTurf.com

NET WT. 50 LBS. (22.7 kg)

15-0-10



FERTILIZER

WITH BARRICADE® 0.29%


NOTIFICATION

APR 4 2009

GUARANTEED ANALYSIS

Total Nitrogen (N)..... 15.0%
 15.0% Urea Nitrogen*

Soluble Potash (K₂O) 10.0%
 Sulfur (S) 2.0%
 2.0% Free Sulfur (S)



Derived from: Urea, Sulfur Coated Urea, Muriate of Potash.

Chlorine (Cl) not more than 9.0%
 *7.5% Slowly Available Nitrogen from Sulfur Coated Urea.



Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>.

PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

12/26/07

SUGGESTED SPREADER SETTINGS			
Spreader	Settings 5.2#/1000 Sq. Ft. (.65# AI/Acre)	Spreader	Settings 5.2/1000 Sq. Ft. (.65# AI/Acre)
Cyclone	5 1/2	Prizelawn BF & CBR III	N
Earthway Rotary	18	Prizelawn CBR II	6
Ezee Flow (109)	A4	Prizelawn LF-1	4 1/2
Gandy	30	Republic Rotary	6
Lely (HR, 1250, 1500, 2010)	6 1/2 II	Scotts AccuPro	0
Lely (W)	6 1/2 II	Scotts R7X	J
Lesco (Letter dial/numeric)	K/22	Scotts R8A	N
Ortho Rotary	6	Spyker	5 1/4
PennMulch HVO ProScape SS	N	Vicon (all models)	30

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

2/6

For selective preemergence control of grass and broadleaf weeds in:

- established turfgrasses (excluding golf course putting greens) and lawns
- landscape ornamentals (including established perennials & wildflower plantings)

ACTIVE INGREDIENT:

Prodiamine 0.29%

OTHER INGREDIENTS: 99.71%

TOTAL 100.00%

EPA Reg. No. 961-367
 Barricade is a registered trademark of a Syngenta Group Company.

(L) (D)
 EPA Est. No. 961-PA-01:961-IL-01
 Superscript used is first letter of lot number.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

FIRST AID


- IF IN EYES:**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- IF ON SKIN:
OR CLOTHING:**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- IF INHALED:**
 - Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
 You may also contact (888) 208-1368 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

If material is spilled: Contain and sweep up material of spill for disposal or use per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water in remainder, disc under, cover with layer of soil, or leave exposed to sunlight, as deemed appropriate to the situation.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:


Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

NET WT. 50 LBS. (22.7 kg)



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in established turfgrasses (excluding golf course putting greens) and lawns, landscape ornamentals, established perennials and wildflower plantings.

This product controls susceptible weeds by inhibiting weed seeds germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application.

Not for use on plants being grown (1) for sale or other commercial use, (2) for commercial seed production, or (3) for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not graze or feed livestock forage cut from areas treated with this product.

Do not apply this product through any type of irrigation system.

Do not apply aerially.

Do not apply to golf course putting greens.

APPLICATION DIRECTIONS

Apply uniformly with suitable, calibrated application equipment.

ESTABLISHED TURF

This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turfgrasses and lawns. The maximum amount of this product that may be applied per year is given for each turfgrass species in the **Maximum Annual Rates** section of this label.

Most effective weed control in turfgrasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

CRABGRASS SEED GERMINATION DATES



Approximate Date
After May 30
After May 10
After April 20
After March 20
January 1 to March 20

USE PRECAUTIONS

The following precautions apply to the use of this product in turfgrasses and lawns:

Application of this product may thin emerged annual bluegrass and newly overseeded grasses.

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year.

Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.

Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.

Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species.

RATES OF APPLICATION

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

MAXIMUM ANNUAL RATES

This product is recommended for use on the turfgrass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

MAXIMUM APPLICATION RATE/CALENDAR YEAR OF LEBANON PRO BRAND FERTILIZER WITH BARRICADE 0.29% PREEMERGENCE WEED CONTROL by Turfgrass Species¹⁾

Turf Species:	Lbs. Product/Acre	Lbs. AV/Acre	Lbs./1,000 Sq. Ft.
Bermudagrass ²⁾ , Bahiagrass, Centipedegrass, Seashore Paspalum, St. Augustinegrass, Tall Fescue (including turf-type), Zoysia	518	1.5	11.6
Buffalograss, Kentucky Bluegrass, Perennial Ryegrass	345	1.0	7.8
Creeping Red Fescue	260	0.75	6.0
Creeping Bentgrass	225	0.65	5.2

¹⁾ These are the maximum rates per calendar year by species limitations.

²⁾ May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 179 lbs./Acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass and Rescuegrass due to reduced product rates used in sprigging situations.

• Do not apply more than 518 lbs. of this product per calendar year.

• Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum application rates specified in the **Maximum Annual Rates Table**.

WEEDS CONTROLLED

When used in accordance with this label this product will provide control of the following weeds:

Barnyardgrass	Chickweed, Mouseear (from seed)	Foxtails, Annual	Johnsongrass (from seed)	Lambsquarter, Common	Purslane, Common	Speedwell, Persian
Bluegrass, Annual (<i>Poa annua</i>)	Crabgrass (large, smooth)	Goosegrass ¹⁾	Junglerice	Lovegrass	Pusley, Florida	Sprangletop
Carpetweed	Crowfootgrass	Henbit	Kochia	Panicum (Texas, Fall, Browntop)	Rescuegrass ³⁾	Spurge, Prostrate
Chickweed, Common	Cupgrass, Woolly	Itchgrass	Knotweed	Pigweed	Shepherd's Purse ²⁾	Witchgrass
					Signalgrass, Broadleaf	Woodsorrel, Yellow (from seed)

¹⁾ In many areas a single application of 225 to 518 lbs./Acre of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 225 to 345 lbs./Acre followed after 60 to 90 days by a second application at doses that would not exceed those given in the **Maximum Annual Rate Table** above.

²⁾ Applications for this weed should be made in late summer, fall or winter prior to germination.

³⁾ Suppression only.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

WHEN TO APPLY AFTER OVERSEEDING TURF

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

**LEBANON PRO BRAND FERTILIZER WITH BARRICADE 0.29%
PREEMERGENCE WEED CONTROL Rate (lb./A)**

Product	AI	North	Months Before Overseeding		South
			Transition	Transition	
172	.50	4	4	4	4
225	.66	5	5	5	5
260	.74	6	6	6	6
275	.80	---	---	---	---
345	1.00	---	---	---	---
393	1.14	---	---	---	---
448	1.30	---	---	---	---
518	1.50	---	---	---	---

NOTIFICATION

APR 24 2009

LANDSCAPE ORNAMENTALS (including Established Perennials and Wildflower Plantings)

This product may be applied for residual preemergence weed control in ornamentals.

USE RATES

Apply this product at 225 to 518 lbs./Acre in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 518 lbs./Acre.

APPLICATION TIMING AND INFORMATION

This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inches) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation or the use of an appropriate postemergence herbicide.

ESTABLISHED LANDSCAPE ORNAMENTALS

This product may be applied at any time to established ornamentals as a broadcast, over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil.

NEWLY TRANSPLANTED LANDSCAPE ORNAMENTALS

This product may be applied to newly transplanted ornamentals as a broadcast, over the top or directed application. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grfts have taken to avoid any inhibition of the tissue union.

TOLERANT ORNAMENTAL SPECIES

This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species.

When plants are under stress (such as heat, drought, or frost damage) some cultivars of listed plants may be sensitive to this product.

Fir species** (Balsam, Fraser, Noble, etc.)	Feathery Cassia Wild Lilac	<i>Gaura sp.</i> Gentian	Edelweiss Chinese Privet; Variegata	Canary Island Pine Slash Pine	'White Gumbo' Lady Bank's Rose
Abelia; Sherwood	<i>Ceratostigma plumbagonoides</i>	Cranesbill	Amur Privet	Aleppo Pine	Rosemary*
Japanese Maple	False Cypress	<i>Gladiolus species**</i>	Japanese Privet	Austrian Pine	Black-Eyed Susan; Goldstrum
Norway Maple	<i>Chrysanthemum nipponicum</i>	Baby's Breath	Glossy Privet (Waxleaf)	Longleaf Pine	Santolina
Yarrow; King Edward	Cleyera	English Ivy	Lily; Jazz	Monterey Pine	Saxifrage; Purple Dome
Kiwi*	Citrus species*	Sunrose	Big Blue Lily; Turf; Silver Mound;	Japanese Black Pine	Pincushion Flower
Lily-of-the-Nile (African Lily)	<i>Coreopsis (Calliopis): Early</i>	Daylily; Aztec Gold, Stella De Oro,	Evergreen Gentian	Eastern White Pine	Stoncrop (<i>Sedum album</i>)
<i>Agapanthus orientalis</i>	Sunrise, Moonbeam	Tender Love	Liriope, Variegated	Scotch Pine	Stoncrop; Lidakense
Five-Leaf or Chocolate Vine	Flowering Dogwood	Rose of Sharon**	Liriope, Creeping	Loblolly Pine	Stoncrop (<i>Sedum dasyphyllum</i>)
Lady's Leek, Nodding Onion	American Dogwood	Mallow: Disco Belle White	Cardinal Flower, Indian Pink	Virginia Pine	Spirea; Dragon's Blood
Japanese Anemone	Pampas Grass	Chinese Hibiscus	Japanese Honeysuckle	Pistachio*	Spirea; Anthony Waterer
Aquilegia: Red and Gold	Cranberry Cotoneaster	Hosta, Plantain Lily (Fragrant)	Tatarian Honeysuckle	Queensland Pittosporum	Australian Brushcherry
Vine Hill Manzanita	Cotoneaster	Hosta, "Searsucker"	Burgundy	Japanese Pittosporum	Japanese Yew
Cape Weed	Bearberry Cotoneaster	<i>Houttuynia cordata var. variegata</i>	Loosestrife; Modern Pink	Japanese Yew	Yew
Wormwood; Silver Mound, Castle	Rockspray Cotoneaster	Bigleaf Hydrangea	Magnolia species**	English Laurel	Gemander
Aster: Bonny Blue, Purple Dome	Hawthorne	Holly	Ice Plant	Almond, Apricot, Nectarine, Peach,	Meadow Rue
<i>Aster X Finkarii</i>	Lucifer	Chinese Holly	Crabapple*	Plum and Prune*	American Arborvitae
Lady Fern, Fern Lady	Italian Cypress	Japanese Holly; Helleri	Yaku Jima, Silberfeder	Douglas Fir**	Star Jasmine
Japanese Aucuba	White Trailing Ice Plant	American Holly	Heavenly Bamboo	Firethorn (Scarlet)	Canada Hemlock
Fibrous Begonia; Hardy Grandis	Cooper Pink	Yaupon Holly; Schillings	Narcissus species**	Firethorn (<i>P. Fortuneana</i>)	Tulip species
Barberry	Larkspur: Blue Elf	<i>Inula ensifolia</i>	Oleander	Firethorn (<i>P. Koizumii</i>)	Veronica; Speedwell; Sunny Border
Wintergreen Barberry	Dianthus; Maiden Pinks "Zing"	Sword-Leaved Iris; Jodlesong	Olive*	Bradford Pear sp.	der
Mentor Barberry	Cheddar Pink	Siberian Iris; Cabernet	Mondo Grass	Oak, Shumard's Red	Japanese Viburnum
Japanese Barberry	Hop Bush	Iris species**	Osmanthus (False Holly); Gulf Tide	Oak species	Sweet Viburnum
Warty Barberry	Coneflower, Purple; Magnus	Winter Jasmine	Trailing African Daisy	Indian Hawthorne	Japanese Snowball
<i>Bergenia cordifolia</i>	Silverberry	Chinese Juniper; Nick's Compact,	Sourwood	Yedda Hawthorn	Canary Island Viburnum
Snowbank	Wintercreeper	Parsonii	Tree Peony	'Coral Bells'	Arowood Viburnum
Butterfly-Bush (Dwarf Blue);	Japanese Spindle Tree (Evergreen	Shore Juniper; Blue Pacific	Fountain Grass (Dwarf)	'Delaware Valley White'	Launstinus
Royal Red	Euonymus)	Parsoni	<i>Perovskia atriplicifolia</i>	'Flame Creeper'	Cranberry Bush
Japanese Boxwood	Spreading Euonymus	Creeping Juniper	Avocado*	'Formosa'	Leatherleaf Viburnum
Weeping Bottlebrush	Japanese Aralia	Walnut*	Fraser's Pholinia (Redlip)	'Girard Crimson'	Greater Periwinkle, Vinca
Scotch Heather	Border Forsythia	Shrimp Plant	Dragonhead, False; Vivid	'George L. Tabor'	Common Periwinkle, Vinca
Tussock Bellflower, (White Clips)	Weeping Forsythia	Crape Myrtle	Spruce species** (Colorado Blue,	'Hino-crimson'	Grape*Old Fashioned Weigela
Trumpet Creeper, Trumpet Flower,	Greenstem Forsythia	Crape Myrtle; Tuscarora	Norway, etc.)	'PJM'	Spanish Bayonet, Yucca
Madame Galen	Gaillardia, Blanket Flower: "Goblin"	Weeping Lantana	Lily-of-the-Valley Bush	'Roseum Elegans'	Adam's Needle, Yucca
Hottentot Fig (Ice Plant)	Gardenia, Cape-Jasmine, Radicans	Lavender; Munstead	Calabrian Pine	'Wakeiebisu'	

* Do not use on food producing trees, vines, or plants. ** Not for use on container grown plants.

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 pound nitrogen per 1,000 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

LIMITATION OF WARRANTY AND LIMITATION OF LIABILITY

NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of The Manufacturer or Seller. All such risks shall be assumed by Buyer or User.

The Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. THE MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no event shall The Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product.

The Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing limitations of warranty and limitation of liability, which may not be modified by any oral or written agreement.

**MANUFACTURED BY:
LEBANON SEABOARD CORPORATION**

1600 EAST CUMBERLAND STREET
LEBANON, PA 17042

For technical assistance or more information about our products visit www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>