

961-371

9-25-2003

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP 25 2003

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Henry E. Rohland
EPA Registration Manager
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Dear Mr. Rohland:

Subject: Lebanon Country Club® With Ronstar®
EPA Registration No. 961-340
Lebanon Country Club® With Ronstar®
EPA Registration No. 961-371
Par Ex® Fertilizer Plus 1.00 Ronstar®
EPA Registration No. 961-379
Fertilizer Plus 1.5% Ronstar® Par Ex® Professional
Products
EPA Registration No. 961-380
Slow Release Fertilizer Plus Ronstar® Par ex®
Professional Products
EPA Registration No. 961-382
Applications and Letters Dated July 29, 2003, Requests
To Amend Registrations To Comply with PR Notices
2001-1 and 2001-6, Minor Editorial Changes per PR
Notices and Marketing Statements; Your Re-submissions
of Labeling and Revised Confidential Statements of
Formula (CSF) Submitted with Your Letter Dated
September 15, 2003

The resubmissions of labeling associated with the subject applications have been reviewed and found to be acceptable amendments under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, provided that you:

1. Either delete the descriptors "excellent" and "selective" where they occur in the resubmitted labeling for these pesticide products, or for "selective" clearly describe the meaning of this word in context with the associated labeling. As it occurs in the "General Information" sections, the claim could be written as: ".and a selective preemergence herbicide for the control of broadleaf weeds and annual grasses, listed on and applied as described on this label without harm to the ornamental turf grasses at the sites listed on this label". The claim that it is an "excellent" preemergence herbicide is unacceptable as it implies that it is better than others and could be misleading (See PR Notices 91-7 and 93-6).

2/6


2. Submit one copy of each of the final printed labels prior to shipment under the enclosed stamped copy of the revised labels.

If these conditions are not complied with, these registrations will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of this product under this labeling constitutes acceptance of this condition.

A stamped copy of each of the labels is enclosed for your records.

The proposed basic Confidential Statement of Formula (CSFs submitted in EPA Form 8570-4 and dated September 9, 2003) for each of the subject pesticide products have been reviewed; and each was found acceptable under FIFRA as an amendment to the respective registration. Each CSF has been placed in its respective record. The CSF dated September 9, 2003 replaces any existing CSF for the respective product.

Sincerely yours,



Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosures (5 Stamped Labels)

3/6

LEBANON COUNTRY CLUB® WITH RONSTAR®

FOR SALE TO, USE AND STORAGE BY COMMERCIAL NURSERY, TURF AND LANDSCAPE PERSONNEL ONLY.
NOT FOR USE ON HOME LAWNS

ACTIVE INGREDIENT:

Oxadiazon 0.5%

OTHER INGREDIENTS: 99.5%

TOTAL 100.0%

CAS No. 19666-30-9

EPA Reg. No. 961-371

Ronstar® is a registered trademark of Bayer AG.

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN WARNING - ADVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See back panel for additional Precautionary Statements.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

GUARANTEED ANALYSIS

Total Nitrogen (N) X.X%

X.X% Ammoniacal Nitrogen

X.X% Water Insoluble Nitrogen

X.X% Urea Nitrogen

X.X% Other Water Soluble Nitrogen

Available Phosphate (P₂O₅) X.X%

Soluble Potash (K₂O) X.X%

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com


NET WEIGHT: XX LBS. (XX.X kg)

ACCEPTED
with COMMENTS
In EPA Letter Dated

SEP 25 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

961-371



4/6

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Causes skin and eye irritation. Harmful if inhaled. Do not get on skin or on clothing. Avoid contact with eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants, waterproof gloves, a chemical-resistant apron when cleaning equipment, protective eyewear, chemical resistant headgear for overhead exposure and chemical resistant footwear plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

FIRST AID

- SWALLOWED:**
 - Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

IF ON SKIN: • Take off contaminated clothing.

OR CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.
• Call a poison control center or doctor for treatment advice.

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
• Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. RONSTAR® should not be used in areas where irrigation or rainfall results in the direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is absorbed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry to treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical-resistant footwear plus socks and chemical-resistant headgear for overhead exposure.

5/6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store this product only in its original container in a cool, dry, secured storage area out of reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows. Do not store in or around the home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary land fill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product is a combination product consisting of a fine quality fertilizer and an excellent selective preemergence herbicide for the control of many broadleaf weeds and annual grasses in ornamental turf. Weeds are controlled by killing the young weed seedlings as they come in contact with the herbicide during germination.

USE PRECAUTIONS

DO NOT apply through any type of irrigation system. Avoid contamination of water intended for irrigation and domestic use.

DO NOT cut treated vegetation for forage or hay nor graze domestic animals on treated areas for one year following application.

DO NOT apply to turf with heavy thatch accumulation or to turf which has been affected by disease or nematode activity.

DO NOT use on putting greens or tees because of the varying cultural practices used.

DO NOT apply to Dichondra or Centipedegrass.

DO NOT apply to Bentgrass turfs mowed at less than 3/8 inch.

For St. Augustine and Bentgrass turf, do not exceed the rate of 13.75 lbs. per 1,000 sq. ft. (3 lbs. active ingredient per acre).

May cause discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This discoloration is temporary and normally outgrown within 2 to 3 weeks.

DO NOT apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

Avoid contact with flowers and shrubs.

TURF

For use in established perennial Bluegrass, Bentgrass, Bermudagrass, Buffalograss, Perennial Ryegrass, St. Augustinegrass, Seashore Paspalum, Tall Fescue, and Zoysia turf; such as fairways, parks, golf courses and lawns. This product controls Crabgrass (*Digitaria* spp.), Annual Bluegrass (*Poa annua*) and Goosegrass (*Eleusine indica*). Also controls Florida Pusley (*Richardia scabra*), Oxalis (*Oxalis* spp.), Stinging Nettle (*Urtica dioica*), Carpetgrass (*Axonopus officinis*) and Pigweed (*Amaranthus* spp.).

Rake turf area free of leaves, mowing if necessary, so granules reach soil surface. Measure area to be treated and uniformly apply required amount, using a fertilizer spreader. Cross-treating with one-half required amount in each direction will give best results. **DO NOT apply to wet turf.** If rain is not expected shortly after application, sprinkling turf thoroughly will increase effectiveness.

AMOUNT TO USE

(NOTE: Application rates listed can be shown on actual label as lbs. per acre and/or lbs. per 1,000 sq. ft.)

CRABGRASS AND GOOSEGRASS CONTROL: For preemergent control, apply [600 lbs. per acre (3 lbs. active ingredient) or 13.75 lbs. per 1,000 sq. ft.] in early Spring prior to seed germination. Split applications of [400 lbs. per acre (2 lbs. active ingredient) or 9.2 lbs. per 1,000 sq. ft.] followed by [200 lbs. per acre (1 lb. active ingredient) or 4.6 lbs. per 1,000 sq. ft.] 45 to 60 days later but before crabgrass germinates are effective.

ANNUAL BLUEGRASS CONTROL: For preemergent control, apply [800 lbs. per acre (4 lbs. active ingredient) or 18.37 lbs. per 1,000 sq. ft.] Split applications of [400 lbs. per acre (2 lbs. active ingredient) or 9.2 lbs. per 1,000 sq. ft.] applied 45 to 60 days apart but in late summer to early fall or in early spring but before seed germination are effective.

PIGWEED, FLORIDA PUSLEY, OXALIS, STINGING NETTLE AND CARPETGRASS CONTROL: For preemergent control of these weeds, apply [800 lbs. per acre (4 lbs. active ingredient) or 18.37 lbs. per 1,000 sq. ft.] in split applications 45 to 60 days apart in early Spring prior to weed seed germination.

For **ST. AUGUSTINEGRASS** turf, **DO NOT exceed the rate of [600 lbs. per acre (3 lbs. active ingredient) or 13.75 lbs. per 1,000 sq. ft.]**

Apply this product with a properly calibrated granular applicator that will apply the granules uniformly (uniform application is essential for satisfactory weed control). Calibrate the applicator prior to use, according to the manufacturer's directions, and check frequently during the application to be certain that the equipment is working properly.

6/6

SUGGESTED SPREADER SETTINGS

| SPREADER | SPEED | | Width of Coverage | Rate Table and Spreader Settings | |
|----------|------------|---------|-------------------|----------------------------------|------------------------|
| | GROUND MPH | PTO RPM | | 4.6#/1000 200#/Acre | 9.2#/1000 400#/Acre |

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Country Club® is a registered trademark of Lebanon Seaboard Corporation.

Advertising claims that may be presented on the label

lective preemergent herbicide for the control of Crabgrass, Goosegrass and other Annual Weeds in Turf.

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

