

961-383

2/25/2004

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 25 2004

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mr. Henry E. Rohland
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Subject: Ex Slow Release Fertilizer Plus Snow Mold Control
EPA Reg. 961-383
Your Amendment Dated September 19, 2003

Dear Mr. Rohland;


The amendment above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is accepted provided the following changes are made:

1. Remove the words "Contains Turfcide" from your product name. The product name on file is Par Ex Slow Release Fertilizer Plus Snow Mold Control.
2. On page 1, remove the following statement "TURFCIDE is a registered trademark of Uniroyal Chemical Co., Inc." This statement is misleading.
3. On page 3, in the Storage and Disposal Box, change the subheading "Storage" to "Pesticide Storage".

A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed labeling before you release your product for shipment.

If you have any questions, please contact Summer Gardner-Jenkins at (703) 308-9353.

Sincerely,



Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505C)

Enclosure

PAR EX[®] SLOW RELEASE FERTILIZER PLUS SNOW MOLD CONTROL CONTAINS TURFCIDE[®]

ACTIVE INGREDIENT:

Pentachloronitrobenzene (PCNB) 15.0%

OTHER INGREDIENTS: 85.0%

TOTAL 100.0%

CAS. No. 82-68-8-6

(L) (D)

EPA Reg. No. 961-383

EPA Est. 961-PA-01:961-IL-01

TURFCIDE[®] is a registered trademark of Uniroyal Chemical Co., Inc.

Superscript used is first letter of lot number.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

GUARANTEED ANALYSIS

| | |
|------------------------------------------------------------|-----|
| Total Nitrogen (N) | XX% |
| X.X% Ammoniacal Nitrogen | |
| X.X% Water Insoluble Nitrogen | |
| X.X% Urea Nitrogen | |
| X.X% Other Water Soluble Nitrogen | |
| Available Phosphate (P ₂ O ₅) | XX% |
| Soluble Potash (K ₂ O) | XX% |

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

**MANUFACTURED BY
LEBANON SEABOARD CORPORATION**
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: 50 LBS. (22.7 kg)

ACCEPTED
WITH COMMENTS

FEB 25 2004

961-383

476

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. This material may cause skin irritation. Avoid contact with eyes, skin or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and Other Handlers Must Wear: A long-sleeved shirt and long pants; waterproof gloves; and shoes plus socks. Do not handle or apply product with bare hands. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN: • Take off contaminated clothing.

OR CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for treatment advice.

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Cover, collect or incorporate spilled granules. Do not contaminate water when disposing of equipment washwaters. Do not apply directly adjacent to potable water supplies. Do not apply directly to water, or to areas when surface water is present, or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON PLANTS BEING GROWN (1) FOR SALE OR OTHER COMMERCIAL USE, (2) FOR COMMERCIAL SEED PRODUCTION, OR (3) FOR RESEARCH PURPOSES. FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES OR CLIMATIC MODIFICATION AND BEING GROWN IN ORNAMENTAL GARDENS OR PARKS, OR ON GOLF COURSES OR LAWNS.

GENERAL INFORMATION

This product is a preventative fungicide recommended for control of certain soil borne diseases of turf and certain ornamental crops. Best results are achieved when used in a preventative program following recommended rates and application directions. Carefully read, understand and follow label directions.

LAWNS AND TURF

This product is a fungicide for the prevention and control of certain soil borne diseases on golf courses, home lawns and institutional areas where turf is grown. Best results are obtained when this product is used as a preventative application before diseases appear, however, if you do not apply as a preventative treatment, this product should be applied at the first sign of disease. Areas treated with this product should be watered following application to move material down to the soil level. If treated area is subjected to flooding or unusually heavy rainfall, or if disease is severe or reappears, the area should be treated again. See use and rate recommendations for intervals for retreating. Do not graze treated areas or feed clippings to livestock. Under certain growing conditions, a temporary discoloration of the grass may occur. This causes no harm and will disappear in a short time.

SUGGESTED SPREADER SETTINGS

| SPREADER | 2 Lbs. Product per 1,000 sq. ft. | 3.3 Lbs. Product per 1,000 sq. ft. | 5 Lbs. Product per 1,000 sq. ft. |
|----------|-------------------------------------|---------------------------------------|-------------------------------------|
|----------|-------------------------------------|---------------------------------------|-------------------------------------|

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and recommended use rates.]

NOTE: Above spreader settings are approximate. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting, if necessary, to assure correct rate of application.

USE AND RATE RECOMMENDATIONS FOR TURF

| DISEASE | TURF TYPE | POUNDS PER 1,000 SQ. FT. | APPLICATION NOTES |
|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brown Patch (<i>Rhizoctonia solani</i>) | Warm climate grasses such as: St. Augustine, Bermuda | 5 | Apply one application in the spring or at first indication of disease. If disease is severe or reappears, retreat 3 to 4 weeks later. |
| | Dichondra | 5 | Treat as above. |
| | Cool climate grasses such as: Bluegrass, Ryegrass, Fescue, Bent | 1 1/2 to 2 | Apply at first sign of disease. Repeat every 7 to 10 days during warm damp weather. For control of existing infections, apply at higher rates as soon as symptoms appear. |
| Leaf Melting Out (<i>Drechslera</i> spp. formerly <i>Helminthosporium</i> spp.) | All | 3 1/3 to 5 | Preventative applications should be in spring or fall of each year. For control of existing infections, apply at higher rate as soon as symptoms appear. If disease is severe or reappears, area should be retreated 3 to 4 weeks later. |
| Dollar Spot (<i>Sclerotinia homoeocarpa</i>) | | | |
| Gray Snow Mold (<i>Typhula incarnata</i>) | Cool climate grasses | 3 1/3 to 5 | Make one application prior to first snowfall. |
| Pink Snow Mold (<i>Fusarium nivale</i>) | | | |

Use not registered by the California Department of Pesticide Regulation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store this product only in its original container in a dry, cool, secured storage area, away from extreme heat and direct sunlight.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Par Ex® is a registered trademark of Lebanon Seaboard Corporation.

6/6

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

