



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7503C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

961-390

Date of Issuance:

JAN 12 2001

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Lebanon Lawn Fertilizer
Contains Confront and Team

Name and Address of Registrant (include ZIP Code):

Lebanon Seaboard Corporation
1600 E. Cumberland Street
Lebanon, Pennsylvania 17042

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide product is registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, in his discretion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any label in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or of its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for the registration/reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 961-390".
 - b. Under the subheading entitled "**Hazards to Humans and Domestic Animals,**" revise the first sentence of the paragraph to read as "Causes moderate eye irritation".
 - c. Under the heading entitled "**DIRECTIONS FOR USE**" within the section subtitled "**General Use Precautions and Restrictions,**" incorporate the following entry restrictions:

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by water-in, do not enter or allow others to enter the treated area until the surface is dry after water-in.

Signature of Approving Official:

Date:

JAN 12 2001

M. H. WARD

page 2
EPA Reg. No. 961-390

3. Submit (2) two copies of the revised final printed label for the record.

A stamped copy of the label is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment fo the product constitutes acceptance of these conditions.

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosures

LEBANON LAWN FERTILIZER CONTAINS CONFRONT* AND TEAM*

- Prevents grassy weeds including crabgrass, goosegrass, and barnyardgrass
- Eliminates broadleaf weeds including dandelion, thistle and clover
- Fertilizes to fill in bare spots and provide plush green lawns

Active Ingredients:

triclopyr: 3,5,6 trichloro-2-pyridinyloxyacetic acid, triethylamine salt	0.50%
clopyralid: 3,6-dichloro-2-pyridinyloxyacetic acid, triethylamine salt	0.18%
benefin: N-butyl-N-ethyl- α,α,α -trifluoro-2,6-dinitro-p-toluidine	0.82%
trifluralin: (α,α,α -trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine)	0.43%
Inert Ingredients	98.07%
Total	100.00%

Acid Equivalent: triclopyr - 0.38%
 clopyralid - 0.12%

EPA Reg. No. 961-XXX (L) (D)
 EPA Est. 961-PA-01: 961-IL-01
 Superscript used is first letter of lot number

*Trademark of Dow AgroSciences LLC

GUARANTEED ANALYSIS	
Total Nitrogen.....	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P2O5).....	X.X%
Soluble Potash (K2O).....	X.X%

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Back Panel for Additional Precautionary Statements.

ACCEPTED
 with COMMENTS
 In EPA Letter Dated

JAN 12 2001

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
961-390

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
 1600 EAST CUMBERLAND STREET
 LEBANON, PA 17042
 www.lebees.com

NET WEIGHT: XX LBS. (X.XX kg)
COVERS: X,XXX sq ft

(Back Panel of Label)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes subetantial but temporary eye injury. Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, chemical-resistant gloves, shoes plus socks, and protective eyewear (goggles, face shield or safety glasses) when applying.

User Safety Recommendations:

- Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use before applying.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container only in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

Disposal: Wrap original container in several layers of newspaper and discard in trash.

GENERAL INFORMATION

Lebanon Turf Fertilizer with Confront[®] herbicide and Team[®] herbicide provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grassy weed seeds, including crabgrass. This product is not effective against established grass weeds.

Lebanon Lawn Fertilizer Contains Confront and Team is recommended for the following turf species:

Established Cool Season Turfgrasses	Established Warm Season Turf grasses [†]
Kentucky bluegrass	Bahiagrass (Argentine or Pensacola)
chewings fescue	Common Bermudagrass
creeping red fescue	Buffalograss
sheeps fescues	Centipedegrass
tall fescue	Zoysiagrass (<i>Zoysia japonica</i> , <i>Zoysia tenuifolia</i>)
perennial ryegrass	Tall Fescue (growing in warm season area).

[†] Do not treat warm season turfgrasses with Lebanon Lawn Fertilizer Contains Confront and Team when mowing height is less than 1/2 inch. Do not use Lebanon Lawn Fertilizer Contains Confront and Team on golf course putting greens and tees.

General Use Precautions and Restrictions

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

- Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.
- This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system.
- Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.
- On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.
- Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application. Delay sodding or sprigging until 4 weeks after application.
- Do not use grass clippings from turf treated with this product for mulch. Do not use compost containing grass clippings from turf treated with this product in the growing season of application. Do not graze treated areas or feed clippings to livestock.
- Do not apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental frees, cotton, grapes, tobacco, or other nontarget broadleaf plants. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.
- Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.
- Do not contaminate water used for irrigation or domestic purposes. Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Weeds Controlled

When applied as directed, Lebanon Lawn Fertilizer Contains Confront and Team will control the following weeds:

Annual Grass Weeds	Established Broadleaf Weeds		
crabgrass (smooth and hairy)	black medic	curly dock	old world diamond flower
goosegrass	bristly hawksbeard	henbit	poison ivy
barnyardgrass	broadleaf plantain	dollarweed	prostrate spurge
foxtail	burdock	dwarf beggarweed	red clover
annual bluegrass (<i>Poa annua</i>)	Canada thistle	English lawn daisy	roundleaf mallow
	catsear	false dandelion	sheep sorrel
	(coast dandelion)	goldenrod	shepherdspurge
	coffee weed	ground ivy	slender speedwell
	common chickweed	hawkweed	smartweed
	common cocklebur	hop clover	spurweed
	common dandelion	lambquarters	Virginia buttonweed
	common ragweed	lespedeza	Virginia pepperweed
	common vetch	matchweed	white clover
	common yellow woodsorrel	mouseear chickweed	wild buckwheat
	creeping beggarweed	musk thistle	wild violet
	creeping woodsorrel	narrow leaf plantain (buckhorn)	

Note: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

APPLICATION DIRECTIONS

How to Apply Lebanon Lawn Fertilizer Contains Confront and Team

Apply Lebanon Lawn Fertilizer Contains Confront and Team at a recommended rate of 3.6 lb per 1,000 sq ft. Make application using equipment that will ensure uniform coverage. For postemergence control of broadleaves, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results. Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: Newly seeded turf should be mowed 4 times before being treated.

Suggested Spreader Settings †

[Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq ft.]

† The above spreader settings are approximate. These settings were calibrated and field-tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer and Buyer assumes the risks of any such use.

[

*Trademark of Dow AgroSciences LLC
EPA-accepted ___/___/___