■ 961-390	7-7	-2003				1 -	5
SEPA Environmental	ited States Protecti gton, DC 20		. əm App	revec	Registrati Amendmo	on .	OPP Identifier Number
	Applicati	on for Pesti	cide - Sect	ion			
1. Company/Product Number 961-390		Joan	A Product Mend Ine Miller	iger		3. Pro	None Restricted
4. Company/Product (Name) Lebanon Lawn Fartilizer Contains Confront	t and Tear	T) PMS	23				
5. Name and Address of Applicant (Include ZIP Cod	fej	6. Ex	pedited Rev	eiw.	In accordance	e with	FIFRA Section 3(c)(3)
Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042		to: EPA	Reg. No		ilar or identica		mposition and labeling
Check if this is a new address	***		luct Name _	·····			
		Section -	· A				
Amendment - Explain below.			Finel printed Agency lette		s in repsonse to	-	NOTIFICATION
Resubmission in response to Agency letter deted Notification - Explain below.			— "Me Too" Application. JUL - 7 2003 Other - Explain below.				
Under Spreader Settings - Added 2 Options and Setti Added Marketing Claims and Yard Wide Guarantee See Reverse Side							
	**	Section -	<u> </u>			-	
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No * Cartification must be submitted "Yes" Unit Packaging wgt.	No. per container	Weter Soluble Yes No If "Yes" Package wgt	Packaging No. per container			ntainer fetal lestic lless aper lther (S)	pecify)
T i ti	l. Sizo(s) Ro	tail Container	T ₁	5. Loc	pation of Label (Direction	16
6. Manner in Which Label is Affixed to Product	Lithor Paper Stenc	graph gliged	Other				
		Section -	IV				
1. Contact Point	identificatio			nece	esery, to proce	ee this i	ypřicetion.)
Name Henry E. Rohland		ļ · · · ·			ephone 17-273-	No. (Include Area Cade) 1685	
I certify that the statements I have made on the lacknowledge that any knowlingity false or mit both under applicable law.		all attachments ti					6. Date Application Received (Stamped)
2. Signature	2	3. Tide EPA R	egistration Mane	eger			0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
4. Typed Name Henry E. Rohland		5. Date 19	Juni 0	3			and A 2 2

2-5

LEBANON LAWN FERTILIZER CONTAINS CONFRONT* AND TEAM*

- Prevents grassy weeds including crabgrass, goosegrass, and barnyardgrass
 - · Eliminates broadleaf weeds including dandelion, thistle and clover
 - · Fertilizes to fill in bare spots and provide plush green lawns

DO NOT USE GRASS CLIPPINGS FOR COMPOST OR MULCH. FOR BEST RESULTS, RETURN GRASS CLIPPINGS TO YARD. See Back Panel for Details.

NOTIFICATION

JUL - 7 2003

	VE.	INGREDIENTS	
AL. 11	v-	INUBELIENIS	10

triclopyr: 3,5,6 trichloro-2-pyridinyloxyacetic acid, triethylamine salt	0.50%
clopyralid: 3,6-dichloro-2-pyridinyloxyacetic acid, triethylamine salt	0.18%
benefin: N-butyl-N-ethyl- α , α , α -trifluoro-2,6-dinitro- p -toluidine	0.82%
trifluralin: $(\alpha, \alpha, \alpha$ -trifluoro-2,6-dinitro- N,N -dipropyl-p-toluidine)	0.43%
INERT INGREDIENTS	<u>98.07%</u>
TOTAL	100.00%

Acid Equivalent: triclopyr - 0.36% clopyralid - 0.12%

EPA Reg. No. 961-390

*Trademark of Dow AgroSciences LLC.

L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X°
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P ₂ O ₅)	X.X
Soluble Potash (K ₂ O)	X.X

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: XX LBS. (X.XX kg) COVERS: X,XXX Sq. Ft.

Page 1 of 4 Pages
961-390
LEBANON LAWN FERTILIZER CONTAINS CONFRONT* AND TEAM* - 6/6/03 - Notification - Changes Shown

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, chemical-resistant gloves, shoes plus socks, and protective eyewear (goggles, face shield or safety glasses) when applying.

User Safety Recommendations:

- . Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- . Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Note to Physician: Probable mucosal damage my contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Read all Directions for Use before applying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

DISPOSAL: Wrap original container in several layers of newspaper and discard in trash.

GENERAL INFORMATION

Lebanon Lawn Fertilizer Contains Confront* herbicide and Team* herbicide provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grassy weed seeds, including crabgrass. This product is not effective against established grass weeds.

Lebanon Lawn Fertilizer Contains Confront and Team is recommended for the following turf species:

Established Cool Season Turfgrasses - Kentucky bluegrass, chewings fescue, creeping red fescue, sheeps fescues, tall fescue, perennial ryegrass.

Established Warm Season Turfgrasses⁺- Bahiagrass (Argentine or Pensacola), Common Bermudagrass, Buffalograss, Centipedegrass, Zoysiagrass (Zoysia japonica, Zoysia tenuifolia), Tall Fescue (growing in warm season area).

⁺Do not treat warm season turfgrasses with Lebanon Lawn Fertilizer Contains Confront and Team when mowing height is less than 1/2 inch. Do not use Lebanon Lawn Fertilizer Contains Confront and Team on golf course putting greens and tees.

GENERAL USE PRECAUTIONS AND RESTRICTIONS

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as tippia.

This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system.

Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.

Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application, Delay sodding or sprigging until 4 weeks after application.

Special Instructions for Grass Clippings

Do not use grass clippings from turf treated with this product for mulch or compost.

Do not offer grass clippings to municipal recycling programs.

Do not use compost containing grass clippings from turf treated with this product in the growing season of application. Do not graze treated areas or feed clippings to Evestock.

Do not apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not contamir, we water used for irrigation or domestic purposes. Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

ENTRY RESTRICTIONS

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by water-in, do not enter or allow others to enter the treated area until the surface is dry after water-in.

WEEDS CONTROLLED

When applied as directed, Lebanon Lawn Fertilizer Contains Confront and Team will control the following weeds:

Annual Grass Weeds: Barnyardgrass, Crabgrass (smooth and hairy), Goosegrass, Foxtail, Annual Bluegrass (Poa annua).

Established Broadleaf Weeds: Black Medic, Bristly Hawksbeard, Broadleaf Plantain, Burdock, Canada Thistle, Catsear (Coast Dandelion), Coffee Weed, Common Chickweed, Common Cocklebur, Common Dandelion, Common Ragweed, Common Vetch, Common Yellow Woodsorrel, Creeping Beggarweed, Creeping Woodsorrel, Curly Dock, Dollarweed, Dwarf Beggarweed, English Lawn Daisy, False Dandelion, Goldenrod, Ground Ivy, Hawkweed, Henbit, Hop Clover, Lambsquarters, Lespedeza, Matchweed, Mouseear Chickweed, MuskThistle, Narrow Leaf Plantain (Buckhorn), Old World Diamond Flower, Poison Ivy, Prostrate Spurge, Red Clover, Roundleaf Mallow, Sheep Sorrel, Shepherdspurse, Slender Speedwell, Smartweed, Spurweed, Virginia Buttonweed, Virginia Pepperweed, White Clover, Wild Buckwheat, Wild Violet.

Note: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

APPLICATION DIRECTIONS

HOW TO APPLY LEBANON LAWN FERTILIZER CONTAINS CONFRONT AND TEAM

Apply Lebanon Lawn Fertilizer Contains Confront and Team at a recommended rate of 3.6 lbs. per 1,000 sq. ft. Make application using equipment that will ensure uniform coverage. For posterner-gence control of broadleafs, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results.

Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: Newly seeded turf should be moved 4 times before being treated.

SUGGESTED SPREADER SETTINGS

Option 1:

The above spreader settings are approximate. These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Option 2:

Drop Spreader Settings

Apply in a single pass at a rate of approximately 4.6 lbs. per 1,000 sq. ft.

Start on the outside border and apply in a circular path working toward the center.

Overlap the coverage slightly, and shut off spreader before making hard turns.



Graphic Optional

Broadcast Spreader Settings

Apply in a single pass at a rate of approximately 4.6 lbs. per 1000 sq. ft.

Start on the outside border and apply in a circular path working toward the center.

A little overlap coverage is desirable.

To calibrate your spreader: 1 lb. of material should cover approximately 278 sq. ft.



Graphic Optional

If your spreader model is not listed, go to our website at www.lebsea.com, or call toll-free 800-233-0628, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

(Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq. ft.)

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer and Buyer assumes the risks of any such use.



5-5

Advertising claims that may be presented on the label

Kills Dandelions, Prevents Crabgrass and Fertilizes

Weed 'n Feed Plus Crabgrass Preventer

Eliminates Lawn Weeds - One application does it all - crabgrass, dandelions, viney weeds, even clover.

Fertilize Once for Whole Season - Feeds and greens for up to four months

Apply Anytime - Apply to wet or dry lawns, any time of day, any season.

FAIRWAY FORMULA FERTILIZER

WHAT IS SLOW RELEASE NITROGEN?

Greenview Fairway Formula Fertilizers utilize unique, slow release nitrogen sources developed for professionals.

METH-EX* Provides slow, continuous feeding for up to 12 weeks. Initially some nitrogen is released by water to provide early spring green-up. As soil temperatures warm, nitrogen is gradually released through microbial action that minimizes surge growth.

XX.X*% Slowly Available Nitrogen / XX*% Total Nitrogen = X/X* of the Nitrogen is Slow Release

*number would be determined by fertilizer analysis used by manufacturer.

GREENVIEW* YARD WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product when used as directed, or your money back, If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Greenview*, and METH-EX* are registered trademarks of Lebanon Seaboard Corporation.

For more information on our complete line of Greenview Lawn and Garden Products, visit our website at www.lebsea.com

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com





