961-390

9-25-2003



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEP 2 5 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Henry E. Rohland Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

Dear Mr. Rohland:

Subject: Revised Labeling Lebanon Lawn Fertilizer Contains Confront and Team EPA Registration No. 961-390 Your Application Dated September 15, 2003

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

When this product is formulated with a Clopyralid Technical marketed with the labeling approved by this office on September 27, 2002 (or later) you must modify the turf directions for use to include the following statements :

For use only on non-residential turf such as athletic and recreational sports fields, cemeteries, golf courses, industrial sites, non-cropland, parks, rights-of-way, and roadsides.

- Do not use on residential turf
- Do not send clippings to a compost facility
- Do not collect grass clippings for mulch or compost
- Applicator must give notice to landowners/property mangers to not use grass clippings for composting.

Please note that the Environmental Hazard section and Storage and Disposal section must also be amended to include text appropriate for a professional commercial turf pesticide.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

anne M. Miller

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

2

~

LEBANON LAWN FERTILIZER CONTAINS CONFRONT* AND TEAM*

DO NOT USE GRASS CLIPPINGS FOR COMPOST OR MULCH. FOR BEST RESULTS, RETURN GRASS CLIPPINGS TO YARD. See Back Panel for Details.

ACTIVE INGREDIENTS:		
Triethylamine salt of triclopyr		
Triethylamine salt of clopyralid		
benefin		
trifluralin		0.43%
OTHER INGREDIENTS		<u>98.07%</u>
	TOTAL	
Acid Equivalent: triclopyr - 0.36%	Triclopyr CAS No. 57213-69-1	Benefin CAS No. 1861-40-1
clopyralid - 0.12%	Clopyralid CAS. No. 1702-17-6	Trifluralin CAS. No. 1582-09-8

EPA Reg. No. 961-390 *Trademark of Dow AgroSciences LLC.

0

(L) (D) EPA Est. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P2O5)	X.X%
Soluble Potash (K ₂ O)	
Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufac	turer.)

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

ACCEPTED with COMMENTS In EPA Letter Dated

SEP 2 5 2003

Under the Foderal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EFA Reg. No. 761 - 370 MANUFACTURED BY: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.iebsea.com

NET WEIGHT: XX LBS. (X.XX kg) COVERS: X,XXX Sq. Ft.

Page 1 of 5 Pages 961-390 LABEL AMENDMENT - 9/12/03

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, chemical-resistant gloves, shoes plus socks, and protective eyewear (goggles, face shield or safety glasses) when applying.

User Safety Recommendations:

~

. Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

• Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES: . Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN: • Take off contaminated clothing.

"R CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.

· Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Information call (888) 208-1368.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Clopyratid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loarny sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

DIRECTIONS FOR USE

a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION

Lebanon Lawn Fertilizer Contains Confront* herbicide and Team* herbicide provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grassy weed seeds, including crabgrass. This product is not effective against established grass weeds.

Lebanon Lawn Fertilizer Contains Confront and Team is recommended for the following turf species:

Established Cool Season Turfgrasses - Kentucky bluegrass, chewings fescue, creeping red fescue, sheeps fescues, tall fescue, perennial ryegrass.

Established Warm Season Turfgrasses⁺- Bahiagrass (Argentine or Pensacola), Common Bermudagrass, Buifalograss, Ceritipedegrass, Zoystacrass (*Zoysta paponica, Zoysta tenuifolia*), Tall Fescue (growing in warm season area).

⁺Do not treat warm season turfgrasses with Lebanon Lawn Fertilizer Contains Confront and Team when mowing height is less than 1/2 inch. Do not use Lebanon Lawn Fertilizer Contains Confront and Team on golf course putting greens and tees.

PRECAUTIONS AND RESTRICTIONS

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.

This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system.

Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.

Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application. Delay sodding or sprigging until 4 weeks after application.

Special Instructions for Grass Clippings

~

Do not use grass clippings from turf treated with this product for mulch or compost.

Do not offer grass clippings to municipal recycling programs.

Do not use compost containing grass clippings from turf treated with this product in the growing season of application. Do not graze treated areas or feed rlinpings to livestock.

ot apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not contaminate water used for irrigation or domestic purposes. Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

ENTRY RESTRICTIONS

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by water-in, do not enter or allow others to enter the treated area until the surface is dry after water-in.

WEEDS CONTROLLED

When applied as directed, Lebanon Lawn Fertilizer Contains Confront and Team will control the following weeds:

Annual Grass Weeds: Barnyardgrass, Crabgrass (smooth and hairy), Goosegrass, Foxtail, Annual Bluegrass (Poa annua).

Iblished Broadleaf Weeds: Black Medic, Bristly Hawksbeard, Broadleaf Plantain, Burdock, Canada Thistle, Catsear (Coast Dandelion), Coffee Weed, Common Chickweed, Common Cocklebur, Common Dandelion, Common Ragweed, Common Vetch, Common Yellow Woodsorrel, Creeping Beggarweed, Creeping Woodsorrel, Curly Dock, Dollarweed, Dwarf Beggarweed, English Lawn Daisy, False Dandelion, Goldenrod, Ground Ivy, Hawkweed, Henbit, Hop Clover, Lambsquarters, Lespedeza, Matchweed, Mouseear Chickweed, MuskThistle, Narrow Leaf Plantain (Buckhorn), Old World Diamond Flower, Poison Ivy, Prostrate Spurge, Red Clover, Roundleaf Mallow, Sheep Sorrel, Shepherdspurse, Slender Speedwell, Smartweed, Spurweed, Virginia Buttonweed, Virginia Pepperweed, White Clover, Wild Buckwheat, Wild Violet.

Note: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

APPLICATION DIRECTIONS

HOW TO APPLY LEBANON LAWN FERTILIZER CONTAINS CONFRONT AND TEAM

Apply Lebanon Lawn Fertilizer Contains Confront and Team at a recommended rate of 3.6 lbs. per 1,000 sq. ft. Make application using equipment that will ensure uniform coverage. For postemergence control of broadleafs, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results.

Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: Newly seeded turf should be moved 4 times before being treated.

SUGGESTED SPREADER SETTINGS

(Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq. ft.)

Option 1:

The above spreader settings are approximate. These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Option 2:

Drop Spreader Settings

Apply in a single pass at a rate of approximately 3.6 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

Broadcast Spreader Settings

Apply in a single pass at a rate of approximately 3.6 lbs. per 1000 sq. ft. Start on the outside border and apply in a circular path working toward the center. A little overlap coverage is desirable.

To calibrate your spreader: 1 lb. of material should cover approximately 278 sq. ft.

If your spreader model is not listed, go to our website at www.lebsea.com, or call toll-free 800-233-0628, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer and Buyer assumes the risks of any such use.

Advertising claims that may be presented on the label

· Prevents grassy weeds including crabgrass, goosegrass, and barnyardgrass

- · Eliminates broadleaf weeds including dandelion, thistle and clover
- · Fertilizes to fill in bare spots and provide plush green lawns
- Kills Dandelions, Prevents Crabgrass and Fertilizes

Weed 'n Feed Plus Crabgrass Preventer

Eliminates Lawn Weeds - One application does it all - crabgrass, dandelions, viney weeds, even clover.

Fertilize Once for Whole Season - Feeds and greens for up to four months

Apply Anytime - Apply to wet or dry lawns, any time of day, any season.

WAY FORMULA FERTILIZER

WHAT IS SLOW RELEASE NITROGEN?

Greenview Fairway Formula Fertilizers utilize unique, slow release nitrogen sources developed for professionals.

METH-EX* Provides slow, continuous feeding for up to 12 weeks. Initially some nitrogen is released by water to provide early spring green-up. As soil temperatures warm, nitrogen is gradually released through microbial action that minimizes surge growth.

XX.X*% Slowly Available Nitrogen / XX*% Total Nitrogen = X/X* of the Nitrogen is Slow Release

*number would be determined by fertilizer analysis used by manufacturer.

GREENVIEW® YARD WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Greenview*, and METH-EX* are registered trademarks of Lebanon Seaboard Corporation.

For more information on our complete line of Greenview Lawn and Garden Products, visit our website at www.lebsea.com

Page 4 of 5 Pages 961-390 LABEL AMENDMENT - 9/12/03





Graphic Optional

 0
 2
 3
 6
 7
 8
 7
 8
 7
 8
 8
 7
 8
 8
 8
 1
 8
 1
 8
 1
 8
 1
 8
 1
 8
 1
 8
 1
 8
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1

Additional Labeling Requirements:

.

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be
removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

	6 6 6 7 6 7 9 8 9 8	r t t t t t	(() 4 4 4 7 7 7	
••••		•	•	