

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA	Reg.	Number:	
	~		

Date of Issuance:

961-390

JUL 9 2003

N	TTC	CE	OF	PES	TIC	IDE
T 4.		\sim	\sim	1 1	110	

___ Registration

x Reregistration (under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Lebanon Lawn Fertilizer Contains Confront and Team

Name and Address of Registrant (include ZIP Code):

Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon., PA 17042

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

- 1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
- 2. Make the following label changes:
 - a. Based on toxicity ranking per the acute toxicity review, revise the order of the First Aid statements to: IF ON SKIN OR CLOTHING:...IF IN EYES:...IF SWALLOWED...IF INHALED:..."
 - b. Revise the Precautionary Statements to the following: "Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals."
 - c. Add the following PPE requirement to the PPE section: "chemical-resistant gloves made of any waterproof material"

Signature of Approving Official:	Date:			
Joanne I. Miller Joanne J. Miller		1111	9 2008	
Product Manager 23/		UUL	3 2000	
Product Manager 23 Herbicide Branch				
Registration Division (7505P)	[·			

EPA Form 8570-6

d. Add the following statements to the Environmental Hazards section: "Clopyralid is a chemical that which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractures surfaces, and substrates which could allow direct introduction into an aquifer. Your local agencies can provide further information on the type of soil in your area and the location of ground water. Triclopyr has properties and

characteristics associated with chemicals detected in groundwater. The use of triclopyr in areas where soils are permeable, particularly where the water table is shallow, may result

- e. The Entry Restrictions text on page 2 must be revised to read: "This product must be watered in as soon as possible after application. Do not enter or allow people (or pets) to enter the treated area until dusts have settled. Except for those people involved in the watering-in do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry."
- f. Add the application restriction "Maximum of two applications per year" to the section Application Restrictions on page 2, and the PRECAUTIONS AND RESTRICTIONS section on page 3.
- g. On page 3, in the section STORAGE AND DISPOSAL, remove the Homeowner Container Disposal subsection, as residential turf use is prohibited. Remove "Commercial" from the subsection title "Commercial Container Disposal."
- h. On page 3, revise "is recommended" to "may be used" in the statement "Lebanon Lawn Contains Confront and Team is recommended for the following turf species"
- i. On page 3, revise "recommended" to "specified" in the statement "Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees."
- j. On page 3, add the following restrictions as required by the Agency letter dated September 25, 2003:
 - a. Do not use of residential turf

in groundwater contamination."

- b. Do not send clippings to a compost facility
- c. For use only on non-residential turf such as athletic and recreational sports fields, cemeteries, golf courses, industrial sites, non-cropland, parks, rights-of-way, and roadsides"
- d. Applicator must give notice to landowners/property managers to not use grass clippings for composting
- k. On page 4, remove "recommended" from the statement "Apply Lebanon Lawn Fertilizer Contains Confront and Team at a recommended rate of 3.6 lbs per 1000 sq ft"
- 1. On page 4, in the Warranty section, add "to the extent consistent with applicable law" before "Buyer assumes the risks of any such use."
- m. On page 5, in the section Additional Labeling Requirements, revise "recommended" to "specified."

Submit one copy of the revised final printed label for the record. Amended labeling will supercede all previously accepted ones. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

LEBANON LAWN FERTILIZER CONTAINS CONFRONT* AND TEAM*

DO NOT USE GRASS CLIPPINGS FOR COMPOST OR MULCH.
FOR BEST RESULTS, RETURN GRASS CLIPPINGS TO YARD.
See Back Panel for Details.

ACTIVE INGREDIENTS:			
Triethylamine salt of triclopyr			0.50%
			0.18%
			0.82%
trifluralin	· · · · · · · · · · · · · · · · · · ·		0.43%
OTHER INGREDIENTS			<u>98.07%</u>
	TOTAL		100.00%
Acid Equivalent: triclopyr - 0.36%	Triclopyr CAS No. 57213-69-1	Benefin CAS No	. 1861-40-1
clopyralid - 0.12%	Clopyralid CAS. No. 1702-17-6	Trifluralin CAS. N	lo. 1582-09-8
		(L) (D)	

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

EPA Reg. No. 961-390

*Trademark of Dow AgroSciences LLC.

CAUTION

See back panel for additional Precautionary Statements.

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	
Nichrigan Courses (Ourse stand A. J	

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: XX LBS. (X.XX kg) COVERS: X,XXX Sq. Ft. ACCEPTED
JUL 9 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Page 1 of 5 Pages 961-390 02-07-07

961-390

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Personal Protective Equipment (PPE)

All loaders applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Socks plus shoes

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothinG/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN:

- · Take off contaminated clothing.
- OR CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes.
 - · Call a poison control center or doctor for treatment advice.

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF INHALED: • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertibrates including shrimp and oyster. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinstate. Drift and runoff may be hazardous to aquatic organism in water adjacent to treated areas.

DIRECTIONS FOR USE


It is a violation of federal law to use this product in a manner inconstistent with its labeling. Read all directions carefully before applying this product.

Not for use on plants grown for sale or other commercial use, or for commercial seen production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications.

Entry Restrictions: Do not enter or allow other people (or pets) to enter the treated area until dusts have settled. If watering in is required after the application-- except for those people involved in the watering-in - do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry.

STORAGE AND DISPOSAL



Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Commercial Container Disposal: Completely empty container into application equipment. Then dispose of container in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned stay out of smoke.

Homeowner Container Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Use as directed or call your local waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION

Lebanon Lawn Fertilizer Contains Confront* herbicide and Team* herbicide provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grassy weed seeds, including crabgrass. This product is not effective against established grass weeds.

Lebanon Lawn Fertilizer Contains Confront and Team is recommended for the following turf species:

Established Cool Season Turfgrasses - Kentucky bluegrass, chewings fescue, creeping red fescue, sheeps fescues, tall fescue, perennial ryegrass.

Established Warm Season Turfgrasses⁺- Bahiagrass (Argentine or Pensacola), Common Bermudagrass, Buffalograss, Centipedegrass, Zoysiagrass (*Zoysia japonica, Zoysia tenuifolia*), Tall Fescue (growing in warm season area).

⁺Do not treat warm season turfgrasses with Lebanon Lawn Fertilizer Contains Confront and Team when mowing height is less than 1/2 inch. Do not use Lebanon Lawn Fertilizer Contains Confront and Team on golf course putting greens and tees.

PRECAUTIONS AND RESTRICTIONS

Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as Iippia.

This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system.

Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.

Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application. Delay sodding or sprigging until 4 weeks after application.

Special Instructions for Grass Clippings

Do not use grass clippings from turf treated with this product for mulch or compost.

Do not offer grass clippings to municipal recycling programs.

Do not use compost containing grass clippings from turf treated with this product in the growing season of application. Do not graze treated areas or feed clippings to livestock.

Do not apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not contaminate water used for irrigation or domestic purposes. Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.



When applied as directed, Lebanon Lawn Fertilizer Contains Confront and Team will control the following weeds:

Annual Grass Weeds: Barnyardgrass, Crabgrass (smooth and hairy), Goosegrass, Foxtail, Annual Bluegrass (Poa annua).

Established Broadleaf Weeds: Black Medic, Bristly Hawksbeard, Broadleaf Plantain, Burdock, Canada Thistle, Catsear (Coast Dandelion), Coffee Weed, Common Chickweed, Common Cocklebur, Common Dandelion, Common Ragweed, Common Vetch, Common Yellow Woodsorrel, Creeping Beggarweed, Creeping Woodsorrel, Curly Dock, Dollarweed, Dwarf Beggarweed, English Lawn Daisy, False Dandelion, Goldenrod, Ground Ivy, Hawkweed, Henbit, Hop Clover, Lambsquarters, Lespedeza, Matchweed, Mouseear Chickweed, MuskThistle, Narrow Leaf Plantain (Buckhorn), Old World Diamond Flower, Poison Ivy, Prostrate Spurge, Red Clover, Roundleaf Mallow, Sheep Sorrel, Shepherdspurse, Slender Speedwell, Smartweed, Spurweed, Virginia Buttonweed, Virginia Pepperweed, White Clover, Wild Buckwheat, Wild Violet.

Note: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

APPLICATION DIRECTIONS

HOW TO APPLY LEBANON LAWN FERTILIZER CONTAINS CONFRONT AND TEAM

Apply Lebanon Lawn Fertilizer Contains Confront and Team at a recommended rate of 3.6 lbs. per 1,000 sq. ft. Make application using equipment that will ensure uniform coverage. For postemergence control of broadleafs, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results.

Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: Newly seeded turf should be moved 4 times before being treated.

SUGGESTED SPREADER SETTINGS

(Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq. ft.)

Option 1:

The above spreader settings are approximate. These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Option 2:

Drop Spreader Settings


Apply in a single pass at a rate of approximately 3.6 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

Broadcast Spreader Settings


Apply in a single pass at a rate of approximately 3.6 lbs. per 1000 sq. ft. Start on the outside border and apply in a circular path working toward the center. A little overlap coverage is desirable.

To calibrate your spreader: 1 lb. of material should cover approximately 278 sq. ft.

If your spreader model is not listed, go to our website at www.lebsea.com, or call toll-free 800-233-0628, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.



Graphic Optional



Graphic Optional

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer and Buyer assumes the risks of any such use.

Advertising claims that may be presented or label

- Prevents grassy weeds including crabgrass, goosegrass, and barnyardgrass
- Eliminates broadleaf weeds including dandelion, thistle and clover
- Fertilizes to fill in bare spots and provide plush green lawns

Kills Dandelions, Prevents Crabgrass and Fertilizes

Weed 'n Feed Plus Crabgrass Preventer

Eliminates Lawn Weeds - One application does it all - crabgrass, dandelions, viney weeds, even clover.

Fertilize Once for Whole Season - Feeds and greens for up to four months

Apply Anytime - Apply to wet or dry lawns, any time of day, any season.

FAIRWAY FORMULA FERTILIZER

WHAT IS SLOW RELEASE NITROGEN?

Greenview Fairway Formula Fertilizers utilize unique, slow release nitrogen sources developed for professionals.

METH-EX® Provides slow, continuous feeding for up to 12 weeks. Initially some nitrogen is released by water to provide early spring green-up. As soil temperatures warm, nitrogen is gradually released through microbial action that minimizes surge growth.

XX.X*% Slowly Available Nitrogen / XX*% Total Nitrogen = X/X* of the Nitrogen is Slow Release

*number would be determined by fertilizer analysis used by manufacturer.

GREENVIEW® YARD WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Greenview[®], and METH-EX[®] are registered trademarks of Lebanon Seaboard Corporation.

For more information on our complete line of Greenview Lawn and Garden Products, visit our website at www.lebsea.com

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft, per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Page 5 of 5 Pages 961-390