

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Jeanette Covert
Authorized Representative for Lebanon
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

JUL 17 2009

Subject: Notification(s) for Label Revisions under PRN 2007-4 and 98-10

Dear Ms. Covert:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated March 26, 2009 for:

EPA Registration 961-390

Lebanon Lawn Fertilizer Contains Confront and Team

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notices 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Jeanette Covert

3-26-09

Product & Regulatory Associates, L.L.C.

April 25, 2009

Ms. Joanne Miller (PM-23)
Document Processing Desk
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Lebanon Lawn Fertilizer Contains Confront and Team EPA Reg. No. 961-390 Notification 2007-4 and Warranty

Dear Ms. Miller:

As its authorized representative, Lebanon Seaboard Corporation wishes to submit a notification to revise labeling for Lebanon Lawn Fertilizer Contains Confront and Team, EPA Reg. No.961-390. This notification is consistent with PR Notice 2007-4 and 98-10.

Revisions include:

- Updating container management per PR-Notice 2007-4
- Revision of the Warranty statement per PR Notice 98-10

To complete this application, enclosed please find:

- Application for Pesticide: EPA Form 8750-1
- One copy highlighted copy of the revised labeling dated 3-26-09
- One clean copy of the revised labeling dated 3-26-09
- One CD e-label file name 000961-00390.20090326.Notification.pdf

I trust that this information will assist the Agency in its efforts to complete this action. If you have any question in regard to this mater, feel free to contact me at (856) 751-3432 or jacovert@comcast.net.

Sincerely,

Joanette Covert

O canutto Covert

Authorized Representative of Lebanon Seaboard Corporation

cc: Sylvia Whitman, Lebanon Seaboard Corporation

P.O. Box 1683

Voorhees, NJ 08053-9998

Telephone 856 424-1528

LEBANON LAWN FERTILIZER **CONTAINS CONFRONT* AND TEAM***

DO NOT USE GRASS CLIPPINGS FOR COMPOST OR MULCH. FOR BEST RESULTS, RETURN GRASS CLIPPINGS TO YARD. See Back Panel for Details.

ACTIVE INGREDIENT

Triethylamine salt of triclopyr		0.50%
trifluralin		0.43%
OTHER INGREDIENTS:		<u>98.07%</u>
	TOTAL	100.00%
Acid Equivalent: triclopyr - 0.36%	Triclopyr CAS No. 57213-69-1	Benefin CAS No. 1861-40-1
clopyralid - 0.12%	Clopyralid CAS. No. 1702-17-6	Trifluralin CAS. No. 1582-09-8

(D) EPA Est. No. 961-PA-01:961-IL-01

EPA Reg. No. 961-390 *Trademark of Dow AgroSciences LLC.

Superscript used is first letter of lot number.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements.

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%
Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufactures and supplied based on fertilizer analysis used by manufactures and supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied based on fertilizer analysis used by manufactures are supplied by the supplied based on fertilizer analysis used by manufactures are supplied by the supplied based on fertilizer analysis used by the supplied based on fertilizer analysis are supplied by the supplied based on fertilizer analysis are supplied by the suppli	cturer.)

MANUFACTURED BY: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042

www.lebsea.com

NOTIFICATION

JUL 17 2009

Notification 2007-4 / Warranty Page 1 of 6 961-390 Red line/blue line

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful is absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

All loaders applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- · Socks plus shoes
- · Chemical-resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF ON SKIN:

Take off contaminated clothing.

OR CLOTHING:

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eve open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

- IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertibrates including shrimp and oyster. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinstate. Drift and runoff may be hazardous to aquatic organism in water adjacent to treated area. Clopyralid is a chemical that which can travel (seep or leach) through soil snd under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soild have a rapid to very rapid permeability throughout the profoile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractures surfaces, and substrates which could allow direct introduction into an aguifer. Your local agencies can provide further information on the direct type of soil in your area and the location of ground water. Triclopyr has properties and characteristics associated with chemicals detected in groundwater. The use of triclopyr in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconstistent with its labeling. Read all directions carefully before applying this product.

Not for use on plants grown for sale or other commercial use, or for commercial seen production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and
Notification 2007-4 Page 2 of 6 grounds. 961-390

3-26-09

6/9

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. Maximum of two applications per year.

Entry Restrictions: This product must be watered in as soon as possible after application. Do not enter or allow other people (or pets) to enter the treated area until dusts have settled. Except for those people involved in the watering-in - do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry.

GENERAL INFORMATION

Lebanon Lawn Fertilizer Contains Confront* herbicide and Team* herbicide provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grassy weed seeds, including crabgrass. This product is not effective against established grass weeds.

Lebanon Lawn Fertilizer Contains Confront and Team may be used for the following turf species:

Established Cool Season Turfgrasses - Kentucky bluegrass, chewings fescue, creeping red fescue, sheeps fescues, tall fescue, perennial ryegrass.

Established Warm Season Turfgrasses⁺- Bahiagrass (Argentine or Pensacola), Common Bermudagrass, Buffalograss, Centipedegrass, Zoysiagrass (*Zoysia japonica, Zoysia tenuifolia*), Tall Fescue (growing in warm season area).

⁺Do not treat warm season turfgrasses with Lebanon Lawn Fertilizer Contains Confront and Team when mowing height is less than 1/2 inch. Do not use Lebanon Lawn Fertilizer Contains Confront and Team on golf course putting greens and tees.

PRECAUTIONS AND RESTRICTIONS

Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.

Maximun of two applications per year.

This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system.

Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.

Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application. Delay sodding or sprigging until 4 weeks after application.

Do not use on residuntial turf.

Do not send clipping to a compost facility.

For use on non-residential turf such as athletic and recreational sports fields, cemeteries, golf cources, industrial sites, non-cropland, parks, right-of-way, and roadsides.

Applicator must give notice to lawnowners/property managers to not use grass clipping for composting.

Special Instructions for Grass Clippings

Do not use grass clippings from turf treated with this product for mulch or compost.

Do not offer grass clippings to municipal recycling programs.

Do not use compost containing grass clippings from turf treated with this product in the growing season of application. Do not graze treated areas or feed clippings to livestock.

Do not apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than specified rates, especially under the branch spread (dripline) of trees.

Do not contaminate water used for irrigation or domestic purposes. Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

WEEDS CONTROLLED

Vhen applied as directed, Lebanon Lawn Fertilizer Contains Confront and Team will control the following weeds:

Annual Grass Weeds: Barnyardgrass, Crabgrass (smooth and hairy), Goosegrass, Foxtail, Annual Bluegrass (Poa annua).

Established Broadleaf Weeds: Black Medic, Bristly Hawksbeard, Broadleaf Plantain, Burdock, Canada Thistle, Catsear (Coast Dandelion), Coffee Weed, Common Chickweed, Common Cocklebur, Common Dandelion, Common Ragweed, Common Vetch, Common Yellow Woodsorrel, Creeping Beggarweed, Preeping Woodsorrel, Curly Dock, Dollarweed, Dwarf Beggarweed, English Lawn Daisy, False Dandelion, Goldenrod, Ground Ivy, Hawkweed, Henbit, Hop Clover, Lambsquarters, Lespedeza, Matchweed, Mouseear Chickweed, MuskThistle, Narrow Leaf Plantain (Buckhorn), Old World Diamond Flower, Poison vy, Prostrate Spurge, Red Clover, Roundleaf Mallow, Sheep Sorrel, Shepherdspurse, Slender Speedwell, Smartweed, Spurweed, Virginia Buttonweed, Virginia Pepperweed, White Clover, Wild Buckwheat, Wild Violet.

lote: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil noisture conditions are present.

APPLICATION DIRECTIONS

HOW TO APPLY LEBANON LAWN FERTILIZER CONTAINS CONFRONT AND TEAM

Apply Lebanon Lawn Fertilizer Contains Confront and Team at a rate of 3.6 lbs. per 1,000 sq. ft. Make application using equipment that will ensure uniform coverage. For postemergence control of broadleafs, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results.

Application under drought conditions may provide less than desirable results.

3roadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: Newly seeded turf should be moved 4 times before being treated.

SUGGESTED SPREADER SETTINGS

(Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq. ft.)

Option 1:

The above spreader settings are approximate. These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Option 2:

Prop Spreader Settings

Apply in a single pass at a rate of approximately 3.6 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

3roadcast Spreader Settings


Apply in a single pass at a rate of approximately 3.6 lbs. per 1000 sq. ft. Start on the outside border and apply in a circular path working toward the center. A little overlap coverage is desirable.

o calibrate your spreader: 1 lb. of material should cover approximately 278 sq. ft.

f your spreader model is not listed, go to our website at www.lebsea.com, or call oll-free 800-233-0628, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.



Graphic Optional



Graphic Optional

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility,

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely emply container into application equipment. Then dispose of emptry container in a sanitary landfill landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned stay out of smoke.

WARRANTY

e Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in cordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular rpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not asonably forescoable to Manufacturer and to the extent consistent with applicable law Buyer assumes the risks of any such use.

WARRANTY IMPORTANT: READ BEFORE USE

ead the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not ceptable, return the unopened product container at once.

using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

ONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to elimite all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such ctors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon aboard Corporation. All such risks shall be assumed by the user or buyer.

SCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND IE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those conined herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS TODUCT.

MITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL DSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, EGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORADIN'S ELECTION, THE REPLACEMENT OF PRODUCT.

Ivertising claims that may be presented on the label

revents grassy weeds including crabgrass, goosegrass, and barnyardgrass liminates broadleaf weeds including dandelion, thistle and clover ertilizes to fill in bare spots and provide plush green lawns

Is Dandelions, Prevents Crabgrass and Fertilizes

ed 'n Feed Plus Crabgrass Preventer

minates Lawn Weeds - One application does it all - crabgrass, dandelions, viney weeds, even clover.

rtilize Once for Whole Season - Feeds and greens for up to four months

ply Anytime - Apply to wet or dry lawns, any time of day, any season.

IRWAY FORMULA FERTILIZER

1AT IS SLOW RELEASE NITROGEN?

senview Fairway Formula Fertilizers utilize unique, slow release nitrogen sources developed for professionals.

:TH-EX® Provides slow, continuous feeding for up to 12 weeks. Initially some nitrogen is released by water to provide early spring green-up. As soil apperatures warm, nitrogen is gradually released through microbial action that minimizes surge growth.

.X*% Slowly Available Nitrogen / XX*% Total Nitrogen = X/X* of the Nitrogen is Slow Release

imber would be determined by fertilizer analysis used by manufacturer.

GREENVIEW® YARD WIDE GUARANTEE

enview guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of ar problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA-17942.

eenviewe, and METH-EXe are registered trademarks of Lebanon Seaboard Corporation.

more information on our complete line of Greenview Lawn and Garden Products, visit our website at www.lebsea.com

Notification 2007-4 Page 5 of 6 961-390 3-26-09

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the specified use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com