

961-391

11/07/2007

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

November 7, 2007

Mr. Henry E. Rohland
EPA Registration Manager
LEBANON SEABOARD CORPORATION
1600 East Cumberland Street
Lebanon, PA 17042

Subject: Label Notification

Dear Mr. Rohland:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/10/07 for **EPA Registration 961-391**. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Sherada Hobgood of my staff at 703-308-8893.

Sincerely,

A handwritten signature in black ink, appearing to be "Ls/".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/7

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 961-391	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Lebanon Turf Fertilizer With Confront and Team	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>NOV 07 2007</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Response to PR Notice 2007-1 and 2 Marketing statements. Deletions in RED Additions in BLUE
This notification is consistent with the guidance in PR Notice 2007-1 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2007-1 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Henry E. Rohland		Title EPA Registration Manager		Telephone No. (include Area Code) 717-273-1685	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped) _____ _____ _____
2. Signature 		3. Title EPA Registration Manager			
4. Typed Name Henry E. Rohland		5. Date 10 Oct 07			

3/7



LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685

FAX (717) 273-9466

10 October 2007

Document Processing Desk (NOTIF)
Office of Pesticide Program (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

ATTN: Joanne Miller (Team 23)

Re: Notification Submission in Response to PR Notice 2007-1

Dear Joanne:

Per the reference PR Notice, enclosed is an Application for Pesticide Form 8570-1, a revised label, Red Line deletions /Blue Line additions, showing the changes, and 3 labels with the changes incorporated.

We also included two marketing statements since these are not changes but additions to the label, which I believe may be accomplished by Notification.


We respectfully request you return a stamped copy upon your approval.

Should you have any questions concerning this submission, please call me at 800-532-0090 ext. 237 or e-mail: hrohland@lebsea.com.

Thanks for your help.

Sincerely,

Henry E. Rohland
EPA Registration Manager



4/7

LEBANON TURF FERTILIZER WITH CONFRONT* AND TEAM*

ACTIVE INGREDIENTS:

Triethylamine salt of triclopyr	0.50%
Triethylamine salt of clopyralid	0.18%
benefin	0.82%
trifluralin	0.43%
OTHER INGREDIENTS	98.07%
TOTAL	100.00%

Acid Equivalent: triclopyr - 0.36%
clopyralid - 0.12%

Triclopyr CAS No. 57213-69-1
Clopyralid CAS. No. 1702-17-6

Benefin CAS No. 1861-40-1
Trifluralin CAS. No. 1582-09-8
(L) (D)

EPA Reg. No. 961-391
*Trademark of Dow AgroSciences LLC.

EPA Est. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	

Available Phosphate (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.
If terms are not acceptable, return the unopened container to the place of purchase at once.

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

NET WEIGHT: XX LBS. (X.XX kg)
COVERS: X,XXX Sq. Ft.

NOTIFICATION

NOV 07 2007

5/7

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment:

Long-sleeved shirt and long pants • Chemical-resistant gloves • Shoes plus socks • Protective eyewear (goggles, face shield or safety glasses)

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the WPS (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

- Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN: • Take off contaminated clothing.

OR CLOTHING: • Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Information call (888) 208-1368.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Lebanon Turf Fertilizer with Confront* herbicide and Team* herbicide provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grass weeds, including crabgrass. This product is not effective against established grass weeds.

47

Lebanon Turf Fertilizer with Confront and Team is recommended for the following turf species:

Established Cool Season Turfgrasses - Kentucky bluegrass, chewings fescue, creeping red fescue, sheeps fescues, tall fescue, perennial ryegrass.

Established Warm Season Turfgrasses⁺- Bahiagrass (Argentine or Pensacola), Common Bermudagrass, Buffalograss, Centipede grass, Zoysiagrass (*Zoysia japonica*, *Zoysia tenuifolia*), Tall Fescue (growing in-warm season area).

⁺Do not treat warm season turfgrasses with Lebanon Turf Fertilizer with Confront and Team when mowing height is less than 1/2 inch. Do not use Lebanon Turf Fertilizer with Confront and Team on golf course putting greens and tees.

PRECAUTIONS AND RESTRICTIONS

FOR USE ONLY ON NONRESIDENTIAL TURF SUCH AS ATHLETIC AND RECREATIONAL SPORTS FIELDS, CEMETERIES, GOLF COURSES, INDUSTRIAL SITES, NON-CROPLAND, PARKS, RIGHTS-OF-WAY AND ROADSIDES.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

DO NOT USE ON RESIDENTIAL TURF.

Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.

This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system. Common bermudagrass, centipede grass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.

On bahiagrass and centipede grass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipede grass after the first of October or bahiagrass after the first of November.

Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application. Delay sodding or sprigging until 4 weeks after application.

Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for composting. Do not graze treated areas or feed clippings to livestock.

Do not apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not contaminate water used for irrigation or domestic purposes. Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Application Restriction: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by water-in, do not enter or allow others to enter the treated area until the surface is dry after water-in.

WEEDS CONTROLLED

When applied as directed, Lebanon Turf Fertilizer with Confront and Team will control the following weeds:

Annual Grass Weeds: Barnyardgrass, Crabgrass (smooth and hairy), Goosegrass, Foxtail, Annual Bluegrass (*Poa annua*).

Established Broadleaf Weeds: Black Medic, Bristly Hawksbeard, Broadleaf Plantain, Burdock, Canada Thistle, Catsear (Coast Dandelion), Coffee Weed, Common Chickweed, Common Cocklebur, Common Dandelion, Common Ragweed, Common Vetch, Common Yellow Woodsorrel, Creeping Beggarweed, Creeping Woodsorrel, Curly Dock, Dollarweed, Dwarf Beggarweed, English Lawn Daisy, False Dandelion, Goldenrod, Ground Ivy, Hawkweed, Henbit, Hop Clover, Lambsquarters, Lespedeza, Matchweed, Mousseear Chickweed, Musk Thistle, Narrow Leaf Plantain (Buckhorn), Old World Diamond Flower, Poison Ivy, Prostrate Spurge, Red Clover, Roundleaf Mallow, Sheep Sorrel, Shepherdspurse, Slender Speedwell, Smartweed, Spurweed, Virginia Buttonweed, Virginia Pepperweed, White Clover, Wild Buckwheat, Wild Violet.

Note: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

A repeat application may be needed for harder to control weeds in 4 to 6 weeks.

7/7

APPLICATION DIRECTIONS

HOW TO APPLY LEBANON TURF FERTILIZER WITH CONFRONT AND TEAM

Apply Lebanon Turf Fertilizer with Confront and Team at a recommended rate of 3.6 lbs. per 1,000 sq. ft. (157 lbs./acre). This application rate is equivalent to 0.75 lb. ai/acre of Confront and 2 lbs. ai/acre of Team. Make application using equipment that will ensure uniform coverage. For postemergence control of broadleaves, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results. Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: Additional applications should not be made less than 4 weeks apart to minimize the potential for grass injury. Newly seeded turf should be mowed 4 times before being treated.

SUGGESTED SPREADER SETTINGS

(Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq. ft.)

The above spreader settings are approximate. These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer and Buyer assumes the risks of any such use.

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

Advertising Claims:

- Practical Solutions for Turf Professionals
- Practical Solutions for Serious Turf Professionals

NOTIFICATION

NOV 07 2007