11

06/04/2009



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 4 2009

Ms. Jeanette A. Covert Product Registration Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

SUBJECT: Application for Pesticide Notification (PRN 98-10) Request General Label Change (Marketing Claims) EPA Reg. No961-391 Application Dated April 25, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/25/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

\$EPA	Environmental	nited States Protection Age ngton, DC 20460	ency		Registra Amendr Other		OPP Identifier Number
		Application for	Pesticide - Se	ction			
1. Company/Product Numb Lebanon Seaboard C			2. EPA Product N Joanne Miller	lanager		3. Pr	oposed Classification
4. Company/Product (Name) Lebanon Turf Fertilizer with Confront and Team			РМ# 23				
5. Name and Address of A Lebanon Seaboard C 1600 East Cumberlar Lebanon, PA 17042	orporation		(b)(i), my produ to: EPA Reg. No Product Name	ct is sim	ilar or ident	ical in co NOTIF	FIFRA Section 3(c)(3) mposition and labeling TCATION 4 2009
		Sec	ction - II				
Amendment - Expla Resubmission in re Notification - Expla	sponse to Agency letter	dated	Agency 	nted label letter dat " Applica Explain be	ntion.	a to 	
EPA regulations at 40 CFF	152.46 and no other cha	nges have been made to willfully make any fal	o the labeling or the (Confidentia	al Statement o	of Formula	8-10 and the requirements of for this product. I otification is not consistent
with the requirements 40 C and 14 of FIFRA.	FR 152.46, this product n		RA and I may be sub	ject to enf	forcement act	ion and pe	nalties under sections 12
with the requirements 40 C and 14 of FIFRA.	FR 152.46, this product n		RA and I may be sub	ject to enf	forcement act	ion and pe	nalties under sections 12
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Yes No * Certification must	FR 152.46, this product n	Sec Wate	RA and I may be sub tion - III r Soluble Packaging Yes No	ject to enf	2. Type of	ion and pe	nalties under sections 12
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Yes No * Certification must be submitted 3. Location of Net Content	VIII Be Packaged In: VIII Be Packaged In: Unit Packaging Yes Vos If "Yes" Unit Packaging wgt. Is Information	Sec Wate Wate Vo. per container 4. Size(s) Retail Conta	RA and I may be sub stion - III r Soluble Packaging Yes No ps" No. p age wgt conta	ject to enf	2. Type of	Container Metal Plastic Glass Paper Other (S	nalties under sections 12
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Ves No Certification must be submitted 3. Location of Net Content Lebel	VIII Be Packaged In: Unit Packaging Vili Packaging Ves Viii Packaging wgt. If "Yes" Unit Packaging wgt. If formation Container	Sec Wate V No. per container 4. Size(s) Retail Conta to be de	RA and I may be sub tion - III r Soluble Packaging Yes No ps" No. p age wgt conta ainer etermined	er ner 5. Lo	2. Type of	Container Metal Plastic Glass Paper Other (S	nalties under sections 12
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Ves No Certification must be submitted 3. Location of Net Content Lebel	VIII Be Packaged In: Unit Packaging Vili Packaging Ves Viii Packaging wgt. If "Yes" Unit Packaging wgt. If formation Container	Sec Wate Wate V No. per container 4. Size(s) Retail Conta to be de Uithograph Peper glued Stenciled	RA and I may be sub tion - III r Soluble Packaging Yes No ps" No. p age wgt conta ainer etermined	er iner 5. Lo	2. Type of	Container Metal Plastic Glass Paper Other (S	nalties under sections 12
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Yes No Certification must be submitted 3. Location of Net Content (1) Label 5. Manner in Which Label	VIII Be Packaged In: Unit Packaging Yes Vill Fackaging Vill Packaging Ves No If "Yes" Unit Packaging wgt. Is Information Container is Affixed to Product	Sec Wate Wate V No. per container 4. Size(s) Retail Conta to be de Uithograph Paper glued Stenciled Sec	RA and I may be sub tion - III r Soluble Packaging Yes No ps" No. p age wgt conta ainer etermined 0 tion - IV	er ner S. Lo Lo ther	2. Type of	Container Metal Plastic Glass Paper Other (S	specify)bag
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Yes No * Certification must be submitted 3. Location of Net Content	VIII Be Packaged In: Unit Packaging Yes Vill Fackaging Vill Packaging Ves No If "Yes" Unit Packaging wgt. Is Information Container is Affixed to Product	Sec Wate Wate Wate Wate Wate Wate Wate Wate	RA and I may be sub tion - III r Soluble Packaging Yes No ps" No. p age wgt conta ainer etermined 0 tion - IV	er Iner S. Loo Lher ad, if nec	essary, to pr	Container Container Metal Plastic Glass Paper Other (S el Directio	Specify)bag Specify)bag ons sepplication. j e No. (Include Area Code)
with the requirements 40 C and 14 of FIFRA. 1. Material Thie Product V Child-Resistant Packaging Yes Yes No Certification must be submitted 3. Location of Net Content <u>Label</u> 6. Manner in Which Label 1. Contact Point (Comple Name Jeanette Covert I certify that the sta	Vill Be Packaged In: Unit Packaging Yes Ves Ves Ves Ves Ves Ves Ves V	Sec No. per container Vate Vate Vate Vate Vate Vate Vate Vate Vate Vate Packe Sec Sec Vate Vate Packe Sec Vate Vate Packe Sec Vate Vate Packe Sec Vate Vate Packe Sec Vate Vate Vate Packe Sec Vate Vate Vate Packe Sec Vate Vate Vate Packe Sec Vate Vate Vate Vate Packe Sec Vate Vate Vate Vate Packe Sec Vate V	RA and I may be sub ction - III r Soluble Packaging Yes No rs" No. p age wgt conta iner etermined tion - IV vidual to be contact ized Representative	er ner 5. Lon 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	2. Type of	Container Metal Plastic Glass Paper Other (S el Directio ocess this Telephon 856.751.	Specify)bag Specify)bag ons sepplication. j e No. (Include Area Code)
with the requirements 40 C and 14 of FIFRA. 1. Material This Product V Child-Resistant Packaging Yes Yes No • Certification must be submitted 3. Location of Net Content [✓ Label ✓ 6. Manner in Which Label 1. Contact Point (Comple Name Jeanette Covert I certify that the sta I acknowledge that both under applicab	Vill Be Packaged In: Unit Packaging Yes Ves Ves Ves Ves Ves Ves Ves V	Sec No. per container Vate Vate Vate Vate Vate Vate Vate Vate Vate Vate Packe Sec Sec Vate Vate Packe Sec Vate Vate Packe Sec Vate Vate Packe Sec Vate Vate Packe Sec Vate Vate Vate Packe Sec Vate Vate Vate Packe Sec Vate Vate Vate Packe Sec Vate Vate Vate Vate Packe Sec Vate Vate Vate Vate Packe Sec Vate V	RA and I may be sub ction - III r Soluble Packaging Yes No rs" No. p age wgt conta iner etermined tion - IV vidual to be contact ized Representative	er ner 5. Lon 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	2. Type of	Container Metal Plastic Glass Paper Other (S el Directio ocess this Telephon 856.751.	Specify)bag Specify)bag ons application. j e No. (Include Area Code) 3432 6. Date Application Received
with the requirements 40 C and 14 of FIFRA. 1. Material Thie Product V Child-Resistant Packaging Yes Yes No Certification must be submitted 3. Location of Net Content <u>V</u> Label Contact Point <u>(Comple</u>) Name Jeanette Covert <u>I certify that the state</u> I certify that the state I certify that I certify that the state	Vill Be Packaged In: Unit Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Is Information Container is Affixed to Product te items directly below to te items directly below to te any knowlingtly false or te law.	No. per container 4. Size(s) Retail Conta to be de Lithograph Peper glued Stenciled Sec for identification of indi Title Author this form and all attac misleeding statement r	RA and I may be sub tion - III r Soluble Packaging Yes No rs" No. p age wgt conta ainer etermined tion - IV rvidual to be contact ized Representative thments thereto are may be punishable b zed Representative for	er ner 5. Lon 5.	2. Type of 2. Type of cation of Lab essary, to pr anon urate and cor imprisonmen	Container Metal Plastic Glass Paper Other (S el Directio ocess this Telephon 856.751.	Specify)bag Specify)bag ons application. j e No. (Include Area Code) 3432 6. Date Application Received

/

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

White - EPA File Copy (original) Yellow - Applicant Copy

Product & Regulatory Associates, L.L.C.

April 25, 2009

Ms. Joanne Miller (PM-23) Document Processing Desk Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

> Subject: Lebanon Turf Fertilizer with Confront and Team EPA Reg. No. 961-391 Notification Marketing Claims

Dear Ms. Miller:

As its authorized representative, Lebanon Seaboard Corporation wishes to submit a notification to revise labeling for Lebanon Lawn Fertilizer Contains Confront and Team, EPA Reg. No.961-390. This notification is consistent with PR Notice 98-10.

Revisions include:

• Added marketing claims on page 5

To complete this application, enclosed please find:

- Application for Pesticide: EPA Form 8750-1
- One highlighted copy of the revised labeling dated 4-25-09
- One clean copy of the revised labeling dated 4-25-09
- One CD e-label file name 000961-00390.20090425.Notification.pdf

I trust that this information will assist the Agency in its efforts to complete this action. If you have any question in regard to this mater, feel free to contact me at (856) 751-3432 or jacovert@comcast.net.

Sincerely,

Jeanith Count Jeanette Covert Authorized Representative of Lebanon Seaboard Corporation	4	, 116 , 4 , 1
cc: Sylvia Whitman, Lebanon Seaboard Corporation		
		ι (

. . .

LEBANON TURF FERTILIZER WITH CONFRONT* AND TEAM*

ACTIVE INGREDIENTS:

Triethylamine salt of triclopyr	0.50%
Triethylamine salt of clopyralid	0.18%
benefin	0.82%
trifluralin	0.43%
OTHER INGREDIENTS:	<u>98.07%</u>
TOTAL	100.00%

Acid Equivalent: triclopyr - 0.36% clopyralid - 0.12%

* Registered Trademark of Dow AgroSciences LLC.

EPA Reg. No. 961-391

Triclopyr CAS No. 57213-69-1 Clopyralid CAS. No. 1702-17-6

 3-69-1
 Benefin CAS No. 1861-40-1

 02-17-6
 Trifluralin CAS. No. 1582-09-8

 (L)
 (D)

 EPA Est. No. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

NOTIFICATION

KEEP OUT OF REACH OF CHILDREN CAUTION

JUN 04 2009

See back panel for additional Precautionary Statements.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P2O5)	X.X%
Soluble Potash (K ₂ O)	X.X%
Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufac	cturer.)

MANUFACTURED BY: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.lebsea.com

NET WEIGHT: XX LBS. (X.XX kg) COVERS: X,XXX Sq. Ft.

Page 1 of 5 Pages 961-391 Highlighted Notification Marketing 4-25-09

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

All loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- · Chemical-resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

• Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

	FIRST AID
IF ON SKIN:	Take off contaminated clothing. Direct skin immediately with planty of water for 15,20 minutes.
OR CLUTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organism in water adjacent to treated areas.

Clopyralid is a chemical that which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loarny sand to sand) and the water table of an over limestone bedrock, severely fractures surfaces, and substrates which could allow direct introduction into an aquifer. Your local agencies can provide further information on the type of soil in your area and the location of ground water. Triclopyr has properties and characteristics associated with chemicals detected in groundwater. The use of triclopyr in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Page 2 of 5 Pages 961-391 Notification Marketing 4-25-09

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Not for use on plants grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. Maximum of two applications per year.

Entry Restrictions: This product must be watered in as soon as possible after application. Do not enter or allow people (or pets) to enter the treated area until dusts have settled. Except for those people involved in the watering-in - do not enter or allow other people (or pets) to enter the treated areas until the watering-in is complete and the surface is dry.

GENERAL INFORMATION

[Lebanon Turf Fertilizer with Confront* herbicide and Team* herbicide or This product] provides broad-spectrum control of broadleaf weeds and annual grasses in established cool season or warm season turfgrasses. Confront herbicide is particularly effective against established broadleaf weeds such as dandelions and Team herbicide prevents the establishment of annual grass weeds, including crabgrass. This product is not effective against established grass weeds.

[Lebanon Turf Fertilizer with Confront and Team or This product] may be used for the following turf species:

Established Cool Season Turfgrasses - Kentucky bluegrass, chewings fescue, creeping red fescue, sheeps fescues, tall fescue, perennial ryegrass.

Established Warm Season Turfgrasses⁺- Bahiagrass (Argentine or Pensacola), Common Bermudagrass, Buffalograss, Centipedegrass, Zoysiagrass (*Zoysia japonica, Zoysia tenuifolia*), Tall Fescue (growing in warm season area).

⁺Do not treat warm season turfgrasses with [Lebanon Turf Fertilizer with Confront and Team or this product] when mowing height is less than 1/2 inch. Do not use [Lebanon Turf Fertilizer with Confront and Team or This product] on golf course putting greens and tees.

PRECAUTIONS AND RESTRICTIONS

FOR USE ONLY ON NONRESIDENTIAL TURF SUCH AS ATHLETIC AND RECREATIONAL SPORTS FIELDS, CEMETERIES, GOLF COURSES, INDUSTRIAL SITES, NON-CROPLAND, PARKS, RIGHTS-OF-WAY AND ROADSIDES.

Maximum of two applications per year.

DO NOT USE ON RESIDENTIAL TURF.

Do not apply this product to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.

This product may discolor and/or stunt turf that is not well established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply only to healthy, well-established turf that has a well-anchored root system.

Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by this product.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.

Do not apply this product to newly seeded turf until turfgrass is fully established. Do not seed, sod, or sprig after application. Do not reseed until 12 weeks after application. Delay sodding or sprigging until 4 weeks after application.

Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for composting. Do not graze treated areas or feed clippings to livestock.

Do not apply this product directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants. Do not apply when weather conditions favor drift from target areas. Drift or runoff may acve set affect non-target plants.

Do not apply this product to exposed roots of shallow rooted trees and shrubs or allow contact with exposed suckers or injury may occur. Do not apply at greater than specified rates, especially under the branch spread (dripline) of trees.

WEEDS CONTROLLED

When applied as directed, Lebanon Turf Fertilizer with Confront and Team will control the following weeds:

Annual Grass Weeds: Barnyardgrass, Crabgrass (smooth and hairy), Goosegrass, Foxtail, Annual Bluegrass (Poa annua).

Established Broadleaf Weeds: Black Medic, Bristly Hawksbeard, Broadleaf Plantain, Burdock, Canada Thistle, Catsear (Coast Dandelion), Coffee Weed, Common Chickweed, Common Cocklebur, Common Dandelion, Common Ragweed, Common Vetch, Common Yellow Woodsorrel, Creeping Beggarweed, Creeping Woodsorrel, Curly Dock, Dollarweed, Dwarf Beggarweed, English Lawn Daisy, False Dandelion, Goldenrod, Ground Ivy, Hawkweed, Henbit, Hop Clover, Lambsquarters, Lespedeza, Matchweed, Mouseear Chickweed, Musk Thistle, Narrow Leaf Plantain (Buckhorn), Old World Diamond Flower, Poison Ivy, Prostrate Spurge, Red Clover, Roundleaf Mallow, Sheep Sorrel, Shepherdspurse, Slender Speedwell, Smartweed, Spurweed, Virginia Buttonweed, Virginia Pepperweed, White Clover, Wild Buckwheat, Wild Violet.

Note: Moist foliage application will provide quicker results on broadleaf weeds. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

A repeat application may be needed for harder to control weeds in 4 to 6 weeks.

.

APPLICATION DIRECTIONS HOW TO APPLY LEBANON TURF FERTILIZER WITH CONFRONT AND TEAM

Apply [Lebanon Turf Fertilizer with Confront and Team ot this product] at a rate of 3.6 lbs. per 1,000 sq. ft. (157 lbs./acre). This application rate is equivalent to 0.75 lb. ai/acre of Confront and 2 lbs. ai/acre of Team. Make application using equipment that will ensure uniform coverage. For postemergence control of broadleafs, application should be made when weeds are actively growing.

Good soil moisture conditions should be present before application to achieve optimal results. Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Emerged broadleaf weeds present at time of application are controlled by Confront, unemerged grassy weeds present at time of application are controlled by Team.

Note: If a second application is made, do not apply less than 4 weeks apart to minimize the potential for grass injury. Newly seeded turf should be mowed 4 times before being treated.

SUGGESTED SPREADER SETTINGS

(Editor's Note: Manufacturer to supply a listing of spreaders and suggested settings to apply this product at a rate of 3.6 lbs. per 1,000 sq. ft.)

The above spreader settings are approximate. These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned stay out of smoke.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer and to the extent consistent with applicable law, Buyer assumes the risks of any such use.

Page 4 of 5 Pages 961-391 Notification Marketing 4-25-09

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the specified use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear: Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Additional Merketing claims that may be present on the label: For techinical assistance or moer infromation about or product visit www.LebanonTurf.com Made in the U.S.A. CONFRONT and TEAM are registered trademark of Dow AgroSciences LLC

ProScape is a registered trademark of Lebanon Seaboard Corporation

NOTIFICATION

88

JUN 04 2009

Page 5 of 5 Pages 961-391 Notification Marketing 4-25-09