

961-392

11/7/2007

1089



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

November 7, 2007

Mr. Henry E. Rohland  
EPA Registration Manager  
LEBANON SEABOARD CORPORATION  
1600 East Cumberland Street  
Lebanon, PA 17042

Subject: Label Notification

Dear Mr. Rohland:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/10/07 for **EPA Registration 961-392**. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Sherada Hobgood of my staff at 703-308-8893.

Sincerely,

A handwritten signature in black ink, appearing to be "LS/".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2009

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 961-392	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Greenview Green Power Crabgrass Preventer & Control	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: <b>NOTIFICATION</b> EPA Reg. No. _____ Product Name _____ NOV 07 2007	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Response to PR Notice 2007-1 and 2 Marketing statements. Deletions in RED Additions in BLUE  
This notification is consistent with the guidance in PR Notice 2007-1 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2007-1 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Henry E. Rohland	Title EPA Registration Manager	Telephone No. (Include Area Code) 716-273-1685
2. Signature 		6. Date Application Received (Stamped)
3. Title EPA Registration Manager		
4. Typed Name Henry E. Rohland		
5. Date 10 Nov 07		

3089



**LEBANON SEABOARD CORPORATION**

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685

FAX (717) 273-9466

10 October 2007

117

Document Processing Desk (NOTIF)  
Office of Pesticide Program (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

**ATTN: Joanne Miller (Team 23)**

Re: Notification Submission in Response to PR Notice 2007-1

Dear Joanne:

Per the reference PR Notice, enclosed is an Application for Pesticide Form 8570-1, a revised label, Red Line deletions /Blue Line additions, showing the changes, and 3 labels with the changes incorporated.

We also included two marketing statements since these are not changes but additions to the label, which I believe may be accomplished by Notification.

We respectfully request you return a stamped copy upon your approval.

Should you have any questions concerning this submission, please call me at 800-532-0090 ext. 237 or e-mail: [hrohland@lebsea.com](mailto:hrohland@lebsea.com).

Thanks for your help.

Sincerely,

Henry E. Rohland  
EPA Registration Manager

40p9

# GREENVIEW® GREEN POWER® CRABGRASS PREVENTION AND CONTROL

**ACTIVE INGREDIENTS:**

Dithiopyr† .....	0.13%
<b>OTHER INGREDIENTS</b> .....	<u>99.87%</u>
<b>TOTAL</b> .....	100.00%

EPA Reg. No. 961-392

Product protected by U.S. Patent No. 4,692,184. Other patents pending.

†CAS. No. 97886-45-8

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

**READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.  
USE ONLY ACCORDING TO LABEL INSTRUCTIONS.  
If terms are not acceptable, return the unopened container at once.**

In the State of New York, do not exceed 4.4 lbs. product per 1000 sq. ft. (0.25 lb. active ingredient per acre) per year.  
Do not apply more than once per year to the same area.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.


### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	XX%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Soluble Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	XX%
Soluble Potash (K <sub>2</sub> O) .....	XX%

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

**MANUFACTURED BY:  
LEBANON SEABOARD CORPORATION  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
www.lebsea.com**

**NET WEIGHT: XX LBS. (X.X kg)  
COVERS: X,XXX Sq. Ft.**



50f9

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

**Causes eye irritation. Harmful if inhaled.** Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

**FIRST AID**

**IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
• Call a poison control center or doctor for treatment advice.

**IF INHALED:** • Move person to fresh air.  
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.  
• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
In case of an emergency involving this product, call day or night (800) 424-9300.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Use as directed or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**GENERAL INFORMATION FOR TURF USE**

This product contains Dimension®, a herbicide that can be applied up to 4 weeks later than other crabgrass preventers and still provides season-long control. Greenview Green Power Crabgrass Prevention and Control prevents crabgrass and other grass and broadleaf weeds up to 4 months, when applied prior to their germination in lawns and ornamental turfgrasses. It also provides postemergence control of seedling crabgrass for up to 4 weeks after it germinates.

Greenview Green Power Crabgrass Prevention and Control should be applied to lawns and ornamental turfgrasses that are well established (See "General Precautions and Restrictions" section below for a list of the tolerant turfgrasses). It will not harm nearby established ornamentals when used according to directions, given below.

**GENERAL PRECAUTIONS AND RESTRICTIONS**

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.**

**Not for use on newly seeded lawns.** Use Preen New Lawn Crabgrass Preventer Plus Seed Starter Fertilizer instead.

Use of Greenview Green Power Crabgrass Prevention and Control on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury. Do not apply to lawns or turfgrasses that are under stress.

Reseeding, overseeding, or sprigging of turfgrasses into areas that have been previously treated with this product should be delayed until after 8 weeks from the time of application. Reseeding, overseeding, or sprigging before 8 weeks or earlier after application may injure or prevent the establishment of the newly reseeded, overseeded or sprigged turfgrasses.

Do not make an application of this product later than 4 weeks after crabgrass germination. Do not expect control with applications made later than 4 weeks after crabgrass germination.

leaf 9

DO NOT apply more than 8.8 lbs. of this product per 1,000 sq. ft. per application, and no more than 26.4 lbs. of this product per 1000 sq. ft. per year.

In the State of New York, do not exceed 4.4 lbs. product per 1000 sq. ft. (0.25 lb. active ingredient per acre) per year.

DO NOT use clippings from treated turf for mulching, vegetables, vines, or fruit trees from which feed or food products may be harvested.

Keep people and pets off treated areas until dust has settled.

### WEEDS CONTROLLED AND/OR SUPPRESSED

**Grass Weeds** - Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail.

**Broadleaf Weeds** - Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza, Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel.

### APPLICATION DIRECTIONS

Greenview Green Power Crabgrass Prevention and Control can be applied to the following turfgrasses when used as directed:

**Cool-Season Turfgrasses** - Creeping Bentgrass, Fine Fescues, Kentucky Bluegrass, Perennial Ryegrass, Tall Fescues.

**Warm-Season Turfgrasses** - Bahiagrass, Bermudagrass, Buffalograss, Carpetgrass, Centipedegrass, St. Augustinegrass, Zoysiagrass.

### APPLICATION TIMING

Greenview Green Power Crabgrass Prevention and Control should be applied in the spring or in the fall prior to weed seed germination for control of weeds in established lawns and ornamental turfgrasses. When this product is applied in the fall, a sequential or second application must be made the following spring to provide season-long control of weeds. If this product is applied in the fall, DO NOT reseed, overseed or sprig turfgrasses before 12 weeks after application due to potential turfgrass injury to the newly reseeded, overseeded or sprigged turfgrasses.

When establishing a new lawn of Kentucky Bluegrass, Perennial Ryegrass and/or Tall Fescue, this product may be applied 2 weeks after the first sign of grass germination. For other turfgrass, wait until the grass is well established (2 mowings) before applying this product. Do not apply this product within an 8 week period prior to seeding, reseeding, overseeding or sprigging.

Improved weed control may occur when this product is applied within a few days after mowing and further mowing is delayed until the turfgrass has been watered or received rainfall to dissolve the fertilizer granules.

### Length of Control -

Greenview Green Power Crabgrass Prevention and Control will provide up to **4 months** of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, and intensity of weed pressure.

### POST EMERGENCE CRABGRASS CONTROL


For post emergent crabgrass control, apply Greenview Green Power Crabgrass Prevention and Control when crabgrass is small (3-4 leaf). It will not control large tillered crabgrass.

**RECOMMENDED USE RATE TABLE**  
(LBS. PER 1,000 SQ. FT.)

REGION	2-3 Months Control	3-4 Months Control	Early Post Emergence Control
North	2.2	3.1	3.9 - 8.8
South	3.4	3.9 - 4.5	3.9 - 8.8

\* Use the higher rate in areas of high weed pressure

**USE REGIONS WITHIN THE UNITED STATES**



7089

## APPLICATION EQUIPMENT AND INSTRUCTIONS

Greenview Green Power Crabgrass Prevention and Control can be applied with a drop or rotary type spreader designed to apply granular fertilizers. For best results, apply this product evenly and uniformly over the turfgrass area, avoiding streaking, skips or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader settings so the spreader delivers the appropriate application rate as recommended above.

A more uniform application can be made by spreading one-half of the recommended amount of this product over the turfgrass area and then applying the remaining one-half at a right angle to the previous direction. Check spreader frequently to insure it is functioning properly and distributing the granules uniformly.

### Drop Spreader Settings


#### Option 1 (for 22 lb. bag covering 5,000 sq. ft.):

Apply in a single pass at a rate of approximately 4.4 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

#### Option 2 (for 17 lb. bag covering 5,000 sq. ft.):

Apply in a single pass at a rate of 3.4 lbs. per 1,000 sq. ft. Start on the outside border and apply in a rectangular path working back and forth across the length of the lawn. Overlap the coverage slightly, and shut off spreader before making hard turns.

Drop Spreader	Setting
Greenview® Drop Spred® XP1	16 1/2
Greenview® Drop Spred® III	7
Agri-Fab® Drop	5
Red Devil Drop (1-20)	10 1/2
Republic Drop	6 1/2
Scotts Drop PF	9



Graphic Optional

### Broadcast Spreader Settings


#### Option 1 (for 22 lb. bag covering 5,000 sq. ft.):

Apply in a single pass at a rate of approximately 4.4 lbs. per 1000 sq. ft. Start on the outside border and apply in a circular path working toward the center. A little overlap coverage is desirable.

#### Option 2 (for 17 lb. bag covering 5,000 sq. ft.):

Apply in a single pass at a rate of 3.4 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

Broadcast Spreader	Setting
Greenview® Jet-Spred® SS1	17 1/2
Greenview® Jet-Spred® III	5
Agri-Fab® Rotary	7 1/2
Cyclone Rotary	5
Earthway Rotary	18
Lesco Rotary	J
Red Devil Rotary (1-20)	10
Republic Rotary	5
Sears Craftsman Rotary	4 1/2
Scotts SpeedyGreen®	9



Graphic Optional

(For 22 lb. bag covering 5,000 sq. ft.) - To calibrate your spreader: 1 lb. of material should cover approximately 227 sq. ft.

(For 17 lb. bag covering 5,000 sq. ft.) - To calibrate your spreader: 1 lb. of material should cover approximately 294 sq. ft.

If your spreader model is not listed (or does not appear above), go to our website at [www.lebsea.com](http://www.lebsea.com) (or www.preen.com), or call toll-free 800-233-1067, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

## WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

80f9

### INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer. If terms are not acceptable, return the unopened container at once.

### LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

Dimension® is a registered trademark of Dow AgroSciences LLC.

### Advertising claims that may be presented on the label

- A Herbicide that Provides Control and Prevention of Crabgrass and Other Grass Type Weeds as well as Listed Broadleaf Weeds in Established Lawns. Apply in Spring.
- A Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Residential Landscapes.
- Premium Granular Fertilizer - Providing the Nutrients Needed for Beautiful Lawns and Ornamental Turfgrasses for Up to X\* Months.
  - Thick Well-Fed Grass Provides a Natural Barrier to Further Weed Infestation.
  - Can Be Applied Up to 4 Weeks Later Than Other Preemergence Crabgrass Preventers.
    - Only one application needed with new nitrogen technologies.
  - Extended time-release feeding of nitrogen greens into summer without excess growth.
    - Prevents crabgrass for up to 120 days.
      - X.X\* lb. Nitrogen/1,000 sq. ft.
      - X/X\* of the Nitrogen is Slow Release
    - Prevents crabgrass, foxtail, spurge and many other weeds
  - Can be applied up to 4 weeks later than other crabgrass preventers
    - Prevents poa annua with late summer or early fall application

Good Housekeeping Seal



### **Depending on the product analysis - the following statement may or may not appear under the General Information for Turf Use section:**

Greenview Green Power Crabgrass Prevention and Control is a premium quality combination product that provides both weed control and the required nutrients for optimum turfgrass growth - all in a single product.

### FAIRWAY FORMULA FERTILIZER

#### WHAT IS SLOW RELEASE NITROGEN?

Greenview Fairway Formula Fertilizers utilize unique, slow release nitrogen sources developed for professionals.

MESA™ Provides rapid, deep greening. Feeds up to 6 weeks.

METH-EX® Slow, continuous feeding activated by warming soil temperatures. Feeds up to 12 weeks.

IBDU® Feeds in cool, wet weather. Great for early spring and winter. Feeds up to 16 weeks.

XX.X\*% Slowly Available Nitrogen / XX\*% Total Nitrogen = X/X\* of the Nitrogen is Slow Release

\*number would be determined by fertilizer analysis used by manufacturer.



9 of 9

**GREENVIEW® YARD WIDE GUARANTEE**

Greenview guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

**PREEN GUARANTEE**

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Green Power® and Greenview® are registered trademarks of Lebanon Seaboard Corporation.

Preen® is a registered trademark of Lebanon Seaboard Corporation.

For more information on our complete line of Greenview Lawn and Garden Products, visit our website at [www.lebsea.com](http://www.lebsea.com)

**Additional Labeling Requirements:**

If the fertilizer guarantee contains iron, the following statement must appear:

*This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.*

If the recommended use rate applies less than 1 pound nitrogen per 1,000 sq. ft. per application, the following statement must appear:

*Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.*

For products distributed in the State of Washington, the following statement must appear:

*Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>*

*Advertising Claims:*

- **Practical Solutions for Turf Professionals**
- **Practical Solutions for Serious Turf Professionals**

**NOTIFICATION**

**NOV 07 2007**