

961-392

12/30/2009

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460

OFFICE OF
PREVENTION PESTICIDES AND
TOXIC SUBSTANCES

Jeanette Covert
Product & Regulatory Associates, LLC for
Lebanon Seaboard Corporation
P O Box 1683
Voorhees, NJ 08043-9998

DEC 30 2009

Subject Label Amendment PR Notice 2008-1
Product Name Greenview Green Power Crabgrass Prevention and Control
EPA Reg No 961-392
Application Dated July 22, 2009

Dear Ms Covert

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided you make the following changes before you release the product for shipment


- a Delete "General" from the headings "General Information for Turf Use" and "General Precautions and Restrictions" as this is an implied safety claim and thereby makes all language following these headings unenforceable "General" may be replaced with "Product "
- b Replace "recommended" in all references to application rates with either "listed" or "specified " Recommendations can not be enforced
 - i Last sentence of the first paragraph under "Application Equipment and Instructions" section
 - ii First sentence of the second paragraph under "Application Equipment and Instructions" sectionIn addition, replace "Recommended" with "Product" in the table title, "Recommended Use Rate Table "
- c Remove the text "premium quality" from the marketing claim on page 6 as this language implies heightened efficacy

Continued on page 2

Page 2
EPA Reg No 961-392
Label Amendment-PR Notice 2008-1

A stamped copy of your labeling is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after the next printing must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e). Your release for shipment of the product constitutes acceptance of these conditions. Amended labeling will supercede all previously accepted ones.

Sincerely,



Kathryn V Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)

4/8

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes eye irritation Harmful if inhaled Avoid contact with eyes or clothing Avoid breathing dust Wash thoroughly with soap and water after handling Remove contaminated clothing and wash before reuse Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals

FIRST AID

- IF IN EYES**
 - Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye
 - Call a poison control center or doctor for treatment advice
- IF INHALED**
 - Move person to fresh air
 - If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible
 - Call a poison control center or doctor for further treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment
In case of an emergency involving this product call day or night (800) 424 9300

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp Use with care when applying to turf areas adjacent to any body of water Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites Do not apply when weather conditions favor drift from treated areas To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area Sweeping any product that lands on a driveway sidewalk or street back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling

GENERAL INFORMATION FOR TURF USE

This product contains Dimension® a herbicide that can be applied up to 4 weeks later than other crabgrass preventers and still provides season long control Greenview Green Power Crabgrass Prevention and Control prevents crabgrass and other grass and broadleaf weeds up to 4 months when applied prior to their germination in lawns and ornamental turfgrasses It also provides postemergence control of seedling crabgrass for up to 4 weeks after it germinates Greenview Green Power Crabgrass Prevention and Control should be applied to lawns and ornamental turfgrasses that are well established (See General Precautions and Restrictions section below for a list of the tolerant turfgrasses) It will not harm nearby established ornamentals when used according to directions given below

GENERAL PRECAUTIONS AND RESTRICTIONS


NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES

Not for use on newly seeded lawns Use Preen New Lawn Crabgrass Preventer Plus Seed Starter Fertilizer instead

Use of Greenview Green Power Crabgrass Prevention and Control on lawns and ornamental turfgrasses that are not well established or have been weakened by stress due to mechanical operations pests excessive temperatures or lack of moisture may increase the chances for turfgrass injury Do not apply to lawns or turfgrasses that are under stress

Reseeding overseeding or sprigging of turfgrasses into areas that have been previously treated with this product should be delayed until after 8 weeks from the time of application Reseeding overseeding or sprigging before 8 weeks or earlier after application may injure or prevent the establishment of the newly reseeded overseeded or sprigged turfgrasses

Do not make an application of this product later than 4 weeks after crabgrass germination Do not expect control with applications made later than 4 weeks after crabgrass germination



5/8

DO NOT apply more than 8.8 lbs of this product per 1,000 sq ft per application and no more than 26.4 lbs of this product per 1,000 sq ft per year
In the State of New York, do not exceed 4.4 lbs product per 1,000 sq ft (0.25 lb active ingredient per acre) per year

DO NOT use clippings from treated turf for mulching vegetables, vines, or fruit trees from which feed or food products may be harvested
 Keep people and pets off treated areas until dust has settled

WEEDS CONTROLLED AND/OR SUPPRESSED

Grass Weeds Annual Bluegrass Annual Ryegrass Barnyardgrass Crabgrass Crowfootgrass Goosegrass Green Foxtail Kikuyugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail

Broadleaf Weeds Bittercress Buttercup Oxalis Carolina Geranium Chickweed Common Lespedeza Common Purslane Corn Speedwell Creeping Oxalis Henbit Parsley piert Pineappleweed Prostrate Spurge Spotted Spurge Yellow Woodsorrel

APPLICATION DIRECTIONS

Greenview Green Power Crabgrass Prevention and Control can be applied to the following turfgrasses when used as directed

Cool Season Turfgrasses Creeping Bentgrass Fine Fescues Kentucky Bluegrass Perennial Ryegrass Tall Fescues

Warm Season Turfgrasses Bahiagrass Bermudagrass Buffalograss Carpetgrass Centipedegrass St Augustinegrass Zoysiagrass

APPLICATION TIMING

Greenview Green Power Crabgrass Prevention and Control should be applied in the spring or in the fall prior to weed seed germination for control of weeds in established lawns and ornamental turfgrasses. When this product is applied in the fall, a sequential or second application must be made the following spring to provide season long control of weeds. If this product is applied in the fall, DO NOT reseed, overseed or sprig turfgrasses before 12 weeks after application due to potential turfgrass injury to the newly reseeded, overseeded or sprigged turfgrasses.

When establishing a new lawn of Kentucky Bluegrass, Perennial Ryegrass and/or Tall Fescue, this product may be applied 2 weeks after the first sign of grass germination. For other turfgrass, wait until the grass is well established (2 mowings) before applying this product. Do not apply this product within an 8 week period prior to seeding, reseeding, overseeding or sprigging.

Improved weed control may occur when this product is applied within a few days after mowing and further mowing is delayed until the turfgrass has been watered or received rainfall to dissolve the fertilizer granules.

Length of Control

Greenview Green Power Crabgrass Prevention and Control will provide up to **4 months** of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, and intensity of weed pressure.

POST EMERGENCE CRABGRASS CONTROL


For post emergent crabgrass control, apply Greenview Green Power Crabgrass Prevention and Control when crabgrass is small (3-4 leaf). It will not control large tillered crabgrass.

RECOMMENDED USE RATE TABLE
(LBS PER 1,000 SQ FT)

REGION	2.3	3.4	Early Post
	Months Control	Months Control	Emergence Control
North	2-2	3-1	3-9 8-8
South	3-4	3-9 4-5	3-9 8-8

Use the higher rate in areas of high weed pressure

USE REGIONS WITHIN THE UNITED STATES



6/8

APPLICATION EQUIPMENT AND INSTRUCTIONS

Greenview Green Power Crabgrass Prevention and Control can be applied with a drop or rotary type spreader designed to apply granular fertilizers. For best results, apply this product evenly and uniformly over the turfgrass area, avoiding streaking, skips or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader settings so the spreader delivers the appropriate application rate as recommended above.

A more uniform application can be made by spreading one half of the recommended amount of this product over the turfgrass area and then applying the remaining one half at a right angle to the previous direction. Check spreader frequently to insure it is functioning properly and distributing the granules uniformly.

Drop Spreader Settings

Option 1 (for 22 lb bag covering 5,000 sq ft)

Apply in a single pass at a rate of approximately 4.4 lbs per 1,000 sq ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly and shut off spreader before making hard turns.

Option 2 (for 17 lb bag covering 5,000 sq ft)

Apply in a single pass at a rate of 3.4 lbs per 1,000 sq ft. Start on the outside border and apply in a rectangular path working back and forth across the length of the lawn. Overlap the coverage slightly and shut off spreader before making hard turns.

Drop Spreader	Setting
Greenview® Drop Spred® XP1	16½
Greenview® Drop Spred® III	7
Agri Fab® Drop	5
Red Devil Drop (1 20)	10½
Republic Drop	6½
Scotts Drop PF	9



Graphic Optional

Broadcast Spreader Settings


Option 1 (for 22 lb bag covering 5,000 sq ft)

Apply in a single pass at a rate of approximately 4.4 lbs per 1,000 sq ft. Start on the outside border and apply in a circular path working toward the center. A little overlap coverage is desirable.

Option 2 (for 17 lb bag covering 5,000 sq ft)

Apply in a single pass at a rate of 3.4 lbs per 1,000 sq ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly and shut off spreader before making hard turns.

Broadcast Spreader	Setting
Greenview® Jet Spred® SS1	17½
Greenview® Jet Spred® III	5
Agri Fab® Rotary	7½
Cyclone Rotary	5
Earthway Rotary	18
Lesco Rotary	J
Red Devil Rotary (1 20)	10
Republic Rotary	5
Sears Craftsman Rotary	4½
Scotts SpeedyGreen®	9



Graphic Optional

(For 22 lb bag covering 5,000 sq ft) To calibrate your spreader, 1 lb of material should cover approximately 227 sq ft.

(For 17 lb bag covering 5,000 sq ft) To calibrate your spreader, 1 lb of material should cover approximately 294 sq ft.

If your spreader model is not listed (or does not appear above), go to our website at www.lebsea.com (or www.preen.com) or call toll free 800 233 1067 8 A.M. - 5 P.M. EDT Monday - Friday for additional model settings.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL

IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

7/8

WARRANTY
IMPORTANT READ BEFORE USE

Read the entire Directions for Use Conditions Disclaimer of Warranties and Limitations of Liability before using this product If terms are not acceptable return the unopened product container at once

By using this product user or buyer accepts the following Conditions Disclaimer of Warranties and Limitations of Liability

CONDITIONS The directions for use of this product are believed to be adequate and must be followed carefully However it is impossible to eliminate all risks associated with the use of this product Crop injury ineffectiveness or other unintended consequences may result because of such factors as weather conditions presence of other materials or the manner of use or application all of which are beyond the control of Lebanon Seaboard Corporation All such risks shall be assumed by the user or buyer

DISCLAIMER OF WARRANTIES To the extent consistent with applicable law LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein To the extent consistent with applicable law Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT

LIMITATIONS OF LIABILITY To the extent consistent with applicable law THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT WARRANTY TORT NEGLIGENCE STRICT LIABILITY OR OTHERWISE SHALL NOT EXCEED THE PURCHASE PRICE PAID OR AT LEBANON SEABOARD CORPORATION'S ELECTION THE REPLACEMENT OF PRODUCT

Dimension® is a registered trademark of Dow AgroSciences LLC

Advertising claims that may be presented on the label

- A Herbicide that Provides Control and Prevention of Crabgrass and Other Grass Type Weeds as well as Listed Broadleaf Weeds in Established Lawns Apply in Spring
- A Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Residential Landscapes


Premium Granular Fertilizer Providing the Nutrients Needed for Beautiful Lawns and Ornamental Turfgrasses for Up to X Months

- Thick Well Fed Grass Provides a Natural Barrier to Further Weed Infestation
- Can Be Applied Up to 4 Weeks Later Than Other Preemergence Crabgrass Preventers
 - Only one application needed with new nitrogen technologies
- Extended time release feeding of nitrogen greens into summer without excess growth

Good Housekeeping Seal



- Prevents crabgrass for up to 120 days
 - X X* lb Nitrogen/1 000 sq ft
 - X/X of the Nitrogen is Slow Release
- Prevents crabgrass foxtail spurge and many other weeds
- Can be applied up to 4 weeks later than other crabgrass preventers
 - Prevents poa annua with late summer or early fall application



8/8

Depending on the product analysis the following statement may or may not appear under the General Information for Turf Use section

Greenview Green Power Crabgrass Prevention and Control is a premium quality combination product that provides both weed control and the required nutrients for optimum turfgrass growth all in a single product

FAIRWAY FORMULA FERTILIZER

WHAT IS SLOW RELEASE NITROGEN?

Greenview Fairway Formula Fertilizers utilize unique slow release nitrogen sources developed for professionals

MESA® Provides rapid deep greening Feeds up to 6 weeks

METH EX® Slow continuous feeding activated by warming soil temperatures Feeds up to 12 weeks

IBDU® Feeds in cool wet weather Great for early spring and winter Feeds up to 16 weeks

XX X*% Slowly Available Nitrogen / XX*% Total Nitrogen = X/X* of the Nitrogen is Slow Release

*number would be determined by fertilizer analysis used by manufacturer

GREENVIEW® YARD WIDE GUARANTEE

Greenview guarantees you will be satisfied with the performance of this product when used as directed or your money back If not satisfied describe the nature of your problem and send with proof of purchase to Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon PA 17042

PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed or your money back If not satisfied describe the nature of your problem and send with proof of purchase to Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon PA 17042

Green Power® and Greenview® are registered trademarks of Lebanon Seaboard Corporation

Preen® is a registered trademark of Lebanon Seaboard Corporation

For more information on our complete line of Greenview Lawn and Garden Products visit our website at www.lebsea.com

Additional Labeling Requirements

If the fertilizer guarantee contains iron the following statement must appear

This product contains the secondary nutrient iron Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing Do not wash off with water

If the recommended use rate applies less than 1 pound nitrogen per 1 000 sq ft per application the following statement must appear

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1 000 sq ft

For products distributed in the State of Washington the following statement must appear

Information regarding the contents and levels of metals in this product is available on the Internet at [http //www regulatory info lebsea com](http://www.regulatory.info/lebsea.com)

