


961-394

02-17-2004

1/6

| | | |
|---|--|--|
|  <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> X </u> Registration <u> </u> Reregistration (under FIFRA, as amended)</p> | <p>EPA Reg. Number: 961-394 ✓</p> | <p>Date of Issuance: FEB 17 2004</p> |
| | <p>Term of Issuance: Conditional</p> | |
| <p>Name of Pesticide Product: Lebanon Fertilizer Plus Confront*TR Brand Herbicide</p> | | |
| <p>Name and Address of Registrant (include ZIP Code): Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042</p> | | |
| <p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> | | |
| <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Make the following label changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase, "EPA Reg. No.961-394". b. Delete "Prolonged or frequently repeated skin contact....in some individuals". The cited studies indicate that this product is negative for dermal sensitization. Refer to the enclosed copies of the scientific reviews. | | |
| <p>Signature of Approving Official: 151</p> | | <p>Date: FEB 17 2004</p> |

2/6

page 2
EPA Reg. No. 961-394

3. Submit the results of the one year storage stability and corrosion characteristics studies upon completion.

4. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

3/6

LEBANON FERTILIZER PLUS CONFRONT*TR BRAND HERBICIDE

For the control of annual and perennial broadleaf weeds in residential, commercial,
and recreational turf and commercial sod.

ACTIVE INGREDIENTS:

| | |
|---|-----------------|
| 2,4-dichlorophenoxyacetic acid, butoxyethyl ester † | 0.829% |
| triclopyr BEE: 3,5,6-trichloro-2-pyridinyloxyacetic acid, butoxyethyl ester | 0.398% |
| INERT INGREDIENTS | 98.773% |
| TOTAL | 100.000% |

Contains Petroleum Distillates

Acid Equivalents: 2,4-dichlorophenoxyacetic acid - 0.572%
triclopyr 0.286%

† isomer Specific by modified DECOGL - AL 96-003941

EPA Reg. No. 961-XXX

*Trademark of Dow AgroSciences LLC.

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

GUARANTEED ANALYSIS

| | |
|--|------|
| Total Nitrogen (N) | X.X% |
| X.X% Ammoniacal Nitrogen | |
| X.X% Water Insoluble Nitrogen | |
| X.X% Urea Nitrogen | |
| X.X% Other Water Soluble Nitrogen | |
| Available Phosphate (P ₂ O ₅) | X.X% |
| Soluble Potash (K ₂ O) | X.X% |

Nutrient Sources: (*Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.*)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements.

MANUFACTURED BY:

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON, PA 17042

www.lebsea.com

NET WEIGHT: XX.XX LBS. (XX.XX kg)

COVERS: X,XXX Sq. Ft.

ACCEPTED
with COMMENTS
by EPA Letter Dated
FEB 17 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

961-394

4/16

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful If Swallowed • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Skin Reactions In Some Individuals

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Drift or runoff may adversely affect fish and nontarget plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty at end of label. If terms are unacceptable, return at once unopened.**

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof Gloves
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Restricted Entry Interval: For use on residential and other turf sites (excluding sod farms and turf grown for seed), do not enter or allow others to enter the treated area until dusts have settled.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry space.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Applications should be made during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Applications may be more effective when applied to target weeds while the foliage is moist. **Apply Lebanon Fertilizer Plus Confront*TR Brand Herbicide in a manner to avoid contacting nearby susceptible crops or other desirable plants and to avoid contaminating water intended for irrigation or domestic use. Read and follow all Use Precautions given on this label.**

USE PRECAUTIONS AND RESTRICTIONS

Apply this product only as specified on this label.

Be sure that use of this product conforms to all applicable regulations.

In Arizona: The state of Arizona has not approved Lebanon Fertilizer Plus Confront*TR Brand Herbicide for use on sod farms.

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site on residential, commercial and recreational turf. Do not apply more than 4 broadcast applications per year per treatment site on commercial sod.

Do not apply more than 174 lbs. per acre (4 lbs. per 1,000 sq. ft.) of Lebanon Fertilizer Plus Confront*TR Brand Herbicide at one time.

For ground application only.

Do not apply Lebanon Fertilizer Plus Confront*TR Brand Herbicide directly to, or otherwise permit it to come into direct contact with cotton, grapes, tobacco, vegetable crops, flowers, fruit or ornamental trees, or other desirable broadleaf plants.

Do not apply to exposed roots of shallow rooted trees or shrubs.

Avoid off target application. Do not allow granules to overlap into flower beds or where other nontarget plants are growing as injury may result.

WEEDS CONTROLLED

| | | | | |
|---------------------------------|---------------------|------------------|--|-----------------|
| black medic | cinquefoil | dwarf beggarweed | matchweed | smartweed |
| bull thistle (a) | clovers | field bindweed | mustards (a) | sowthistle |
| burdock (a) | cocklebur | goldenrod | oxalis (<i>stricta</i> and <i>corniculata</i>) (b) | spiderwort |
| buttercup (a) | cornflower | ground ivy (b) | plantain | spotted catsear |
| Canada thistle (a) | cornspeedwell (b) | henbit | poison ivy | vetch |
| catnip | creeping beggarweed | knawel | poison oak | wild carrot (a) |
| chickweed (common and mouseear) | dandelion | lamb'squarter | prostrate spurge (b) | wild violet (b) |
| chicory | docks | lespedeza | purslane speedwell | yarrow |

(a), (b) - See "Broadcast Treatment of Residential, Commercial, and Recreational Turf and Commercial Sod".

LABELED USES

TURF


Broadcast Treatment of Residential, Commercial, and Recreational Turf and Commercial Sod

Apply 87 to 174 lbs. per acre (2 to 4 lbs. per 1,000 sq. ft.) of Lebanon Fertilizer Plus Confront*TR Brand Herbicide granules to control broadleaf weeds growing in tall fescue, bluegrass, or perennial ryegrass turf. Do not use on other grass species, such as bentgrass or St. Augustine grass, unless injury can be tolerated. Lebanon Fertilizer Plus Confront*TR Brand Herbicide granules at 130 lbs. per acre (3 lbs. per 1,000 sq. ft.) will provide control of most weeds listed. The use of 174 lbs. per acre (4 lbs. per 1,000 sq. ft.) is suggested for those weeds listed above followed by an (a). Optimum control of those weeds listed above followed by a (b), has been obtained when two applications of 130 lbs. per acre (3 lbs. per 1,000 sq. ft.) have been made 4 weeks apart. Apply from early spring through early fall when weeds are growing. Applications should be made 4 weeks apart to minimize grass injury.

Spot Treatment of Residential, Commercial, and Recreational Turf and Commercial Sod

Apply 87 to 174 lbs. per acre (2 to 4 lbs. per 1,000 sq. ft.) of Lebanon Fertilizer Plus Confront*TR Brand Herbicide to target areas preferably when foliage of target weeds is moist from rainfall or irrigation.

Newly seeded turf should be mowed two or three times before being treated. If soil conditions are dry, water turf prior to application. Do not water turf for 24 hours after application. Do not reseed for 3 weeks after application.



6/6

Application Instructions:

For best results, apply this product evenly and uniformly over the turfgrass area, avoiding streaking, skips or overlaps. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader so the spreader delivers the appropriate application rate as recommended above.

SUGGESTED SPREADER SETTINGS

| Spreader | 2 lbs./1,000 sq. ft. 3 lbs./1,000 sq. ft. 4 lbs./1,000 sq. ft. | | |
|-----------------|--|--------------------------------|----------------------------------|
| | Setting | Setting | Setting |
| Cyclone Rotary | 4 | 4 ³ / ₄ | 5 ¹ / ₂ |
| Lely | 4 ¹ / ₂ II | 5II | 5 ¹ / ₂ II |
| Scotts Drop | 4 | 4 ¹ / ₂ | 5 ¹ / ₂ |
| Vicon | 18 | 21 | 24 |
| Lesco | G | H | I |
| Lesco | 14 | 16 | 18 |
| Scotts RX7 | D | E | G |
| Scotts R8A | I | J | K |
| Ezee Flow | C2 | C2 ¹ / ₂ | C3 |
| Earthway Rotary | 10 | 12 | 14 |
| Ortho Rotary | 2 ¹ / ₂ | 3 ¹ / ₂ | 4 ¹ / ₂ |
| Spyker | 2 | 3 | 4 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Restrictions for Broadcast Application on Residential, Commercial, and Recreational Turf: A maximum of 174 lbs. per acre (4 lbs. per 1,000 sq. ft.) of Lebanon Fertilizer Plus Confront*TR Brand Herbicide may be applied two times per year.

Restrictions for Broadcast Application on Commercial Sod: A maximum of 174 lbs. per acre (4 lbs. per 1,000 sq. ft.) of Lebanon Fertilizer Plus Confront*TR Brand Herbicide may be applied up to four times a year to control a variety of broadleaf weed species which may germinate at different periods.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Additional Labeling Requirements:

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 lb. nitrogen per 1,000 sq. ft. per application, the following statement must appear:

Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>