

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D.C. 20460

OTHER OF PROVENTION PENTRODES AND TO BUSINESS AND

November 20, 2006

Henry E. Rohland Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

SUBJECT: Applications for Pesticide Notification

PREEN® The Weed Preventer
GREENVIEW® PREEN 'N Green
CONFRONT® Plus Fertilizer
PREEN® Garden Weed Preventer Plus Fertilizer
EPA Reg. No. 961-283
EPA Reg. No. 961-395
EPA Reg. No. 961-395

Applications Dated October 25, 2006

### Dear Mr. Rohland:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

SEPA	United State Environmental Protec Washington, DC	tion Agency		Registrati Amendme	on	OPP Identifier Number
	Applica	tion for Pes	ticide - Section	1		
1. Company/Product Numb	er 961-395		EPA Product Manager anne Miller		1 1 .3	posed Classification
4. Company/Product (Name Confront III + Fertilize		PM	23	<del></del>		
5. Name and Address of Ap	oplicant <i>(Include ZIP Code)</i>	6.	<b>Expedited Reveiw</b>	. In accordanc	e with l	FIFRA Section 3(c)(3)
Lebanon Seaboard ( 1600 East Cumberla Lebanon, PA 17042	(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.					
Check if thi	is is a new address	Pr	oduct Name			
<u> </u>		Section	1 - II			
Amendment - Explain Resubmission in res		Final printed labels in repsons Agency letter dated "Me Too" Application.  Other - Explain below.			NOV 2 0 2006	
labeling or the confidential s to EPA. I further understand	at with the provisions of PR Notice 98 tatement of formula of this product. It that if this notification is not consist to enforcement action and penalties	l understand that i ent with the terms under section 12	t is a violation of 18 U.S of PR Notice 98-10 and and 14 of FIFRA.	.C. Sec. 1001 to	willfully n	nake any false statements
		Section	<u>- III</u>			
1. Material This Product Wi Child-Resistant Packaging	Unit Packaging	Water Solul	ole Packaging	2. Type of Co		
Yes No  * Cartification must	Yes Yes No If "Yes" No. per		Yes No. per Package wgt container		Metal Plastic Glass Paper Other (Specify)	
be submitted	Unit Packaging wgt. containe	Lackage w	t container		orner (Sh	lectry)
3. Location of Net Contents  Label (	Information 4. Size(s) I	Retail Container	5. La	ocation of Label	Direction	*
6. Manner in Which Lebel is	Affixed to Product Lith Pap Ste	ograph er plued noiled	Other			
		Section	- IV			
1. Contact Point (Complete	items directly below for identifica	tion of individual	to be contacted, if nec	essary, to proce	ss this a	pplication.)
Name Henry E. Rohland		Title EPA Registration Manager			Telephone No. (include Area Code) 717-270-3561	
•	Certifi ments I have made on this form a ny knowlinglly false or misleading s law.	nd all attachment		•	<b>в</b> .	3. Date Application Received (Stamped)
2. Signature	Millan)	3. Title EPA F	Registration Manager			

Henry E. Rohland

4. Typed Name

25 October 2006

5. Date







21-53561

Rate in courts pr 150

THIS PRODUCT MAY ONLY BE USED BY PROFESSIONAL APPLICATORS DO NOT SELL DISTRIBUTE OR USE THE PRODUCT IN MASSAU AND SUFFOLK COUNTIES NEW YORK

Fin: the postemergence control of animal and perennial broadless weeds in established proarmental forf, such as lawns, got courses rowdsides and conneteries.

### ACTIVE INGREDIENTS

Coredny across sair con-Control amane sair commonly Month mappy, essent of humory poly OTHER INGREDIENTS

TV Exist to the second of the The street of the second

### KEEP OUT OF REACH OF CHILDREN

See back panel kii additional Precautionary Statements

HEARTHE ENTIRE LABEL REPORTED HER PRODUCT USE ONLY ACCURRING TO LABEL INSTRUCTION.

Entire mounts, this product has the that and perform sentence on this label
Hermal wishom acceptance will incompared company to the plant of gustance of the



Engine, maintaine nothers plus volume tree in the historia and electronical and encounter in the historia of the electronic such that is the historia of the electronic such as exercised and electronic such as the electronic such

Lebanon Scaboard Corporation 1600 E. Comberland St . Lebanon, PA 17042 www.LebanonTucf.com

NET WEIGHT LB5. (18.14 KG)

# CONFRONT® 3 HERBICIDE 19-0-6 MESA

### **GUARANTEED ANALYSIS**

Total Nutrogen (N. 19°)

11.2% Ammoniaca: Nitrogen
4.0% Water Insoluble Nitrogen
0.8% Urea Nitrogen
3.0% Other Water Soluble Nitrogen
Soluble Potash (K,O) 6%
Tota' Sultur (S. 14.5% Combined Sultur (S.

MESA: PennMutch, and ProScape, are registered fundermarks of Lebanon Scabsard Corporation



21-53561

SPREADER SETTINGS	Rate in pounds	These settings were	
SPREADER SETTINGS	3.5	4	calibrated and field
ProScape SS/PrizeLAWN BF-1/SS CBR III	G	J	tested However age
PennMulch HVO/PrizeLAWN BF-HVO	G	J	and condition of
Earthway Rotary	13	15	spreader speed of
Lesco (letter dial/numeric dial)	F 15	l 17	operation und
Scotts AccuPro 2000/SR-2000	H	J	evenness of terrain
Scotts R8A Rotary	J	L	ma, require slightly
Scotts R7X Rotary	E	G	different such gs for
Spyker Rotary	<b>3</b> ¹ :	4' 2	desired cover_ge

For the postemergence control of annual and perennial broadleaf weeds in established ornamental turf, such as lawns, golf courses, roadsides and cemeteries.

### **ACTIVE INGREDIENTS:**

Dimethylamine salt of 2,4-D <sup>†</sup>	1.037%
Triethylamine salt of triclopyr	0.303%
Methylheptyl ester of fluroxypryr	0.207%
OTHER INGREDIENTS	98.453%
TOTAL	100.000%

### Acid Equivalents

2,4-dichlorophenoxyacetic acid — 0.860% 17.20 lb/ton triclopyr 3.5.6-trichloro-2-pyridyloxyacetic acid -- 0.217% 4 34 lb/ton fluroxypr 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid — 0 143% 2.86 lb ton Fluroxypyr CAS. No 69377-81-7 † Isomer Specific by AOAC Method No. 6 275-6 279 (13th Ed.)

2,4-D CAS. No. 94-75-7 Triclopyr CAS. No. 55335-06-3

EPA Reg No. 961-395 Confront is a trademark of Dow AgroSciences LLC

EPA Est 961-PA-01:961-IL-01 Superscript used is first letter of lot number

# KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.



Properly maintained turfgrass plays a valuable role in maintaining and improving our environment. In addition to its aesthetic and functional benefits, turfgrass helps to improve air and water quality. Please join us in protecting our lakes, streams, and rivers by using this and all plant nutrients responsibly; follow all label directions, do not apply to frozen ground or standing water, clean up spills, promptly remove fertilizers from impervious surfaces like walkways, driveways, and patios, and do not allow any fertilizer product to be washed into storm drain systems.

# Lebanon Seaboard Corporation

1600 E. Cumberland St. . Lebanon, PA 17042

www.LebanonTurf.com

# LBS. (18.14 KG)



# FERTILIZER PLUS CONFRONT® 3

NOTIFICATION

### **DIRECTIONS FOR USE**

**HERBICIDE** 

iff is a violation of Federal law to use this product in a manner inconsistent with its labeling

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CALITION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust, Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, chemical-resistant gloves (such as Natural Rubber. Selection Category A) and protective eyewear (goggles. tace shield or safety glasses) when applying. Remove and wash contaminated clothing before reuse.

### **User Safety Recommendations**

Users should • Wash hands after handling and before eating drinking chewing gum using tobacco, or using the toriet

- · Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- · Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing

### FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye, Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless tolo to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to tresh air if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible, Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aqualic invertebrates. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

PESTICIDE STORAGE: Store this product only in its original container in a cool, dry, secured storage area out of the reach of children. Do not store in or around the home in case of spill, carefully sweep up material and use as directed, or dispose of material according to pesticide disposal directions below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic improper disposal of excess pesticide or rinsale is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or it allowed by state and local authorities, by burning it burned, stay out of smoke

### **GENERAL INFORMATION**

Lebanon ProScape Ferlilizer Plus Confront 3 Herbicide provides broad-spectrum postemergence control of annual and perennial broadleaf weeds in established turf, including residential fawns, golf courses, sports fields roadsides cemeteries and around commercial buildings and other commercial and residential furf areas. Apply during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Applications to moist foliage helps granules adhere to weed issuface and will improve control.

### **USE PRECAUTIONS AND RESTRICTIONS**

Be sure that use of this product conforms to all applicable regulations

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site. To minimize the potential for grass injury, additional applications, should not be made within 4 weeks of a previous application.

Do not use Lebanon ProScape Fertilizer Plus Confront 3 Herbicide on golf course putting greens or tees

¡Do not use on grass species, such as bentgrass or St. Augustinegrass, unless injury can be tolerated

Avoid off target application. Applications should be made so as to avoid spreading material off target. Avoid getting granules in shrub bed or other areas where they may seriously injure susceptible plants.

Do not apply to exposed suckers or roots of shallow rooted trees or shrubs

Do not apply Lebanon ProScape Fertilizer Plus Confront 3 Herbicide directly to, or otherwise permit if to come into direct contact with cotton, grapes tobacco-vegetable crops plowers truit or ornamental trees or other desirable broadleal plants

Do not apply under conditions that may have a potential to run-off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no-fill flimited till and contour plowing; these methods also reduce posticide run-off. Use of vegetation filter strips is recommended along rivers, creeks, streams, wetlands, etc., Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

### Lebanon ProScape Fertilizer Plus Confront 3 Herbicide is recommended for use on the following established turfgrass species:

### Established Warm Season Turf Grasses "

Scientific Name Common Name Scientific Name Common Name Bahiagrass Paspalum notalum var saurae parodi Agrostis species bluegrass. Kentucky Poa pratensis Bermudagrass Cynodon dactylon ifescue chewing Festuca rubra var commutata Centipedegrass Eremochioa ophiuroides fescue creeping red Festuca rubra Zoysiagrass Zoysia japonica tescue sheeps Festuca ovina Zoysiagrass Zovsia tenuitolia fescue tali Festuca arundinaceae St Augustinegrass Stenotaphrum secundatum ryegrass, perennial Lolium perenne fescue tall (growing in warm season areas) Festuca arundinaceae

Use Lebanon ProScape Fertilizer Plus Confront 3 Herbicide on these species only at the 150 fbs. per acre (3.5 lbs. per 1,000 sq. ft.) rate and only if some injury can be tolerated for use of Lebanon ProScape Fertilizer Plus Confront 3 Herbicide on a turf species not recommended on this label, the user may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treatment of larger areas the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target turf species. The user assumes the responsibility for any plant damage or other liability resulting from use of this product on turf species not recommended on this label.

### WEEDS CONTROLLED AND APPLICATION RATES

Weeds Controlled				Rate/Acre	Rate/1000 Sq. Ft.	
bedstraw black medic buttonweed Virgina carpet weed calchweed calchweed catnip chamise chickweeds chicky	cinquetor- clovers cocklebur coffleeweed cornillower creeping begganweed dandelion dayllower deadnelife purple	docks dwarf beggarweed field bindweed goldenrod heribit hop clover knawel lambsquarters lespedeza	litile starwort mallow malchweed piantain pursiane speedweli smartweed sowthastle spiderwort	spotted catsear spurweed velvelleal vetch woodsorrel common yarrow	150 lb	3 5 lb
burdock buttercup	knotweed mustard	poison ivy poison oak	wild carrot		174 lb	4 Ď lb
cornspeedwell ground wy	oxalis (stricta and comiculata)	veronica species (suppression only)	parsley-piert prostrate spurge	wild violet	174 to (2 applications 4 to 6 weeks apart angly to most foliane)	4.0 lb (2 applications, 4 to 6 weeks apart annly to most foliage)

### TURF

### LABELED USES

### Broadcast Treatment of Ornamental Turt

Apply 150 to 174 lbs. per acre (3.5 to 4 lbs. per 1,000 sq. ft.) of Lebanon ProScape Fertilizer Plus Confront 3 Herbicide to control broadleaf weeds growing in established turf.

Apply from early spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled. Additional applications should be made four weeks apart to minimize grass injury. Newly seeded turf should be mowed two or three times before being treated Do not water for 24 hours after application. Do not reseed for 3 weeks after application.

### **APPLICATION INSTRUCTIONS**

For best results, apply this product evenly and uniformly over the turigrass area, avoiding streaking, skips or overlaps. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader so the spreader delivers the appropriate application rate as recommended above.

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft

### WARRANTY

The Manulacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of line product confirmation to label instructions, or under abnormal conditions, or under conditions not reasonably forseeable to Manufacturer, and Buyer assumes lite risk of any such

### MANUFACTURED BY:

### LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com