

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND FOXIC SUBSTANCES.

NOV 1 2007

Mr. Henry E. Rohland EPA Registration Manager Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

Re: Notification submission to response to PR Notice 2007-1

EPA Reg. No.: 961-395

Date of Submission: October 10, 2007

Dear Mr. Rohland:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated October 10, 2007, for the product Confront III + Fertilizer. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Form Approved, OMB No. 2070-0060, Please read instructions on reverse before completing form. Approva **OPP Identifier Number** Registration **United States Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 961-395 Joanne Miller None Restricted 4. Company/Product (Name) PM# Confront III + Fertilizer 23 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Lebanon Seaboard Corporation 1600 East Cumberland Street EPA Reg. No. _ Lebanon, PA 17042 Check if this is a new address **Product Name** Section - II NOTIFICATION Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated_ "Me Too" Application. NOV _ 1 2007 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Response to PR Notice 2007-1 and 2 Marketing statements. Deletions in RED Additions in BLUE This notification is consistent with the guidance in PR Notice 2007-1 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2007-1 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA." Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Metal Yes Yes Yes Plastic No No No Glass Paper If "Yes" If "Yes" No. per No. per * Certification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) Retail Container Container 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Other ررزز Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to piccase this application.) Title Telephone No. (include Area Code) Name 7;17**-**273-1685. ^C Henry E. Rohland **EPA Registration Manager** 6. Duta Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. l acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment of v(Stamped) both under applicable law.

3. Title

5. Date

EPA Registration Manager

18 000 0

Henry E. Rohland

2. Signature

4. Typed Náme

ζζί

CONFRONT* III + FERTILIZER

For the postemergence control of annual and perennial broadleaf weeds in established ornamental turf, such as lawns, golf courses, roadsides and cemeteries.

Dimethylamine salt of 2,4-D [†]	1.037%
Triethylamine salt of triclopyr	0.303%
Methylheptyl ester of fluroxypyr	0.207%
OTHER INGREDIENTS	98.453%
TOTAL	100.000%

Acid Equivalents:

2.4-dichlorophenoxyacetic acid - 0.860% 17.20 lb/ton triclopyr: 3,5,6-trichloro-2-pyridyloxyacetic acid - 0.217% 4.34 lb/ton fluroxypyr: 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid - 0.143% 2.86 lb/ton †Isomer Specific by AOAC Method No. 6.275-6.279 (13th Ed.)

2, 4-D CAS, No. 94-75-7 Triclopyr CAS. No. 55335-06-3 Fluroxypyr CAS. No. 69377-81-7

EPA Reg. No. 961-395

(L) EPA Est. 961-PA-01: 961-IL-01

*Trademark of Dow AgroSciences LLC.

Superscript used is first letter of lot number.

(D)

KEEP OUT OF REACH OF CHILDREN **CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

MANUFACTURED BY: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042

www.LebanonTurf.com

GUARANTEED ANALYSIS

lotal Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	(((((
X.X% Other Water Insoluble Nitrogen	((
Available Phosphate (P ₂ O ₅)	X.X:%
Soluble Potash (K ₂ O)	X.X% : `
Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied to	based on " c
fertilizer analysis used by manufacturer.)	((; ;
• •	

NET WEIGHT: XX.XX LBS. (XX.XX kg) COVERS: X,XXX Sq. Ft.

> Page 1 of 9 Pages **CONFRONT III + FERTILIZER** 961-395 Red Line Blue Line 10/10/2007

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, chemical-resistant gloves (such as Natural Rubber, Selection Category A) and protective eyewear (goggles, face shield or safety glasses) when applying. Remove and wash contaminated clothing before reuse.

User Safety Recommendations

Users should:

- Wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERICAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. STORAGE: Store this product only in its original container in a cool, dry, secured storage area out of the reach of children. Do not store in or around the home. In case of spill, carefully sweep up material and use as directed, or dispose of material according to pesticide disposal directions below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at any approved waste disposal facility. Pesticide wastes are texic. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Page 2 of 9 Pages
CONFRONT III + FERTILIZER
961-395
Red Line Blue Line 10/10/2007

GENERAL INFORMATION

Confront III + Fertilizer provides broad-spectrum postemergence control of annual and perennial broadleaf weeds in established turf, including residential lawns, golf courses, sports fields, roadsides, cemeteries and around commercial buildings and other commercial and residential turf areas. Apply during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Applications to moist foliage helps granules adhere to weed surface and will improve control.

USE PRECAUTIONS AND RESTRICTIONS

Be sure that use of this product conforms to all applicable regulations.

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site. To minimize the potential for grass injury, additional applications should not be made within 4 weeks of a previous application.

Do not use Confront III + Fertilizer on golf course putting greens or tees.

Do not use on grass species, such as bentgrass or St. Augustinegrass, unless injury can be tolerated.

Avoid off target application. Applications should be made so as to avoid spreading material off target. Avoid getting granules in shrub bed or other areas where they may seriously injure susceptible plants.

Do not apply to exposed suckers or roots of shallow rooted trees or shrubs.

Do not apply Confront III + Fertilizer directly to, or otherwise permit it to come into direct contact with cotton, grapes, tobacco, vegetable crops, flowers, fruit or ornamental trees, or other desirable broadleaf plants.

Do not apply under conditions that may have a potential to run-off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no-till, limited till and contour plowing; these methods also reduce pesticide run-off. Use of vegetation filter strips is recommended along rivers, creeks, streams, wetlands, etc.

Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Confront III + Fertilizer is recommended for use on the following established turfgrass species:

Common NameScientific Namebentgrass (1)Agrostis speciesbluegrass, KentuckyPoa pratensis

fescue, chewing Festuca rubra var. commutata

fescue, creeping red Festuca rubra fescue, sheeps Festuca ovina fescue, tall Festuca arundin

fescue, tall Festuca arundinaceae ryegrass, perennial Lolium perenne

Established Warm Season Turf Grasses (1)

Common Name Scientific Name

Bahiagrass Paspalum notatum var. saurae parodi Bermudagrass Cynodon dactylon

CentipedegrassEremochloa ophiuroidesZoysiagrassZoysia japonicaZoysiagrassZoysia tenuifolia

St. Augustinegrass Stenotaphrum secundatum fescue, tall (growing in warm Festuca arundinaceae

season areas)

(1) Use Confront III + Fertilizer on these species only at the 150 lbs. per acre (3.5 lbs. per 1,000 sq. ft.) rate and only if some injury can be tolerated.

For use of Confront III + Fertilizer on a turf species not recommended on this label, the user may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target turf species. The user assumes the responsibility for any plant damage or other liability resulting from use of Confront III + Fertilizer on turf species not recommended on this label.

WEEDS CONTROLLED AND APPLICATION RATES

Weeds C	ontrolled	Rate/Acre	Rate/1000 Sq. Ft.
bedstraw	henbit		
black medic	hop clover	150 lb.	3.5 lb.
buttonweed, Virginia	knawel		•
carpet weed	lambsquarters		
catchweed	lespedeza		
catnip	little starwort		
chamise	mallow		
chickweeds	matchweed		
chicory	plantain		
cinquefoil	purslane	,	•
clovers	speedwell		
cocklebur	smartweed		
coffeeweed	sowthistle	•	
cornflower	spiderwort		
creeping beggarweed	spotted catsear		•
dandelion	spurweed	,	
dayflower	velvetleaf	,	
deadnettle, purple	vetch	·	
docks	woodsorrel, common	·	
dwarf beggarweed	yarrow		
field bindweed			
goldenrod			
burdock	poison ivy	174 lb.	4.0 lb.
buttercup	poison oak		
knotweed	wild carrot		
mustard			·
cornspeedwell	parsley-piert	174 lb.	4.0 lb.
ground ivy	prostrate spurge	(2 applications, 4 to 6	(2 applications, 4 to 6
oxalis (stricta and	wild violet	weeks apart; apply to	weeks apart; apply to
comiculata)		moist foliage)	moist foliage)
veronica species			
(suppression only)			

LABELED USES

TURF

Broadcast Treatment of Ornamental Turf

Apply 150 to 174 lbs. per acre (3.5 to 4 lbs. per 1,000 sq. ft.) of Confront III + Fertilizer to control broadleaf weeds growing in established turf. Apply from early spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled. Additional applications should be made four weeks apart to minimize grass injury. Newly seeded turf should be moved two or three times before being treated. Do not water for 24 hours after application. Do not reseed for 3 weeks after application.

APPLICATION INSTRUCTIONS

For best results, apply this product evenly and uniformly over the turfgrass area, avoiding streaking, skips or overlaps. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader so the spreader delivers the appropriate application rate as recommended above.

SUGGESTED SPREADER SETTINGS

Spreader

3.5 lbs./1,000 Sq. Ft.

4.0 lbs./1;000 Sq. Ft.

(Editor's Note: Manufacture to supply a listing of spreaders and suggested settings to apply the product at the rates listed above.)

These settings were calibrated and field-tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Page 4 of 9 Pages CONFRONT III + FERTILIZER 961-395 Red Line Blue Line 10/10/2007

7/12

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed of implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Additional Labeling Requirements

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 lb. nitrogen per 1,000 sq. ft. per application, the following statement must appear: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Advertising Claims:
Practical Solutions for Turf Professionals
Practical Solutions for Serious Turf Professionals

Page 5 of 9 Pages CONFRONT III + FERTILIZER 961-395 Red Line Blue Line 10/10/2007

CONFRONT* III + FERTILIZER

For the postemergence control of annual and perennial broadleaf weeds in established turf.

ACTIVE INGREDIENTS:				
Dimethylamine salt of 2,4-D†				1.037%
Triethylamine salt of triclopyr				0.303%
Methylheptyl ester of fluroxypyr	***********	••••••••		0.207%
OTHER INGREDIENTS				98.453%
TOTAL				100.000%
Acid Equivalents:				
2,4-dichlorophenoxyacetic acid - 0.860% 17.20 lb/ton		2, 4-D CAS. No. 94-75-7		
triclopyr: 3,5,6-trichloro-2-pyridyloxyacetic acid – 0.217% 4.34 lb/ton		Triclopyr CAS. No. 55335-06-3		
fluroxypyr: 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid – 0.143%	2.86 lb/ton	Fluroxypyr (CAS. No.	69377-81-7
†Isomer Specific by AOAC Method No. 6.275-6.279 (13th Ed.)				
		(L) (E	D)	
EPA Reg. No. 961-395	EPA Est. 96	1-PA-01: 961-I	L-01	
*Trademark of Dow AgroSciences LLC.	Superscript	used is first lett	er of lot n	umber.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

MANUFACTURED BY: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.lebsea.com

GUARANTEED ANALYSIS	
Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%
Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied by fertilizer analysis used by manufacturer.)	ased on

NET WEIGHT: XX.XX LBS. (XX.XX kg) COVERS: X,XXX Sq. Ft.

Page 6 of 9 Pages CONFRONT III + FERTILIZER 961-395 Red Line Blue Line 10/10/2007

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, chemical-resistant gloves (such as Natural Rubber, Selection Category A) and protective eyewear (goggles, face shield or safety glasses) when applying. Remove and wash contaminated clothing before reuse.

User Safety Recommendations

Users should:

- Wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor; or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: STORAGE: Store this product only in its original container in a cool, dry, secured storage area out of the reach of children and animals. In case of spill, carefully sweep up material and use as directed, or dispose of material according to disposal directions below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Use as directed or call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

Page 7 of 9 Pages CONFRONT III + FERTILIZER 961-395 Red Line Blue Line 10/10/2007

GENERAL INFORMATION

Confront III + Fertilizer provides control of most annual and perennial broadleaf weeds commonly found in established lawns, including dandelions, clover, chickweed and thistle. Confront III + Fertilizer also contains a long-lasting fertilizer that has all the nutrients your lawn needs for 2-3 months, depending on grass variety.

Confront III + Fertilizer should be applied to wet grass during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results.

USE PRECAUTIONS AND RESTRICTIONS

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site. To minimize the potential for grass injury, additional applications should not be made within 4 weeks of a previous application.

Avoid off target application. Applications should be made so as to avoid getting granules on desirable plants or into shrub, fruit or vegetable gardens or other areas where they may seriously injure susceptible plants.

Do not apply to exposed suckers or roots of shallow rooted trees or shrubs.

Do not apply when windy or if product might run-off into surface water or adjacent land.

Confront III + Fertilizer is recommended for use on the following established turfgrass species:

Established Cool Season Turf Grasses - Bentgrass*, Kentucky bluegrass, Chewing Fescue, Creeping Red Fescue, Sheeps Fescue, Tall Fescue, Perennial Ryegrass

Established Warm Season Turf Grasses' - Bahiagrass, Bermudagrass, Centipedegrass, Zoysiagrass, St. Augustinegrass, Tall Fescue (growing in warm season areas).

*Use Confront III + Fertilizer on these species only if some injury can be tolerated.

For use of Confront III + Fertilizer on a turf species not recommended on this label, the user may determine the suitability for such uses by treating a small area at the recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target turf species. The user assumes the responsibility for any plant damage or other liability resulting from use of Confront III + Fertilizer on turf species not recommended on this label.

APPLICATION INSTRUCTIONS

Confront III + Fertilizer can be applied any time from spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at the time of application are controlled. Spring applications will kill the most weeds if you delay applications until the first dandelions flower.

- This product needs to stick to the weeds and should be applied when the grass is wet from dew, rain or watering; poor results will occur if it is applied to dry lawns.
- Apply this product evenly and uniformly over the lawn area, avoiding streaking, skips or overlaps.
- Do not water or disturb the lawn for 24 hours after application.
- Delay moving for two days after application.
- · A second application may be made in 4-6 weeks if needed for hard to control weeds.

Newly seeded turf should be mowed two or three times before being treated. Do not reseed for 3 weeks after application.

SUGGESTED SPREADER SETTINGS

Spreader

3.5 lbs./1,000 Sq. Ft.

(Editor's Note: Manufacture to supply a listing of spreaders and suggested settings to apply the product at 3.5 lbs. per 1,000 Sq. Ft.)

These settings were calibrated and field-tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Page 8 of 9 Pages
CONFRONT III + FERTILIZER
961-395
Red Line Blue Line 10/10/2007

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed of implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Advertising Claims that may be presented on the label

- Eliminates difficult, hard to kill weeds like clover, chickweed, mustard and thistle that other products miss.
- Eliminates dandelions, clover, chickweed, thistle, ground ivy, henbit and other troublesome lawn weeds.
- Combination of three weed control technologies kills more weeds than most other brands.
- Now with Confront III for improved control of clover.
- Unlike most weed & feed products, won't harm St. Augustinegrass and bentgrass.
- Kills poison ivy and poison oak missed by the leading weed & feed brands and leading weed killer sprays.
- A Work Saver Product for the Joy of Weed-Free Lawns.
- Just one easy application kills weeds missed by competitive brands and fertilizes into summer!
- Better weed control and fertilizer than other leading brands.
- Extended, time release feeding of nitrogen lasts into summer.
- Effective weed control leads to greener, thicker lawns.
- Apply anytime when weeds are actively growing.
- All the fertilizer nutrients your lawn needs for spring.
- Feeds, greens, strengthens, and thickens your lawn for up to 3 months longer than leading competitive brands.
- Apply once for the whole season.
- Feeds and strengthens root systems without burning your lawn.
- Fertilize Once for Whole Season Feeds and greens with slow release fertilizer for up to three months.
- Fertilizes to fill in bare spots and provide plush green lawns.
- · Practical Solutions for Turf Professionals
- Practical Solutions for Serious Turf Professionals

Additional Labeling Requirements

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water. If the recommended use rate applies less than 1 lb. nitrogen per 1,000 sq. ft. per application, the following statement must appear: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-infolebsea.com

> Page 9 of 9 Pages CONFRONT III + FERTILIZER 961-395



LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685 FAX (717) 273-9466

10 October 2007

Document Processing Desk (NOTIF)
Office of Pesticide Program (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

ATTN: Joanne Miller (Team 23)

Re: Notification Submission in Response to PR Notice 2007-1

Dear Joanne:

Per the reference PR Notice, enclosed is an Application for Pesticide Form 8570-1, a revised label, Red Line deletions /Blue Line additions, showing the changes, and 3 labels with the changes incorporated.

We also included two marketing statements since these are not changes but additions to the label, which I believe may be accomplished by Notification.

We respectfully request you return a stamped copy upon your approval.

Should you have any questions concerning this submission, please call me at 800-532-0090 ext. 237 or e-mail: hrohland@lebsea.com.

Thanks for your help.

Sincerely,

Henry E. Rohland

EPA Registration Manager