

961-395

7/30/2009

10f13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Jeanette Covert
Authorized Representative for
Lebanon Seaboard Corporation
C/o Product & Regulatory Associates, L.L.C.
P.O. Box 1683
Voorhees, NJ 08053-9998

JUL 30 2009

SUBJECT: Application for Pesticide Notification – Label Changes per PR Notices 98-10
(Warranty) and 2008-1
Confront™ III + Fertilizer
EPA Reg. No. 961-395
Application Dated May 26, 2009

Dear Ms. Covert:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRNs) 98-10 and 2008-1 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRNs 98-10 and 2008-1, and finds that the actions requested fall within the scope of these PRNs. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2013

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Lebanon Seaboard Corporation/961-395	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Confront III + Fertilizer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ Product Name JUL 30 2009	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label changes per PR Notice 2008-1 and Warranty statements per PR Notice 98-10. This notification is consistent with the guidance in of PR Notice 2008-1 and 98-10 and the requirements of EPA Regulations at 40 CFR 156.10, 156.80 and 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 2008-1 and 98-10 and EPA Regulations at 40 CFR 156.10, 156.80 and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		Metal Plastic Glass Paper Other (Specify) _____			
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container				
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container to be determined		5. Location of Label Directions <input type="checkbox"/>			
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled						<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Jeanette Covert	Title Authorized Representative for Lebanon	Telephone No. (Include Area Code) 856.751.3432
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamp) C C C C C C C C
2. Signature <i>Jeanette Covert</i>	3. Title Authorized Representative for Lebanon Seaboard Corporation	
4. Typed Name Jeanette Covert	5. Date 05-26-2009	

30f13

Product & Regulatory Associates, L.L.C.

May 26, 2009

Ms. Joanne Miller (PM-23)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Confront III + Fertilizer
EPA Reg. No. 961-395
Notification 2008-1 and Warranty

Dear Ms. Miller:

As its authorized representative, Lebanon Seaboard Corporation wishes to submit a notification to revise Confront III + Fertilizer, EPA Reg. No.961-395. This notification is consistent with PR Notice 2008-1 and PR Notice 98-10.

Revisions include:

- Updating Environmental Hazards Statements for Homeowner Use per PR-Notice 2008-1. Changes occur on page 7 of the revised labeling.
- Revision of Warranty statements per PR Notice 98-10. Changes occur on page 5 and 10 of the revised labeling.

To complete this application, enclosed please find:

- Cover letter
- Application for Pesticide: EPA Form 8750-1
- One highlighted copy of the revised labeling
- One clean copy of the revised labeling
- E-label file name 000961-00395.20090425.Notification2008-1_Warranty_CleanCopy.pdf

I trust that this information will assist the Agency in its efforts to complete this notification. If you have any question in regard to this mater, feel free to contact me at (856) 751-3432 or jacouvert@comcast.net.

Sincerely,

Jeanette Covert


Jeanette Covert

Authorized Representative of Lebanon Seaboard Corporation
cc: Sylvia Whitman, Lebanon Seaboard Corporation

P.O. Box 1683

Voorhees, NJ 08053-9998

Telephone 856 424-1528



CONFRONT* III + FERTILIZER

For the postemergence control of annual and perennial broadleaf weeds in established ornamental turf, such as lawns, golf courses, roadsides and cemeteries.

ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-D†	1.037%
Triethylamine salt of triclopyr	0.303%
Methylheptyl ester of fluroxypyr	0.207%
OTHER INGREDIENTS:	98.453%
TOTAL	100.000%

Acid Equivalents:

2,4-dichlorophenoxyacetic acid – 0.860% 17.20 lb/ton	2, 4-D CAS. No. 94-75-7
triclopyr: 3,5,6-trichloro-2-pyridyloxyacetic acid – 0.217% 4.34 lb/ton	Triclopyr CAS. No. 55335-06-3
fluroxypyr: 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid – 0.143% 2.86 lb/ton	Fluroxypyr CAS. No. 69377-81-7

†Isomer Specific by AOAC Method No. 6.275-6.279 (13th Ed.)

EPA Reg. No. 961-395

(L) (D)
EPA Est. No. 961-PA-01: 961-IL-01

*Trademark of Dow AgroSciences LLC.

Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

**MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.LebanonTurf.com**

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%
Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)	

NET WEIGHT: XX.XX LBS. (XX.XX kg)

COVERS: X,XXX Sq. Ft.

**CONFRONT III + FERTILIZER
961-395**

Notification 2008-1 /Warranty Clean Copy 4-25-09

50913

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

All loaders, applicators and other handlers must wear:

- long-sleeved shirt and long pants
- shoes plus socks
- chemical-resistant gloves (such as Natural Rubber, selection category A).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high watermark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

GENERAL INFORMATION

Confront III + Fertilizer provides broad-spectrum postemergence control of annual and perennial broadleaf weeds in established turf, including residential lawns, golf courses, sports fields, roadsides, cemeteries and around commercial buildings and other commercial and residential turf areas. Apply during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Applications to moist foliage helps granules adhere to weed surface and will improve control.

CONFRONT III + FERTILIZER
961-395

Notification 2008-1 /Warranty Clean Copy 4-25-09

page 2

USE PRECAUTIONS AND RESTRICTIONS

Be sure that use of this product conforms to all applicable regulations.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow people (or pets) to enter the treated area until dusts have settled.

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site. To minimize the potential for grass injury, additional applications should not be made within 4 weeks of a previous application.

Do not use Confront III + Fertilizer on golf course putting greens or tees.

Do not use on grass species, such as bentgrass or St. Augustinegrass, unless injury can be tolerated.

Avoid off target application. Applications should be made so as to avoid spreading material off target. Avoid getting granules in shrub bed or other areas where they may seriously injure susceptible plants.

Do not apply to exposed suckers or roots of shallow rooted trees or shrubs.

Do not apply Confront III + Fertilizer directly to, or otherwise permit it to come into direct contact with cotton, grapes, tobacco, vegetable crops, flowers, fruit or ornamental trees, or other desirable broadleaf plants.

Do not apply under conditions that may have a potential to run-off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no-till, limited till and contour plowing; these methods also reduce pesticide run-off. Use of vegetation filter strips is recommended along rivers, creeks, streams, wetlands, etc.

Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Confront III + Fertilizer is recommended for use on the following established turfgrass species:

Common Name	Scientific Name
bentgrass ⁽¹⁾	<i>Agrostis</i> species
bluegrass, Kentucky	<i>Poa pratensis</i>
fescue, chewing	<i>Festuca rubra</i> var. <i>commutata</i>
fescue, creeping red	<i>Festuca rubra</i>
fescue, sheeps	<i>Festuca ovina</i>
fescue, tall	<i>Festuca arundinaceae</i>
ryegrass, perennial	<i>Lolium perenne</i>

Established Warm Season Turf Grasses ⁽¹⁾

Common Name	Scientific Name
Bahiagrass	<i>Paspalum notatum</i> var. <i>saurae parodi</i>
Bermudagrass	<i>Cynodon dactylon</i>
Centipedegrass	<i>Eremochloa ophiuroides</i>
Zoysiagrass	<i>Zoysia japonica</i>
Zoysiagrass	<i>Zoysia tenuifolia</i>
St. Augustinegrass	<i>Stenotaphrum secundatum</i>
fescue, tall (growing in warm season areas)	<i>Festuca arundinaceae</i>

⁽¹⁾ Use Confront III + Fertilizer on these species only at the 150 lbs. per acre (3.5 lbs. per 1,000 sq. ft.) rate and only if some injury can be tolerated.

For use of Confront III + Fertilizer on a turf species not recommended on this label, the user may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target turf species. The user assumes the responsibility for any plant damage or other liability resulting from use of Confront III + Fertilizer on turf species not recommended on this label.

WEEDS CONTROLLED AND APPLICATION RATES

Weeds Controlled		Rate/Acre	Rate/1000 Sq. Ft.
bedstraw black medic buttonweed, Virginia carpet weed catchweed catnip chamise chickweeds chicory cinquefoil clovers cocklebur coffeeweed cornflower creeping beggarweed dandelion dayflower deadnettle, purple docks dwarf beggarweed field bindweed goldenrod	henbit hop clover knawel lambquarters lespedeza little starwort mallow matchweed plantain purslane speedwell smartweed sowthistle spiderwort spotted catsear spurweed velvetleaf vetch woodsorrel, common yarrow	150 lb.	3.5 lb.
burdock buttercup knotweed mustard	poison ivy poison oak wild carrot	174 lb.	4.0 lb.
cornspeedwell ground ivy oxalis (stricta and comiculata) veronica species (suppression only)	parsley-piert prostrate spurge wild violet	174 lb. (2 applications, 4 to 6 weeks apart; apply to moist foliage)	4.0 lb. (2 applications, 4 to 6 weeks apart; apply to moist foliage)

LABELED USES

TURF

Broadcast Treatment of Ornamental Turf

Apply 150 to 174 lbs. per acre (3.5 to 4 lbs. per 1,000 sq. ft.) of Confront III + Fertilizer to control broadleaf weeds growing in established turf. The maximum seasonal rate is 348 pounds product/acre. Apply from early spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled. Additional applications should be made four weeks apart to minimize grass injury. Newly seeded turf should be mowed two or three times before being treated. Do not water for 24 hours after application. Do not reseed for 3 weeks after application.

APPLICATION INSTRUCTIONS

For best results, apply this product evenly and uniformly over the turfgrass area, avoiding streaking, skips or overlaps. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader so the spreader delivers the appropriate application rate as recommended above.

SUGGESTED SPREADER SETTINGS

Spreader 3.5 lbs./1,000 Sq. Ft. 4.0 lbs./1,000 Sq. Ft.

(Editor's Note: Manufacture to supply a listing of spreaders and suggested settings to apply the product at the rates listed above.)

These settings were calibrated and field-tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at any approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

Additional Labeling Requirements

If the fertilizer guarantee contains iron, the following statement must appear:

This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

If the recommended use rate applies less than 1 lb. nitrogen per 1,000 sq. ft. per application, the following statement must appear:
Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

For products distributed in the State of Washington, the following statement must appear:

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

90413

SUBLABEL 2 – Intended For Homeowner Use

CONFRONT* III + FERTILIZER

For the postemergence control of annual and perennial broadleaf weeds in established turf.

ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-D†	1.037%
Triethylamine salt of triclopyr	0.303%
Methylheptyl ester of fluroxypyr	0.207%
OTHER INGREDIENTS:	98.453%
TOTAL	100.000%

Acid Equivalents:

2,4-dichlorophenoxyacetic acid – 0.860% 17.20 lb/ton	2, 4-D CAS. No. 94-75-7
triclopyr: 3,5,6-trichloro-2-pyridyloxyacetic acid – 0.217% 4.34 lb/ton	Triclopyr CAS. No. 55335-06-3
fluroxypyr: 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid – 0.143% 2.86 lb/ton	Fluroxypyr CAS. No. 69377-81-7

†Isomer Specific by AOAC Method No. 6.275-6.279 (13th Ed.)

(L) (D)

EPA Reg. No. 961-395

EPA Est. No. 961-PA-01: 961-IL-01

*Trademark of Dow AgroSciences LLC.

Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

MANUFACTURED BY:

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON, PA 17042

www.lebsea.com

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.X%
X.X% Ammoniacal Nitrogen	
X.X% Water Insoluble Nitrogen	
X.X% Urea Nitrogen	
X.X% Other Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%

Nutrient Sources: (Guaranteed Analysis and Nutrient Sources to be supplied based on fertilizer analysis used by manufacturer.)

NET WEIGHT: XX.XX LBS. (XX.XX kg)

COVERS: X,XXX Sq. Ft.

CONFRONT III + FERTILIZER

961-395

page 6

Notification 2008-1 /Warranty Clean Copy 4-25-09

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, chemical-resistant gloves (such as Natural Rubber, Selection Category A) and protective eyewear (goggles, face shield or safety glasses) when applying. Remove and wash contaminated clothing before reuse.

User Safety Recommendations

Users should:

- Wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the [lawn or garden] will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

GENERAL INFORMATION

Confront III + Fertilizer provides control of most annual and perennial broadleaf weeds commonly found in established lawns, including dandelions, clover, chickweed and thistle. Confront III + Fertilizer also contains a long-lasting fertilizer that has all the nutrients your lawn needs for 2-3 months, depending on grass variety.

Confront III + Fertilizer should be applied to wet grass during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results.

USE PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until dusts have settled.

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site. To minimize the potential for grass injury, additional applications should not be made within 4 weeks of a previous application.

Avoid off target application. Applications should be made so as to avoid getting granules on desirable plants or into shrub, fruit or vegetable gardens or other areas where they may seriously injure susceptible plants.

Do not apply to exposed suckers or roots of shallow rooted trees or shrubs.

Do not apply when windy or if product might run-off into surface water or adjacent land.

Confront III + Fertilizer is recommended for use on the following established turfgrass species:

Established Cool Season Turf Grasses - Bentgrass*, Kentucky bluegrass, Chewing Fescue, Creeping Red Fescue, Sheeps Fescue, Tall Fescue, Perennial Ryegrass

Established Warm Season Turf Grasses* - Bahiagrass, Bermudagrass, Centipedegrass, Zoysiagrass, St. Augustinegrass, Tall Fescue (growing in warm season areas).

*Use Confront III + Fertilizer on these species only if some injury can be tolerated.

For use of Confront III + Fertilizer on a turf species not recommended on this label, the user may determine the suitability for such uses by treating a small area at the recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target turf species. The user assumes the responsibility for any plant damage or other liability resulting from use of Confront III + Fertilizer on turf species not recommended on this label.

Maximum of 4 lbs. product per 1,000 sq. ft. per application.

The maximum seasonal rate is 8 lbs. Product per 1,000 sq. ft.

APPLICATION INSTRUCTIONS

Confront III + Fertilizer can be applied any time from spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at the time of application are controlled. Spring applications will kill the most weeds if you delay applications until the first dandelions flower.

- This product needs to stick to the weeds and should be applied when the grass is wet from dew, rain or watering; poor results will occur if it is applied to dry lawns.
- Apply this product evenly and uniformly over the lawn area, avoiding streaking, skips or overlaps.
- Do not water or disturb the lawn for 24 hours after application.
- Delay mowing for two days after application.
- A second application may be made in 4-6 weeks if needed for hard to control weeds.

Newly seeded turf should be mowed two or three times before being treated. Do not reseed for 3 weeks after application.

SUGGESTED SPREADER SETTINGS

Spreader 3.5 lbs./1,000 Sq. Ft.

(Editor's Note: Manufacture to supply a listing of spreaders and suggested settings to apply the product at 3.5 lbs. per 1,000 Sq. Ft.)

These settings were calibrated and field-tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product only in its original container in a cool, dry, secured storage area out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

~~~~~  
THE  
INJURIES  
OR  
DAMAGES  
WHETHER  
CORPORATION'S  
ELECTION

13 of 13

**Advertising Claims that may be presented on the label**

- Eliminates difficult, hard to kill weeds like clover, chickweed, mustard and thistle that other products miss.
- Eliminates dandelions, clover, chickweed, thistle, ground ivy, henbit and other troublesome lawn weeds.
- Combination of three weed control technologies kills more weeds than most other brands.
- Now with Confront III for improved control of clover.
- Unlike most weed & feed products, won't harm St. Augustinegrass and bentgrass.
- Kills poison ivy and poison oak missed by the leading weed & feed brands and leading weed killer sprays.
- A Work Saver Product for the Joy of Weed-Free Lawns.
- Just one easy application kills weeds missed by competitive brands and fertilizes into summer!
- Better weed control and fertilizer than other leading brands.
- Extended, time release feeding of nitrogen lasts into summer.
- Effective weed control leads to greener, thicker lawns.
- Apply anytime when weeds are actively growing.
- All the fertilizer nutrients your lawn needs for spring.
- Feeds, greens, strengthens, and thickens your lawn for up to 3 months – longer than leading competitive brands.
- Apply once for the whole season.
- Feeds and strengthens root systems without burning your lawn.
- Fertilize Once for Whole Season – Feeds and greens with slow release fertilizer for up to three months.
- Fertilizes to fill in bare spots and provide plush green lawns.
- Made in the U.S.A

**Additional Labeling Requirements**

If the fertilizer guarantee contains iron, the following statement must appear:

*This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.*

If the recommended use rate applies less than 1 lb. nitrogen per 1,000 sq. ft. per application, the following statement must appear:

*Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.*

For products distributed in the State of Washington, the following statement must appear:

*Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>*

