



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Jeanette A. Covert Product & Regulatory Associates, LLC Agent for Lebanon Seaboard Corporation P.O. Box 1683 Voorhees, NJ 08043

DEC 4 2009

SUBJECT:

Application for Pesticide Notification (PRN 98-10

Request General Label Change (Marketing Claims)

EPA Reg. No. 961-407

Application Dated October 4, 2009

#### Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/04/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

1	2009	
м	2-28-95	

Form Apr	oroved. OMP 1. 2070-006	O. Approvel expires
	Registration	OPP Identifier Nu
	Amendment	
,	<b>✓</b> Other	

Environmental Protection Agency			Amend		Of Fidendies (damper				
<b></b>	Washington, DC 2	ington, DC 20460			Other				
Application for Pesticide - Section I									
Company/Product Number     Lebanon Seaboard Corporation/961-407			2. EPA Product Manager		r	3. Pro	posed Classification		
4. Company/Product (Name)	JOI 811011/90 1-407		Joanne PM#	VIIIIer	<del></del>	None Restricted			
Preen Garen Weed Prev	renter Plus Fertilizer		23						
5. Name and Address of Appli	•		6. Expedited Reveiw. In accordance with FIFRA Section 3(c) (b)(i), my product is similar or identical in composition and label						
Lebanon Seaboard Corp 1600 East Cumberland S Lebanon, PA 17042			to:  EPA Reg. No.						
	s a new address		Produ	ct Name		····			
		Sec	tion - I	ſ					
Amendment - Explain t	oelow.			Final printed la Agency letter		• to <b>NO</b>	TIFICATION		
Resubmission in respon	nse to Agency letter dated	_	_	"Me Too" App		DE	C - 4 2009		
Notification - Explain b	elow.			•					
Explanation: Use additions	I page(s) if necessary. (For sect	ion I and Se	ction II.)						
Notification additional marketing claims as defined in cover letter. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.									
		Sect	ion - II	1					
1. Material This Product Will E	Se Packaged In:				<del></del>				
	Unit Packaging	Water	Soluble P	ackaging	2. Type of	<del>-,</del>			
Yes	Yes		Yes			Metal Plastic			
∐ No	If "Yes" No. per	If "Yes	No.	No. per		Glass Paper			
	Unit Packaging wgt. container			container		Other (S	pecify)		
3. Location of Net Contents In	formation 4. Size(s) F	Retail Contai	ner	5.	Location of La	bel Directio	ns		
6. Manner in Which Label is A	ffixed to Product Lith	ograph er glued nciled		Other					
			ion - I	/					
1. Contact Point (Complete it	ems directly below for identifica	tion of indiv	idual to be	contacted, if	necessary, to p	rocess this	application.)		
Name Jeanette A. Covert		Title Authoriz	Title Authorized Representative for Lebanon		Telephone No. (Include Area Code) 856.751.3432				
	Certific	cation					6. Date Application		
•	ents I have made on this form a knowlingly false or misleading s w.						િ (Stambed) િ (Stambed)		
2. Signature		3. Title				ceecee	c c c c		
Granette & Covert			norized Representative for Lebanon Seaboard poration			0 6 6 6 6 6 6 6	είι. ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (		
4. Typed Name		5. Date				( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	c (		
Jeanette A. Covert			10-4-09						



## Product & Regulatory Associates, L.L.C.

October 4, 2009
Ms. Sherada Hobgood
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Lebanon Seaboard Corporation EPA Reg. No. 961-407 Notification Marketing

Dear Ms. Hobgood:

As the authorized representative, Lebanon Seaboard Corporation is submitting a revised label for Preen garden Weed Preventer Plus Fertilizer, EPA Reg No. 961-407.

The changes for this label include:

• Added additional marketing claims on page 6.

To complete this notification application, enclosed please find:-

- Application for Pesticide (EPA Form 8750-1)
- One highlighted copy(red line/blue line) of the revised label
- One clean copy of the revised label
- One CD e-label file name 000961-00407.20091003.NotifMarketing.pdf

If you have any questions or concerns about this notification please contact me at (856)751-3432 or jacovert@comcast.net.

Sincerely, Gennette Covert

Jeanette Covert

Product & Regulatory Associates, LLC

Authorized Representative for Lebanon Seaboard Corporation

cc: Sylvia Whitman, Lebanon Seaboard Corporation

P.O. Box 1683 Voorhees, NJ 08043-9998 Telephone 856 424-1528





# PREEN® GARDEN WEED PREVENTER PLUS FERTILIZER

**NOTIFICATION** 

DEC - 4 2009

#### NOT FOR USE ON LAWNS

ACTIVE INGREDIENT:							
Trifluralin				1.47%			
OTHER INGREDIENTS:				98.53%			
TOTAL				100.00%			
		41.5	(m)				
FDI D II		(L)	• •				
EPA Reg. No. 961-407	EPA Est. No. 9	61-PA-01	:961-IL-0	)1			
CAS No.1582-09-8	Superscript us	ed is first	letter of	lot number.			
GUARANTEED ANALYS							
Total Nitrogen (N)				X.X%			
X.X% Ammoniacal Nitrogen							
X.X% Water Insoluble Nitrogen							
X.X% Urea Nitrogen							
X.X% Other Water Soluble Nitrogen							
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )				X.X%			
Soluble Potash (K <sub>2</sub> O)				X.X%			
Derived from: (Guaranteed Analysis and Nutrient Sources to be supplied base manufacturer.)							


### KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

MANUFACTURED BY:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
1-800-233-1067
www.preen.com

NET WEIGHT: XX LBS. (X.XX kg) WEEDS X.XXX SQ. FT.

Page 1 of 6 961-407 10-3-09 Notification Marketing



### HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION



Causes moderate eye irritation. Wear protective eyewear. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **User Safety Recommendations:**

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### **FIRST AID**

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

• Do not induce vomiting unless told to do so by a poison control center or doctor.

• Do not give anything by mouth to an unconscious person.

IF ON SKIN

· Take off contaminated clothing.

OR CLOTHING:

• Rinse skin immediately with plenty of water for 15-20 minutes.

· Call a poison control center or doctor for treatment advice.

IF INHALED:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **GENERAL INFORMATION**

Preen Garden Weed Preventer Plus Fertilizer works all season long. One easy application prevents weeds up to 3 months. This product contains an all purpose fertilizer to promote beautiful color, blooms, foliage and strong root growth while helping to resist disease. This product can be used anytime during the spring, summer or fall in flower and vegetable gardens, around ground covers, trees, and shrubs. Although this product will not kill existing weeds, it will prevent new weeds from sprouting - eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long! There is no chance of overfeeding or burning your plants when used as directed.

#### **GENERAL PRECAUTIONS AND RESTRICTIONS**

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES. FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BEING GROWN IN ORNAMENTAL GARDENS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen Garden Weed Preventer Plus Fertilizer to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to this product. Do not use with crops other than those listed on this label. **This product is not for use on lawns**, nor for use in enclosed areas, such as greentouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

Page 2 of 6 961-407 10-3-09 Notification Marketing

#### **ENTRY RESTRICTIONS**

Do not allow people or pets to enter the treated area up lusts have settled. If product is watered-in, do not enter the treated areas (except those involved in the watering) until the watering is complete and the surface is dry.

#### ANNUAL WEEDS CONTROLLED

**Grassy weeds**: Barley, Hare; Barnyardgrass (Watergrass); Bluegrass, Annual; Brome; Cheat; Crabgrass; Cupgrass: Southwestern, Woolly; Fescue, Rattail; Foxtail; Guineagrass; Goosegrass; Johnsongrass (from seed); Junglerice; Lovegrass; Oat, Wild; Panicum: Fall, Texas; Sandbur; Shattercane; Signalgrass (*Brachiaria*); Sprangletop; Stinkgrass; Wildcane; Witchgrass. Also controls these **broadleaf weeds**: Carelessweed; Carpetweed; Chickweed; Goosefoot; Henbit; Knotweed; Kochia; Lambsquarters; Nettle, Stinging; Pigweed; Puncturevine (Western U.S. only); Purslane; Pusley, Florida; Thistle, Russian.

#### THIS PREEN PRODUCT IS RECOMMENDED FOR USE AROUND THESE ESTABLISHED PLANTS

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses — Aaronsbeard; Alyssum; Arctotis; Aster (perennial); Aster, Stoke's; Baby's breath; Balsam; Beard tongue; Bee balm; Begonia; Bellflower; Black-eyed susan; Bleeding heart; Bunge; Calendula; Calliopsis; Cape weed; Carex, Variegated; Carnation; Carpet bugle (*Ajuga*); Ceanothus; Centaurea, Velvet; Chrysanthemum; Coneflower, Purple; Coral bells; Coreopsis; Cornflower, Purple; Cosmos; Cotoneaster; Coyote bush, Dwarf; Crown vetch; Daffodil; Dahlia; Daisy: African, Painted, Shasta, Trailing African; Daylily; Descampsia; Dianthus; Dusty miller; Fern, Asparagus; Fescue, Blue; Floss flower (*Ageratum*); Forget-me-not; Four o'clock; Foxglove; Gaillardia; Gayfeather; Gazania; Geranium; Germander; Geum; Gladiolus (corms more than 1" in diameter); Golden glow; Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia; Guara; Hakonechloa, Golden; Hollyhock; Hosta, Albo-marginata; Hyacinth; Ice plant: Largeleaf, Trailing, Trailing rosea, White; Impatiens; Iris, Bulbous; Ivy: Algerian, California, English, Needlepoint; Ixora; Jasmine: Angelwing, Asaian; Lamb's ears; Lavander, English; Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriope, White; Lily-of-the-nile; Lobelia; Lupine (*Lupinus*); Marigold; Marigold, Cape (*Dimorphotheca*); Morningglory; Myoporum; Narcissus; Nasturtium; Nicotiana; Ozark sundrop; Periwinkle (*Vinca*); Peter Pan, Dwarf; Petunia; Phlox; Pincushion flower (*Scabiosa*); Plumbago, Dwarf; Poppy, California; Portulaca; Rockrose; Rose; Rosemary; *Rudbeckia*; Rupturewort; Sage, Russian; Salvia; Silver mound; Snapdragon; Snow-insummer; Snow-on-the-mountain; Speedwell; Spurge, Japanese; St. John's wort; Statice; Stock; Stonecrop (*Sedum*); Strawberry, Beach; Sunflower; Sweet alyssum; Sweet pea; Sweet sultan; Sweet william; Thrift; Tickseed; Tulip; Verbena; Wire plant; Wirevine, Creeping; Yarrow (*Achillea*); Zinnia.

Shrubs -- Abelia: Edward Goucher, Glossy; Acacia: Abyssinica, Prostrate, Shoestring; Andromeda, Japanese; Arborvitae: American, Aureus nana-dwarf golden, Ernerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny; Azalea; Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly; Barberry; Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn; Bottlebrush: Lemon, Weeping; Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn; Boxwood: Common, Harlands, Japanese, Korean, Littleleaf; Broom: Hollandia-warminster, Lena-Scotch; Camellia: Japanese, Sasangua: Cassia, Feathery; Century plant; Cherry: Carolina laurel, Dwarf pink flowering almond; Cinquefoil; Clevera, Japanese; Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel; Coyotebush; Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa: Daphne, Fragrant; Deutzia: Dogwood: Baileyi red osier, Flaviramea-yellowtwig, Sibirica-Siberian; Elaeagnus; Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper; Fern; Tassel, Japanese painted; Firethorn (Pvracantha); Forsythia; Gardenia; August beauty, Mystery, Radican; Guava, Pineapple; Hawthorn, India; Heather; Cornish, Purple bell, Mediterranean pink, Spring torch scotch; Hibiscus, Ross Estey; Holly; Honeysuckle: Cape, Trumpet; Hopseed bush; Ixora; Jessamine, Carolina; Juniper; Lantana; Laurel: American Cherry, Mountain; Leaf: Copper, Salal/lemon; Leucothoe: Coast, Drooping; Lilac: Common, Chinese, Wild; Lily-of-the-Valley: Forest flame, Mountain fire. Snowdrift. Templebells, Valley rose, Valley valentine; Mahonia: Creeping, Leather leaf; Maple: Amur, Coral bark Japanese, Dwarf Japanese; Mock orange; Myrtle: Crape, Wax; Oleander: Hardy red, Ruby lace; Osmanthus, Fortunes; Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago; Photinia, Fraser's; Pieris Japonica; Pine, Mugo-mugho; Pittosporum: Green, Japanese, Wheeler's dwarf; Plumbago; Privet; Red Cedar, Eastern; Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme; Rhododendron; Robira; Rose; Rose, Ramanas; Rose of Sharon; Heart, Red bird, Woodbridge; Sakaki; Silverberry; Skimmia: Japanese, Reeve's; Smoke Tree: Royal purple, Coral beauty, Eichholz; Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte; Sumac, African; Summersweet; Sweetspire, Henry Garnet holly leaf; Viburnum; Weigela; Willow; Woadwaxen; Woodbine: Flowering, Serotina; Xylosma; Yew: Anglojap, Plum, Upright Japanese; Yewpine; Yucca.

Trees -- Ash: Shamel, White; Banana; Birch: European white, Paper, River; Blackgum; Bottle tree; Carob; Carrot wood; Cherry, Yoshino flowering; Coolibah tree; Cottonwood; Crabapple; Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false; Dogwood: Cloud nine, Flowering, Kousa; Elm, Chinese; Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar; Ficus, Mini; Fir: Balsam, Douglas, White; Florida anise tree; Ginkomaidenhair tree; Hawthorn, Green; Hemlock: Canada, Eastern; Larch, Japanese; Linden; Locust: Black, Honey, Shademaster honey; Magnolia; Mahogany;

Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering; Mesquite, Chilean; Mulberry, White; Oak: Bear, Live, Pin, Red, Scarlet, Willow; Olive: Black, Russian; Palm: Mexican fan, Parlor, Queen; Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore; Planetree, London; Podocarpus; Redbud, Eastern; Red Cedar, Eastern; Sequoia, Giant; Sourwood; Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White; Sweetgum, American; Sycamore: American, California; Tab, Yellow; Toyon; Tuliptree; Willow.

Nonbearing Fruit and Nut Trees and Plants\*-- Almond; Apple; Apricot; Avocado; Blackberry; Blueberry; Cherry: Sweet, Sour; Chestnut, Chinese; Currant; Dewberry; Elderberry; Fig; Filbert; Gooseberry; Grape: American, European; Grapefruit; Kiwi; Lemon; Loganberry; Macadamia nut; Nectarine; Olive; Orange; Peach; Pear; Pecan; Pistachio; Plum; Pomegranate; Prune; Raspberry; Tangelo; Tangerine; Walnut: Black, English.

\*Nonbearing fruit and nut trees and plants are defined as plants that will not bear fruit for at least one year after treatment.

Page 3 of 6 961-407 10-3-09 Notification Marketing

#### WHEN TO APPLY

Apply Preen Garden Weed Preventer Plus Fertilizer anytime in the spring, summer or fall around established plants and transplants. **Preen Garden Weed Preventer Plus Fertilizer should not be used on flower seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Garden Weed Preventer Plus Fertilizer as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. For optimum weed control and plant feeding, reapply this product every 3 months.

#### **HOW TO APPLY**


To avoid plant injury, do not apply Preen Garden Weed Preventer Plus Fertilizer when foliage is wet. When plants are dry, sprinkle this product on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation, it forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

#### APPLYING AROUND ESTABLISHED PLANTS AND TRANSPLANTS

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2-3 inches tall (see special section for use on vegetables): sprinkle Preen Garden Weed Preventer Plus Fertilizer evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture below), being sure to keep granules away from plant roots and foliage. Immediately water this product into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

#### **Surface Application Rate**

Sprinkle Preen Garden Weed Preventer Plus Fertilizer as shown on soil surface.



#### **APPLYING WITH MULCH**

For best weed control, we recommend applying Preen Garden Weed Preventer Plus Fertilizer after spreading mulch on your flower and shrub beds. Sprinkle it on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Immediately water this product into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

#### FOR USE ON VEGETABLES

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen Garden Weed Preventer Plus Fertilizer into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 640 sq. ft. for heavy clay-type soils, at 1 lb. per 960 sq. ft. for medium loam soils, and at 1 lb. per 1280 sq.ft. for light sandy soils.

**BEFORE Seeding:** Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes - May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.


BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

#### Perennial Vegetables:

Asparagus - Apply prior to spear emergence of established plants.

This container is constructed from 85% recycled box board. (For paper box board only)

Page 4 of 6 961-407 10-3-09 Notification Marketing





Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **PREEN GUARANTEE**

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 E Cumberland St., Lebanon, PA 17042.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply when used as directed.

#### Advertising claims that may be presented on the label:

The Flower and Garden Weed Preventer Plus Fertilizer

A Work . Saver Product For The Joy Of Weed-Free Gardens

Prevents Weeds & Fertilizes in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs, Trees & Vegetables

Ready To Use Granules with Built In Applicator (For plastic containers only)

Refillable Canister (For plastic containers only)

This WORK-SAVER product prevents weeds plus fertilizes in one easy application.

Fertilizes to Provide Rich Color and Vigorous Growth

American Rose Society Endorsed

Effective Weed Control - Prevents weeds all season long - eliminates the need for hand weeding.

Beneficial, High Quality Fertilizer - For abundant blooms, increased yields, strong root development and improved plant vigor.

Easy To Apply - Just shake on.

Apply any time throughout the growing season.

Great over mulch.

Stop weeds before they start!

Prevents weeds up to three months

Sprinkle around flowers, vegetables, trees, shrubs

Apply anytime - spring, summer or fall

Covers XX% more than previous container (Percentage will vary by container size)

Good Housekeeping Seal (Logo)

Stop weeds before they start around flowers, vegetables, trees, shrubs

**EASY TO USE APPLICATOR** 

Lift Here to Open

New and Improved!

Improved Longer Lasting Formula!

Season-long weed preventer and fertilizer

One easy application feeds plants for 3 months

One application prevents weeds and fertilizes all season

All purpose fertilizer

Slow release nitrogen

Won't burn your plants

Controls weeds longer

Covers more

XX% More Coverage

Feeds longer than other leading brand

Works all season loong

Page 5 of 6 961-407 10-3-09 Notification Marketing



#### Advertising Claims Continued:



Won't harm your plants More weed control

Fertilizes/Feeds longer

Longer lasting weed control

Longer lasting weed control than the other leading brand

More weed control than the other leading brand

More feeding

More feeding than the other leading brand

More coverage

More coverage than the other leading brand

Prevents weeds 33% longer than previous product

All purpose plant food

Prevents weeds and feeds plants up to 3 months

Prevents weeds and feeds plants for 3 months

Prevents weeds and feeds plants

Prevents weeds for 3 months

Prevents weeds up to 3 months

Prevents weeds and feeds plants all season

Prevents weeds and fertilizes for 3 months

3 Month Weed Preventer

Preen Works, So You Don't Have To

For Vegetable Gardens

Try Preen Organic Vegetable Garden Weed Preventer

Use our products responsibly, learn more at www.preen.com

Preen is a registered trademark of Lebanon Seaboard Corporation

Proof of Purchase

Press to Reseal

See inside booklet for complete directions for use, plant listings, & precautionary statements.

Lift here to open [pictogram of a arrow]

To Open: Cut along dotted line [pictogram place holder scissors]

Applicator scoop included [pictogram placeholder for scoop]

Flowers [pictogram placeholder for flowers]

Shake on Mulch Every 3 Months [pictogram placeholder container wirh product]

This product contains an all-purpose fertilizer consisting of nitrogen, phosphorus, and potassium to keep your plants growing strong. One easy application feeds your plants for 3 months to promote beautiful color, blooms, foliage and strong root growth while helping to resist disease. There's no chance of overfeeding or burning your plants when used as directed.

Try Other Preen Products!

Preen Lawn Stepsaver Weed Control Plus Fertilizer

Preen Weed & Grass Killer

Preen Vegetable Garden Weed Preventer

Preen Mulch Plus

#### Additional Labeling Requirements:

Fertilizer labeling requirement for products distributed in the state of Washington:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

Page 6 of 6 961-407 10-3-09 Notification Marketing



