161-40

11/08/2007



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

November 8, 2007

Mr. Henry E. Rohland EPA Registration Manager LEBANON SEABOARD CORPORATION 1600 East Cumberland Street Lebanon, PA 17042

#### Subject: Label Notification

Dear Mr. Rohland:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated <u>10/10/07</u> for **EPA Registration 961-408**. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Sherada Hobgood of my staff at 703-308-8893.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

| \$epa  | Environmenta  | United States<br>I Protection A<br>ington, DC 20460  | Agency   | <ul> <li>✓</li> </ul>   | Registration<br>Amendme<br>Other         | 1  | OPP Identifie                         | r Number     |
|--|---|--|--|---|--|--|---------------------------------------|--------------|
|  |   | Application 1  | or Pesticide   | Section   | 1  | <u> </u>   | · · · · · · · · · · · · · · · · · · · |              |
| 1. Company/Product Nu  |   |  | 2. EPA Produ   | uct Manager   |  | 3. Prop  | osed Classifi                         | cation       |
|  | 961-408   |  | Joanne Mi  | ller  |  |  | None                                  | Restricted   |
| 4. Company/Product (Na<br>Preen Landscap   | ame)<br>be Mulch  |  | PM#  | 23  |  |  | ()                                    |              |
| . Name and Address of  | f Applicant <i>(Include ZIP Co</i>  | ode)   | 6. Expedit   | ed Reveiw   | . In accordanc                           | e with F   | IFRA Sectio                           | n 3(c)(3)    |
| Lebanon Seabo<br>1600 East Cuml<br>Lebanon, PA 1   | berland Street  |  | to:  | roduct is sir<br>No   | nilar or identica<br>NOTIFI              |  | N .                                   | l labeling   |
| Check if   | f this is a new address   |  | Product N  | lame  | 1101 0                                   | 0 2007   |                                       |              |
|  |   |  | Section - II   |   |  |  |                                       |              |
| Notification - Exp<br>Explanation: Use add<br>Response to PR Notice<br>This notification is consist<br>other changes have bee<br>to willfully make any fals  | response to Agency letter<br>plain below.<br>ditional page(s) if necessar<br>2007-1 and 2 Marketing sta<br>stent with the guidance in P<br>en made to the labeling or th<br>statement to EPA. I further<br>156.10 and 40 CFR 152.46   | ry. (For section I and atements. Deletions R Notice 2007-1 and e confidential staten er understand that if   | Age<br>"Mage<br>"Mage<br>"Mage<br>"Mage<br>"Mage<br>"Mage<br>Other<br>of Section II.)<br>in RED Additions in<br>d the requirements of<br>hent of formula of this<br>this notification is not         | BLUE<br>BLUE<br>BLUE<br>BLUE<br>BLUE<br>BLUE<br>BLUE<br>BLUE  | tions at 40 CFR 1<br>derstand that it is | 56.10 an<br>a violatio<br>f PR Noti  | n of 18 U.S.C<br>ce 2007-1 and        | Sec. 1001    |
| Child-Resistant Packagir<br>Yes<br>No<br><b>Certification mus</b>  | ng Unit Packaging<br>Yes<br>No<br>If "Yes"  | No. per if   |  | ging<br>lo. per   | 2. Туре of Co                            | ntainer<br>Vietal<br>Plastic<br>Glass<br>Paper   |                                       | alties under |
| Yes     No     Certification mus     be submitted 3. Location of Net Conte   | t If "Yes"<br>Unit Packaging<br>Yes<br>No<br>If "Yes"<br>Unit Packaging wgt   | No. per if   | Vater Soluble Packa<br>Yes<br>No<br>"Yes" A<br>ackage wgt c  | ging<br>Io. per<br>ontainer   | 2. Туре of Co                            | ntainer<br>Vietal<br>Plastic<br>Glass<br>Paper<br>Other (Sp                            | ecify)                                | alties under |
| Child-Resistant Packagir<br>Yes<br>No<br><b>* Certification mus</b><br>be submitted<br>3. Location of Net Conte  | t Unit Packaging<br>Yes<br>No<br>If "Yes"<br>Unit Packaging wgt<br>Unit Packaging wgt   | No. per If<br>container P  | Vater Soluble Packa<br>Yes<br>No<br>"Yes" M<br>ackage wgt c<br>Container   | ging<br>Io. per<br>ontainer   | 2. Туре of Co                            | ntainer<br>Vietal<br>Plastic<br>Glass<br>Paper<br>Other (Sp                            | ecify)                                | alties under |
| Child-Resistant Packagir<br>Yes<br>No<br>Certification must<br>be submitted<br>Location of Net Conte   | t Unit Packaging<br>Yes<br>No<br>If "Yes"<br>Unit Packaging wgt<br>Unit Packaging wgt   | No. per<br>container<br>4. Size(s) Retail C<br>Lithograph<br>Paper glue<br>Stenciled   | Vater Soluble Packa<br>Yes<br>No<br>"Yes" M<br>ackage wgt c<br>Container   | ging<br>lo. per<br>ontainer<br>5. L   | 2. Туре of Co                            | ntainer<br>Vietal<br>Plastic<br>Glass<br>Paper<br>Other (Sp                            | ecify)                                | alties under |
| Child-Resistant Packagir<br>Yes<br>No<br>Certification mustor<br>Se submitted<br>Label   | t Unit Packaging<br>Yes<br>No<br>If "Yes"<br>Unit Packaging wgt<br>Unit Packaging wgt   | No. per<br>container<br>4. Size(s) Retail C<br>Lithograph<br>Paper glue<br>Stenciled   | Vater Soluble Packa<br>Yes<br>No<br>"Yes" M<br>ackage wgt c<br>Container<br>d<br>Section - IV  | ging<br>lo. per<br>container<br>5. L  | 2. Type of Co                            | entainer<br>Metal<br>Plastic<br>Slass<br>Paper<br>Dther (Sp<br>Direction               | ecify)s                               | alties under |
| Child-Resistant Packagir<br>Yes<br>No<br>Certification mus<br>be submitted<br>Location of Net Conte<br>Lebel<br>Manner in Which Lebe   | If "Yes"<br>No<br>If "Yes"<br>Unit Packaging wgt<br>ants Information<br>Container<br>el is Affixed to Product   | No. per<br>container<br>4. Size(s) Retail C<br>Lithograph<br>Paper glue<br>Stenciled   | Vater Soluble Packa<br>Yes<br>No<br>"Yes" M<br>ackage wgt co<br>container<br>d<br>Section - IV<br>individual to be cor   | ging<br>No. per<br>container<br>5. L<br>0 ther<br>1 Other   | 2. Type of Co                            | entainer<br>Vietal<br>Plastic<br>Glass<br>Paper<br>Other (Sp<br>Direction<br>Direction | ecify)s                               |              |
| Child-Resistant Packagir<br>Yes<br>No<br>Certification mus<br>be submitted<br>3. Location of Net Conte<br>Lebel<br>1. Contact Point IComp<br>Name<br>Henry E. Rohla<br>I certify that the s<br>I acknowledge tha<br>both under applice | Mg     Unit Packaging     Yes     No     If "Yes"     Unit Packaging wgt.     If "Yes"     If "Yes"     Information     If "Yes"     Information     Information     If "Yes"     Information     If "Yes"     Information     Information     If "Yes"     Information     If "Yes"     Information     Information     If "Yes"     Information     Information     If "Yes"     Information     Informa | No. per<br>container<br>4. Size(s) Retail C<br>Lithograph<br>Paper glue<br>Stenciled<br>for identification of<br>Title<br>Certification<br>this form and all a                             | Vater Soluble Packa<br>Yes<br>No<br>"Yes" Mackage wgt<br>container<br>d<br>Section - IV<br>individual to be cor<br>EPA Registr<br>ttachments thereto<br>ent may be punisha                           | ging<br>lo. per<br>container<br>5. L<br>5. L<br>2.<br>3. Other<br>3. Cher<br>3. Cher<br>3. Cher<br>3. Cher<br>4. Cher<br>4. Cher<br>4. Cher<br>4. Cher<br>4. Cher<br>5. Cher<br>5 | 2. Type of Co                            | ess this a   | ecify)                                | Area Code)   |
| Child-Resistant Packagir<br>Yes<br>No<br>Certification must<br>be submitted<br>3. Location of Net Conte<br>Label<br>1. Contact Point (Comp<br>Name<br>Henry E. Rohla<br>I certify that the s<br>I acknowledge tha                      | Mg     Unit Packaging     Yes     No     If "Yes"     Unit Packaging wgt.     If "Yes"     If "Yes"     Information     If "Yes"     Information     Information     If "Yes"     Information     If "Yes"     Information     Information     If "Yes"     Information     If "Yes"     Information     Information     If "Yes"     Information     Information     If "Yes"     Information     Informa | No. per<br>No. per<br>Container<br>4. Size(s) Retail C<br>Lithograph<br>Paper glue<br>Stenciled<br>Certification of<br>Title<br>Certification<br>this form and all a<br>misleading stateme | Vater Soluble Packa<br>Yes<br>No<br>"Yes" M<br>ackage wgt<br>Container<br>d<br>Section - IV<br>individual to be cor<br>EPA Registr<br>ttachments thereto<br>ent may be punisha<br>tte<br>EPA Registr | ging<br>lo. per<br>container<br>5. L<br>5. L<br>2.<br>3. Other<br>2.<br>3. Cher<br>2.<br>3. Cher<br>2.<br>4.<br>5. L<br>2.<br>5. L<br>2.<br>L<br>2.<br>5. L<br>2.<br>L<br>2.<br>L<br>2.<br>L<br>2.<br>L<br>2.<br>L<br>2.<br>L<br>2.<br>L<br>2   | 2. Type of Co                            | ess this a   | ecify)                                | Area Code)   |

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.



### LEBANON SEABOARD CORPORATION

3

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685 FAX (717) 273-9466

10 October 2007

Document Processing Desk (NOTIF) Office of Pesticide Program (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

#### ATTN: Joanne Miller (Team 23)

Re: Notification Submission in Response to PR Notice 2007-1

Dear Joanne:

Per the reference PR Notice, enclosed is an Application for Pesticide Form 8570-1, a revised label, Red Line deletions /Blue Line additions, showing the changes, and 3 labels with the changes incorporated.

We also included two marketing statements since these are not changes but additions to the label, which I believe may be accomplished by Notification.


We respectfully request you return a stamped copy upon your approval.

Should you have any questions concerning this submission, please call me at 800-532-0090 ext. 237 or e-mail: hrohland@lebsea.com.

Thanks for your help.

Sincerely

Henry E. Rohland EPA Registration Manager



# **PREEN® LANDSCAPE MULCH**

#### FOR OUTDOOR RESIDENTIAL USE ONLY.

#### ACTIVE INGREDIENTS:

| trifluralin        | 0.0032%   |
|--------------------|-----------|
| isoxaben           | 0.0008%   |
| OTHER INGREDIENTS. | 99.9960%  |
| TOTAL              | 100.0000% |

EPA File Symbol 961-408 Trifluralin CAS. No. 1582-09-8 Isoxaben CAS. No. 82558-50-7

EPA Est. (insert mulch mfg. number) Superscript used is first letter of lot number.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

> MANUFACTURED FOR: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.LebanonTurf.com

NET WEIGHT: 35 LBS. (15.88 kg) NET CONTENTS: 2 Cu. Ft. (56.63 l) COVERS: 12 Sq. Ft.



Page 1 of 7 Pages 961-408 NOTIFICATION 10/10/07

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed or inhaled. Avoid prolonged contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals.

Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse.

# **FIRST AID**

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

· Call a poison control center or doctor for treatment advice.

• Call a poison control center or doctor for treatment advice.

IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- . Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.
- IF INHALED: Move person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
  - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

# **ENVIRONMENTAL HAZARDS**

The active ingredient in this product is highly toxic to fish and other aquatic organisms including oysters and shrimp. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal

PESTICIDE STORAGE: Store this product only in its original container in a cool, dry, secured storage area locked place out of the reach of children. In case of spill, carefully sweep up material and use as directed, or dispose of material according to disposal directions below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Use as directed or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## **GENERAL INFORMATION**

This landscaping product contains a premium quality mulch such as Hardwood, Pine and Cypress or combination there of together with two long-lasting preemergence herbicides. One application of Preen Mulch provides 6 months control of broadleaf weeds and annual grasses in flower and ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures.

Preen Mulch provides increased weed control vs. ordinary mulches, when used as directed. This mulch contains only natural forest products and contains no recycled waste wood. These materials are ideal for mulches because they naturally degrade over time, turning into valuable organic matter.

Page 2 of 7 Pages 961-408 NOTIFICATION 10/10/07

### **GENERAL RESTRICTIONS**

#### WEAR GLOVES WHEN HANDLING

Do not apply near fish pools, ponds, streams, or lakes.

Do not use this mulch around food producing fruit or nut trees, vegetables, herbs, or other edible food plants. For use ONLY on ornamental species. Use only on established ornamental plants.

#### Do not apply Preen Mulch on the following plant species or injury may result:

| be not apply i reen material and following plant operies of injury may result. |                           |                     |                       |                          |                  |                    |  |
|--|---------------------------|---------------------|-----------------------|--------------------------|------------------|--------------------|--|
|  | Acanthus, oak leaf        | Bugle               | Coneflower, purple    | Juniper, Prince of Wales | Periwinkle, wine | Sandwort, mountain |  |
|  | Baby's breath, white      | Burning bush, dwarf | Cranesbill, ballerina | Lingwort, Bertram        | Phlox, summer    | Spurge             |  |
|  | festival                  | Cajeput tree        | Foxglove              | Anderson                 | Rhododendron:    | Stonecrop          |  |
|  | Bleeding heart, luxuriant | Candytuft           | Hydrangea             | Mustard                  | Carolina, Roseum | Yucca, green       |  |
|  |                           |                     |                       |                          | elegans          |                    |  |

#### WEEDS CONTROLLED AND/OR SUPPRESSED

#### Annual Grass Weeds: Barley, hare Craborass Johnsongrass (seedling) Ryegrass, annual Stinkgrass Barnyardgrass Cupgrass, Southwestern Junalerice Sandbur, field Swinecress Bluegrass, annual Fescue, rattail Lovegrass Shattercane Witchgrass Foxtail, yellow Oat, wild Bromegrass Signalgrass Cheat Goosegrass Panicum Sprangletop, mexican Broadleaf Weeds: Sowthistle Galinsoga, hairy Aster Clover, white Lanceleaf Nightshade, black Purslane Cudweed, purple Bindweed, field Geranium, Carolina groundcherry Oxtongue, bristly Pusley, Florida Speedwell Bittercress Dandelion Goosefoot. Lettuce, prickly Pennywort Radish, wild Spurge nettleleaf Mallow Pepperweed, Ragweed Sunflower Brassbuttons, Datura Groundsel Marestail Virginia Rocket, London Sweetclover Southern Dock, common Henbit Mayweed Rockpurslane Burclover, California Dogfennel Phyllanthus, Tansymustard Bursage, annual Elipta Horseweed Medic, black long-stalk Shepherdspurse Telegraphplant Thistle Carpetweed Eveningprimrose Jimsonweed Milkweed. Piaweed Sibara Turkey mullein Fiddleneck, coast Knotweed honevvine Pimpernel, scarlet Sida, prickly Carrot, wild Celery, wild Filaree Kochia Morningalory Pineappleweed Smartweed. Velvetleaf Chamberbitter Fireweed Ladysthumb Mustard Plantain Pennsylvania Willoweed, panicle Fleabane Lambsquarter Nettle Pokeweed Sorrell, red Woodsorrei Chickweed

#### WHEN TO APPLY

This mulch contains preemergent herbicides and for best results, remove all weeds in the beds prior to applying Preen Mulch. Apply anytime in the spring and fall after renovating beds. For best results, apply Preen Mulch after flowers and ornamentals have been planted into the soil. Do not apply over flower seeds.

Ornamental Bulbs - Apply 2 to 4 weeks after planting, or before or after flowering. Do not apply to bulbs when flowering.

#### HOW TO APPLY

Bulbs and Perennials — Spread Preen Mulch over the area to a depth of two inches. Do not plant flowers directly into mulch. If additional planting is desired after Preen Mulch has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant.

Annuals — After plants have been set in the soil bed, spread Preen Mulch over the area to a depth of two inches. Make no more than one application per site per year.

The active ingredients in Preen Mulch can cause injury to some annuals. If you have a concern about damage to your annuals, do not use this product.

Page 3 of 7 Pages 961-408 NOTIFICATION 10/10/07

#### PREEN MULCH IS RECOMMENDED FOR USE AROUND THESE ESTABLISHED PLANTS

#### Bulbs, Flowers, Ground Covers & Ornamental Grasses -

Amaryllis Angel's hair Astilbe, Deutschland Aster: China, New England, New York Banana, Red abyssinian Bee balm Begonia: Heartleaf, White ambassador **Bidens**, Peter's Gold **Blackeved Susan Blanket flower Busy Lizzie** Cape weed Carex, Variegated Chrysanthemum Clematis, Blue bell Coral bells Coreopsis, Threadleaf Cranesbill Creeper, Virginia Daffodil Dahlia, Dwarf Wendy Pink Daisy: Angelita, Freeway, Gold coin, Paris, Swan River New Amethyst, Daylily Descampsia **Dianthus**, Crimson treasure cheddar pink **Dusty miller/Silver ragweed** Euryops, Dwarf Fern Fescue, Blue Fuschia, Santa Claus Garlic, Society Gay feather Gazania Geranium: Ivy, Zonal Gladiolus (corms more than 1" in diameter) Grass: Beech, Chrimson fountain, Dwarf mondo, Dwarf umbrella, Eulalia, Fountain, Mondo, Pampas, Ribbon Guara Hakonechloa, Golden Heather: False, Mexican Honeysuckle, Japanese

Horsetail, Dwarf Hosta, Albo-marginata Hyacinth Iceplant: Largeleaf, Trailing, Trailing rosea, White Iris: African, Bulbous, Blue Siberian, Yellow dwarf bearded Ivy: Algerian, English Jasmine: Angelwing, Asaian Licorice plant, White Lily: Fortnight, Francee plantain, Patriot plantain, Peruvian, Kafir Lily turf: Big blue, Green/creeping, Lilac beauty, Majestic, Monroe white, Silvery sunproof, Variegated liriope, White Lilv-of-the-nile Lisianthus, Pink Lobelia Loosestrife, Dotted Marigold, Little hero Mexican hat Narcissus Palace purple Penstemon: Apple Blossom, Hartwig Periwinkle: Bigleaf, Dwarf, Madagascar Petunias, Garden Plumbago, Dwarf Primrose, Siskiyou evening Rosemary Ruella, Dwarf Katie Sage: Graham's, Mexican bush. Russian Snapdragon Snow in summer Spurge, Japanese St. Johnswort Star cluster Statice Stock Stonecrop (Sedum): Autumn joy, Vera jameson Sweet alyssum Teatree, Broom

Tulip Verbena, St. Paul Wallflower Yarrow, common Yucca, Red Zinnia, Dwarf

> Page 4 of 7 Pages 961-408 NOTIFICATION 10/10/07

Shrubs -Abelia: Edward Goucher, Glossy Acacia: Abyssinica, Prostrate, Shoestring Almond, Dwarf pink flowering Aptenia, Red apple Aralia, Japanese Arborvitae: Aureus nanadwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis, Rheingold, Techny, Woodwardii Azalea: Blue danube. Cannon's double, Carror, Coral bells, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Golden flare exbury, Gumbo pink, Helmut vogel, Hersey red, Higasa, Hino crimson, Hino pink, Hot shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, Waucabusa Bamboo: Compacta-dwarf heavenly, Harbour dwarfheavenly, Heavenly bamboo (Nandina), Nanacompacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Cherry bomb, Crimson pygmy, Mentor, Rose glow, William Penn Bluebeard, Dark knight Bottlebrush: Lemon, Weeping Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlet O'Hara, Temple fire, Texas dawn Boxwood: Common, Green velvet, Japanese, Korean, Broom: Holandia-Scotch, Hollandia-warminster. Lena-Scotch Brush cherry, Dwarf

Camellia Cassia, Feathery

Century plant Cinquefoil (Potentilla): Gold Drop, Goldfinger, Red Ace, Spring, Sunset, Tangerine Clevera, Japanese Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock Coyotebush **Cranberry Bush/Dwarf Cranberry Bush** Cypress: Filifera-thread. Kosteri. Nana-dwarf Hinoki, Squarrosa Minima, Torulosa Daphne, Fragrant Deutzia, Nakiana-dwarf Dogwood: Baileyi, Baileyired-osier, Flaviramea, Flaviramea-vellowtwig. Sibirica-Siberian Euonymus: Canadale gold, Chollipo, Emerald'n gold, Gold spot, Silver king, Spreading, Sunspot, Variegated evergreen Euryops, Dwarf Fern: Tassel, Japanese painted Forsythia: Border, Spring glory **Fringe Flower** Gardenia: August beauty, Mystery, Radican Gracilis, Slender Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch **Hibiscus, Ross Estey** Holly: Balkans, Blue boy, Blue girl, Burford, China boy, China girl, Compactacompact inkberry. Compacta-dwarf Japanese, Convexa, Dwarf Burford, Dwarf Chinese, Ebony magic, Gold coast, Green luster, Helleri-Heller's Japanese. Hetzii's Japanese, Nanadwarf yaupon, Needle

Pendula-weeping vaupon. San Jose, Savannah, Stokesii Japanese, Yaupon Honeysuckle: Cape, Trumpet, Winter Hopseed bush Ixora Jessamine, Carolina Juniper: Andorra, Bar Harbor, Blue, Blue chip, Blue rug, Blue star, Broadmoor, Creeping, Dwarf Andorra, Emerald areen. Emerald sea shore. Foemina-Hicks, Hollywood, Huntington, Media-old gold, Nanadwarf blue Japanese garden, Parsonii, Pfitzer, Pfitzerana glauca-blue, Pfitzerana-pfitzer. Plumosa-Andorra, Prostrata, Savin, Sea areen. Shore. Tamariscifolia-Tam, Torulosa-hollywood, Wiltonii-blue carpet Lantana Laurel, Mountain Lavander: English, English spike Leaf: Copper, Salal/lemon Leucothoe: Coast, Drooping Lilac: Common, Chinese, Wild Lily-of-the-Nile, Queen Anne Lily-of-the-Valley: Forest flame. Mountain fire. Snowdrift, Temple bells, Valley rose, Valley valentine Mahonia: Creeping, Dwarf Oregon grape, Leather leaf Mallow, Cape Maple: Amur, Coral bark Japanese, Dwarf Japanese Marguerite, Blue Marlberry, Chirimen Morning glory, Bush

Myrtle: Crape, Wax

Page 5 of 7 Pages 961-408 NOTIFICATION 10/10/07

point, Nordica-inkberry,

Nightshade, Paraguay Oleander: Hardy red, Ruby lace Osmanthus, Fortunes Palm: Areca, Chinese fountain, Christmas, Pigmy fate, Sago Photinia, Fraser's Pine, Mugo-mugho Pink breath of heaven Pittosporum: Green, Wheeler's dwarf Plumbago Privet (Ligustrum): Japanese, California, Glossy, Golden, Howardi, Lodense, Vicary golden, Wax, Wax leaf, Yellow tip Pyracantha: Lolendei Monrovia, Monon, Red elf hybrid, Rutgers hybrid, Santa Cruz, Victory Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, India Hawthorn, Roundleaf, Springtime-Monme Rhododendron: America, Butterfly, Catawba, Catawba album. Chioniodes, Cunninham white, Daphinoides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan Rose, Ramanas Rose of Sharon: Aphrodite, Helene, Red bird, Red heart, Woodbridge Silver berry, Fruitland Skimmia: Japanese, Reeve's Smoke Tree: Royal purple, Coral beauty, Eichholz Spiraea: Astilbe/False, Anthony Waterer, Bridal wreath, Dolchia, False, First snow. Japanese alpine, Shirobana Spurge, Japanese

Sumac, African Summersweet Sweet Pea Shrub Sweetspire, Henry Garnet holly leaf Tea tree, New Zealand Ternstroemia, Japanese Viburnum: Common snowball, David, Doublefile, Koreanspice, Pink dawn, Spring bouquet, Tea Wayfaring tree Weigela: Bristol ruby, Java red, Minuet Wintercreeper, Bigleaf Woadwaxen Woodbine: Flowering, Serotina **Xylosma** Yew: Japanese, Plum Yewpine Yucca

| Trees –                     |                                   |  |  |   |
|-----------------------------|-----------------------------------|--|--|---|
| Ash, Shamel<br>Banana       | Dogwood: Cloud nine,<br>Flowering | <b>Mahogany</b><br>Maple: Albus-flowering, | Bosnian, Bristlecone,<br>Canary Island, Columnar | Colorado blue, Hoopsii-<br>Hoop's blue, Koster-Koster |
| Birch: Paper, River         | Elm, Chinese                      | Flame, Luteus-flowering,                   | Scotch, Eastern white,                           | blue, Norway, Pendula-                                |
| Bottle tree                 | Eucalyptus: Mealy,                | Red, Red Sunset, Roseus-                   | Eldarica, Japanese black,                        | weeping Norway, Repens-                               |
| Carob                       | Redgum, Red ironbark,             | flowering, Silver,                         | Monterey, Pumilio-shrubby                        | spreading Norway,                                     |
| Carrot wood                 | Silver dollar                     | Tangerine-flowering,                       | swiss mountain, Scotch,                          | Sweetgum, American                                    |
| Cherry, Yoshino flowering   | Ficus/Mini-Ficus                  | Vesuvius red-flowering                     | Shore, White                                     | Strawberry, Gilt edge                                 |
| Coolibah tree               | Fir: Balsam, White                | Mesquite, Chilean                          | Podocarpus                                       | Sycamore: American,                                   |
| Cottonwood                  | Florida anise-tree                | Mulberry, White                            | Redbud   | California  |
| Cryptomeria, Japanese       | Ginkgo (Maidenhair tree)          | Oak: Bear, Live, Pin, Red,                 | Redcedar, Eastern                                | Tab, Yellow   |
| Cypress: Arizona, Emerald   | Hawthorn, Green                   | Willow                                     | Sequoia, Giant                                   | Toyon   |
| island leyland, Filicoides- | Hemlock, Eastern                  | Olive: Black, Russian                      | Sourwood   | Tree Fern: Australian,                                |
| fernspray, Gracilis-slender | Locust: Honey,                    | Palm: Cat, Mexican Fan,                    | Spruce: Conica-dwarf                             | Tasmanian   |
| Hinoki, Italian, Squarrosa- | Shademaster honey                 | Parlor, Queen                              | Alberta, Dwarf Alberta,                          | Willow: Babylon weeping,                              |
| moss, Sawara-false          | Magnolia, Southern                | Pine: Austrian Black, Beach,               | Dwarf globe blue, Glauca-                        | Corkscrew   |
| Non-bearing Fruit and Nu    | It Trees and Non-bearing Vi       | n <b>eyards</b> –                          |  |   |
| Almond Bo                   | ysenberry Filbert                 | Lemon                                      | Peach  | Prune   |

| rune           |
|----------------|
| Raspberry      |
| Walnut: black, |
| English        |
| -              |
|                |
| R              |

\*Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants that will not bear fruit for at least one year after treatment

#### WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed of implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Fill is by volume. Some settling may occur during shipment

#### Advertising claims that may be presented on the label

- · Controls grasses and weeds [such as crabgrass, clover, and henbit.
- · Controls crabgrass, goosegrass, foxtail and other weeds from sprouting and growing in mulched areas.
- Provides preemergent control of crabgrass, goosegrass, foxtail and spurge
- Controls listed weeds so your flower beds may not have to be hand-weeded.
- Eliminates hand weeding
- · Can be spread around existing flowers, trees and shrubs
- Controls weeds for up to 6 months
- · 6 month weed control
- Mulch from natural Forest Products! Contains no recycled waste wood.
- Apply in spring and fall
- · Ready to use
- Easy to use
- · Better weed control than other leading brands
- Apply once for the whole season
- · Effective weed control prevents weeds all season long
- Season long weed preventer
- Colored Mulch
- · Practical Solutions for the Serious Turf Professional
- Practical Solutions for the Turf Professional

Page 6 of 7 Pages 961-408 NOTIFICATION 10/10/07

- Colored Enhanced Mulch
- One year of deep, rich, long lasting color guaranteed
- Color won't fade-guaranteed
- Color lasts all year
- Color lasts all year guaranteed
- Color lasts 1 year, guaranteed
- Color lasts 1 year
- Unlike ordinary mulches, color lasts all year
- Unlike ordinary mulches, color won't fade
- Color won't wear out
- Color lasts longer than ordinary mulches
- Color outlasts ordinary mulches
- Extended Weed Preventer, Stops Weeds for 6 Months
- Shredded Natural Hardwood

#### **PREEN® GUARANTEE**

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Preen<sup>e</sup> is a registered trademark of Lebanon Seaboard Corporation.

Page 7 of 7 Pages 961-408 NOTIFICATION 10/10/07

NOV 0 8 2007