



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number: 961-409

Date of Issuance: 1-10-08

NOTICE OF PESTICIDE:

[X] Registration
[ ] Reregistration
(under FIFRA, as amended)

Term of Issuance: conditional

Name of Pesticide Product: Preen® Trifluralin Mulch

Name and Address of Registrant (include ZIP Code):

Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, Pennsylvania 17042

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label change:

- a. Revise the EPA Registration Number to read: "EPA Reg. No. 961-409."
b. Revise the "Precautionary Statements" to read: "Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear: Long-sleeved shirt and long pants, socks, shoes, and gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals."

c. In the "First Aid" section, the label should contain a "Note to Physician".

Signature of Approving Official:

Erik Kraft
Acting Product Manager 23
Herbicide Branch
Registration Division (7505P)

[Handwritten signature of Erik Kraft]

Date:

1-10-08

d. Add the following "Entry Restriction" statement: Do not allow people or pets to enter the treated area until dusts have settled."

e. Add the following "Application Restrictions": "Do not apply this product in a way that will contact any person or pet, directly or through drift. Keep people and pets out of the area during application."

f. Add the following "User Safety Recommendations: "Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing."

3. Submit the results of one year storage stability (830.6317) study. It is recommended that the observations be made at 0, 6, 9 and 12 month periods. It is recommended that a hard copy of the results be submitted along with an electronic copy.

Submit one copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

 1-10-07

3 7 8

# PREEN<sup>®</sup> TRIFLURALIN MULCH

FOR OUTDOOR RESIDENTIAL USE ONLY  
NOT FOR USE ON LAWNS

**ACTIVE INGREDIENT:**

Trifluralin\* ..... 0.0032%

**OTHER INGREDIENTS:** ..... 99.9968%

**TOTAL** ..... 100.00%

EPA Reg. No. 961-XXX

\*CAS No.1582-09-8

EPA Est. No. (insert mulch mfg. number)

Superscript used is first letter of lot number.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at one.

MANUFACTURED FOR:  
LEBANON SEABOARD CORPORATION  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
1-800-233-1067  
www.preen.com

NET WEIGHT: 30 LBS. (13.608 kg)  
NET CONTENTS: 2 Cu.Ft. (56.63 l)  
COVERS 12 Sq.Ft.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

1/10/08

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

961-409

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

## FIRST AID

- IF IN EYES:**
  - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.
- IF SWALLOWED:**
  - Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.
- IF ON SKIN:  
OR CLOTHING:**
  - Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call poison control center or doctor for treatment advice.
- IF INHALED:**
  - Move person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
  - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

## ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## GENERAL INFORMATION

This landscaping product contains a premium quality mulch such as Hardwood, Pine, Cedar and Cypress or combination thereof together with a long-lasting preemergence herbicide. One application of Preen Trifluralin Mulch provides 4 months control of broadleaf weeds and annual grasses and ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures. Preen Trifluralin Mulch provides increased weed control vs. ordinary mulches, when used as directed. This mulch contains only natural forest products and contains no recycled ~~waste wood~~ waste wood. These materials are ideal for mulches because they naturally degrade over time, turning into valuable organic matter.

## GENERAL RESTRICTIONS

### WEAR GLOVES WHEN HANDLING.

- Do not apply near fish pools, ponds, streams, or lakes.
- Do not use mulch around Ajuga, Myrtle, or Pachysandra until it is well established, as injury may result.
- Do not use with plants other than those listed on this label.
- Do not apply over flower or vegetable seeds.
- To prevent possible staining to unintended surfaces, ex: concrete, stone walks, vinyl surfaces, etc., sweep up stray product as soon as possible.

**NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES, FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BEING GROWN IN ORNAMENTAL GARDENS.**

### ANNUAL WEEDS CONTROLLED

**Grassy weeds:** Barley, Hare; Barnyardgrass (Watergrass); Bluegrass, Annual; Brome; Cheat; Crabgrass; Cupgrass; Southwestern, Woolly; Fescue, Rattail; Foxtail; Guineagrass; Goosegrass; Johnsongrass (from seed); Junglerice; Lovegrass; Oat, Wild; Panicum: Fall, Texas; Sandbur; Shattercane; Signalgrass (*Brachiaria*); Sprangletop; Stinkgrass; Wildcane; Witchgrass.

5 8 8

**Broadleaf weeds:** Carelessweed; Carpetweed; Chickweed; Goosefoot; Henbit; Knotweed; Kochia; Lambsquarters; Nettle, Stinging; Pigweed; Puncturevine (Western U.S. only); Purslane; Pusley, Florida; Thistle, Russian.

**PRENTRIFLURALIN MULCH IS RECOMMENDED FOR USE AROUND THESE PLANTS**

**Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses --** Aaronsbeard; Alyssum; Arctotis; Aster (perennial); Aster, Stoke's; Baby's breath; Balsam; Beard tongue; Bee balm; Begonia; Bellflower; Black-eyed susan; Bleeding heart; Bunge; Calendula; Calliopsis; Cape weed; Carex, Variegated; Carnation; Carpet bugle (*Ajuga*); Ceanothus; Centaurea, Velvet; Chrysanthemum; Coneflower, Purple; Coral bells; Coreopsis; Cornflower, Purple; Cosmos; Cotoneaster; Coyote bush, Dwarf; Crown vetch; Daffodil; Dahlia; Daisy: African, Painted, Shasta, Trailing African; Daylily; Descampsia; Dianthus; Dusty miller; Fern, Asparagus; Fescue, Blue; Floss flower (*Ageratum*); Forget-me-not; Four o'clock; Foxglove; Gaillardia; Gayfeather; Gazania; Geranium; Germander; Geum; Gladiolus (corms more than 1" in diameter); Golden glow; Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia; Guara; Hakonechloa, Golden; Hollyhock; Hosta, Albo-marginata; Hyacinth; Ice plant: Largeleaf, Trailing, Trailing rosea, White; Impatiens; Iris, Bulbous; Ivy: Algerian, California, English, Needlepoint; Ixora; Jasmine: Angelwing, Asaian; Lamb's ears; Lavander, English; Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriopie, White; Lily-of-the-nile; Lobelia; Lupine (*Lupinus*); Marigold; Marigold, Cape (*Dimorphotheca*); Morningglory; Myoporum; Narcissus; Nasturtium; Nicotiana; Ozark sundrop; Periwinkle (*Vinca*); Peter Pan, Dwarf; Petunia; Phlox; Pincushion flower (*Scabiosa*); Plumbago, Dwarf; Poppy, California; Portulaca; Rockrose; Rose; Rosemary; *Rudbeckia*; Rupturewort; Sage, Russian; Salvia; Silver mound; Snapdragon; Snow-in-summer; Snow-on-the-mountain; Speedwell; Spurge, Japanese; St. John's wort; Statice; Stock; Stonecrop (*Sedum*); Strawberry, Beach; Sunflower; Sweet alyssum; Sweet pea; Sweet sultan; Sweet william; Thrift; Tickseed; Tulip; Verbena; Wire plant; Wirevine, Creeping; Yarrow (*Achillea*); Zinnia.

**Shrubs --** Abelia: Edward Goucher, Glossy; Acacia: Abyssinica, Prostrate, Shoestring; Andromeda, Japanese; Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny; Azalea; Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly; Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn; Bottlebrush: Lemon, Weeping; *Bougainvillea*: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn; Boxwood: Common, Harlands, Japanese, Korean, Littleleaf; Broom: Hollandia-warminster, Lena-Scotch; Camellia: Japanese, Sasanqua; Cassia, Feathery; Century plant; Cherry: Carolina laurel, Dwarf pink flowering almond; Cinquefoil; Cleysera, Japanese; Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel; Coyotebush; Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa; Daphne, Fragrant; Deutzia; Dogwood: Baileyi red osier, Flaviramea-yellowtwig, Sibirica-Siberian; Elaeagnus; Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper; Fern: Tassel, Japanese painted; Firethorn (*Pyracantha*); Forsythia; Gardenia: August beauty, Mystery, Radican; Guava, Pineapple; Hawthorn, India; Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch; Hibiscus, Ross Estey; Holly; Honeysuckle: Cape, Trumpet; Hopseed bush; Ixora; Jessamine, Carolina; Juniper; Lantana; Laurel: American Snowdrift, Mountain; Leaf: Copper, Salal/lemon; Leucothoe: Coast, Drooping; Lilac: Common, Chinese, Wild; Lily-of-the-Valley: Forest flame, Mountain fire, Cherridrift, Templebells, Valley rose, Valley valentine; Mahonia: Creeping, Leather leaf; Maple: Amur, Coral bark Japanese, Dwarf Japanese; Mock orange; Myrtle: Grape, Wax; Oleander: Hardy red, Ruby lace; Osmanthus, Fortunes; Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago; Photinia, Fraser's; *Pieris Japonica*; Pine, Mugo-mugho; Pittosporum: Green, Japanese, Wheeler's dwarf; Plumbago; Privet; Red Cedar, Eastern; Rhipiolepis: Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme; Rhododendron; Robira; Rose; Rose, Ramanas; Rose of Sharon: Heart, Red bird, Woodbridge; Sakaki; Silverberry; Skimmia: Japanese, Reeve's; Smoke Tree: Royal purple, Coral beauty, Eichholz; Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte; Sumac, African; Summersweet; Sweetspire, Henry Garnet holly leaf; Viburnum; Weigela; Willow; Woadwaxen; Woodbine: Flowering, Serotina; Xylosma; Yew: Anglojap, Plum, Upright Japanese; Yewpine; Yucca.

**Trees --** Ash: Shamel, White; Banana; Birch: European white, Paper, River; Blackgum; Bottle tree; Carob; Carrot wood; Cherry, Yoshino flowering; Coolibah tree; Cottonwood; Crabapple; Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false; Dogwood: Cloud nine, Flowering, Kousa; Elm, Chinese; Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar; Ficus; Mini; Fir: Balsam, Douglas, White; Florida anise tree; Ginko-maidenhair tree; Hawthorn, Green; Hemlock: Canada, Eastern; Larch, Japanese; Linden; Locust: Black, Honey, Shademaster honey; Magnolia; Mahogany; Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering; Mesquite, Chilean; Mulberry, White; Oak: Bear, Live, Pin, Red, Scarlet, Willow; Olive: Black, Russian; Palm: Mexican fan, Parlor, Queen; Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore; Planetree, London; Podocarpus; Redbud, Eastern; Red Cedar, Eastern; Sequoia, Giant; Sourwood; Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White; Sweetgum, American; Sycamore: American, California; Tab, Yellow; Toyon; Tuliptree; Willow.

**Nonbearing Fruit and Nut Trees and Plants--** Almond; Apple; Apricot; Avocado; Blackberry; Blueberry; Cherry: Sweet, Sour; Chestnut, Chinese; Currant; Dewberry; Elderberry; Fig; Filbert; Gooseberry; Grape: American, European; Grapefruit; Kiwi; Lemon; Loganberry; Macadamia nut; Nectarine; Olive; Orange; Peach; Pear; Pecan; Pistachio; Plum; Pomegranate; Prune; Raspberry; Tangelo; Tangerine; Walnut: Black, English.

\*Non-bearing fruit, nut trees and non-bearing plants are defined as plants that will not bear fruit for at least one year after treatment.

### WHEN TO APPLY

Preen Trifluralin Mulch prevents weeds from germinating in flower gardens, and around ground covers, trees and shrubs. Apply Preen Trifluralin Mulch any time during the growing season around established plants and transplants. **Preen Trifluralin Mulch should not be used on flower and vegetable seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Trifluralin Mulch as early as possible, you can eliminate the need for hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

Rain does not wash this product out of the mulch. To keep ornamental beds weed-free all season, reapply Preen Trifluralin Mulch every 4 months or use Preen Garden Weed Preventer or Preen Weed Preventer with Brilliant Blooms Fertilizer.

### HOW TO APPLY

Spread Preen Trifluralin Mulch over the area to a depth of two inches. Do not plant flowers directly into mulch. If additional planting is desired after Preen Trifluralin Mulch has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant.

### STORAGE AND DISPOSAL

**Do not contaminate water, food, or feed by storage and disposal.**

**PESTICIDE STORAGE:** Store this product in its original container in a cool, dry, locked place out of reach of children and animals.

**PESTICIDE DISPOSAL:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Use as directed or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### WARRANTY

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty or merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

### PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

Preen® is a registered trademark of Lebanon Seaboard Corporation

Fill is by volume. Some settling may occur during shipment,

#### Advertising claims that may be presented on the label:

Colored Mulch

Color Enhanced

Color Enhanced Mulch

One year of deep, rich, long lasting color guaranteed

Color won't fade-guaranteed

Color lasts all year

Color lasts all year guaranteed

Color lasts 1 year, guaranteed

Color lasts 1 year

Unlike ordinary mulches, color lasts all year

Unlike ordinary mulches, color won't fade

7 8 8

**Advertising claims that may be presented on the label: (continued)**

Color won't wear out

Color lasts longer than ordinary mulches

Color outlasts ordinary mulches

Russet Red

Midnight Black

Cocoa Brown

One year color guarantee

Color guarantee lasts one year

Color guaranteed to last one year

Longer lasting color

The Flower and Garden Weed Preventer

This WORK-SAVER product prevents weeds in one easy application

Effective Weed Control - Prevents weeds all season long - Eliminates the need for hand weeding

Prevents weeds up to 4 months

Stops weeds before they start around flowers, trees, shrubs

Controls grasses and weeds such as crabgrass, chickweed and henbit

Stop weeds before they start!

Controls crabgrass, goosegrass, foxtail and other weeds from sprouting and growing in mulched areas

Provides pre-emergent control of crabgrass, goosegrass, foxtail and spurge

Controls listed weeds so your flower beds may not have to be hand-weeded

Eliminates hand weeding

Can be spread around existing flowers, trees and shrubs

Controls weeds for up to 4 months

4 month weed control

Better weed control than other leading brands

Apply once for the whole season

Effective weed control - prevents weeds all season long

Season long weed preventer

Extended Weed Preventer, Stops Weeds for 4 Months

Stops weeds for 4 months

Prevents weeds for 4 months

Premium mulch with weed preventer

Landscape mulch with weed preventer

Garden mulch with weed preventer

Stops both grassy and broadleaf weeds

~~Landscape mulch with weed preventer~~

~~Garden mulch with weed preventer~~

~~Stops both grassy and broadleaf weeds~~

Controls grassy weeds

Controls broadleaf weeds

Controls grassy and broad leaf weeds

Mulch from Natural Forest Products! Contains no recycled waste wood.

Apply in spring and fall

Shredded Natural Hardwood

**Advertising claims that may be presented on the label: (continued)**

Made with premium natural forest products  
 Contains no recycled wastewood waste wood  
 Premium hardwood, pine, cedar, cypress mulch  
 Premium hardwood, pine, cedar, cypress mulch plus 4 month weed preventer  
 Natural pine bark (nuggets)  
 Natural pine bark mulch  
 Natural pine bark mini nuggets  
 Natural cedar mulch  
 Natural cypress mulch  
 Preen works so you don't have to  
 A Work • Saver Product For The Joy Of Weed-Free Gardens  
 Prevents Weeds in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs, & Trees  
 Easy To Apply  
 Apply any time throughout the growing season.  
 Spread around flowers, vegetables, trees, shrubs  
 Apply anytime - spring, summer or fall  
 EASY TO USE  
 Good Housekeeping Seal of Approval (Logo)  
~~Apply in spring and fall~~  
 Ready to use  
 Easy to use  
 For a beautiful, weed-free landscape all season long  
 Mulch & Soil Council (logo)  
<http://mulch.preen.com>  
 Preen - The experts in weed control  
 Beautifies and Protects  
 Ordinary Mulch after X months - insert illustration  
 Preen Trifluralin Mulch after X months - insert illustration  
 Preen® - America's #1 Garden Weed Preventer  
 Proof of Purchase with barcode  
 Prevents weeds for 4 months  
 Telephone graphic with phone number and website address  
 Color Enhanced Natural Mulch  
 Natural Mulch

**Try these other Preen products:**

Preen Garden Weed Preventer	Preen Lawn Fall Weed Control Plus Fertilizer
Preen Weed Preventer with Brilliant Blooms Fertilizer	Preen Lawn Broadleaf Weed Control
Preen Organic Vegetable Garden Weed Preventer	Preen Lawn Weed Killer
Preen Lawn STEPSAVER Weed Control Plus Fertilizer	Preen Lawn Crabgrass Preventer
Preen Weed and Grass Killer	Preen Brush Weed Killers