61-409

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

03 13 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SIC

MAR 13 2008

Mr. Richard J. Newmaster, Jr. State Financial Manager Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042

Re: Notification to Final Printed Labels in Response to Agency Letter dated January 1, 2008 EPA Reg. No.: 961-409 Date of Submission: January 22, 2008

Dear Mr. Newmaster:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 22, 2008, for the product, Preen Trifluralin Mulch. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

## Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

United States Environmental Protectio Washington, DC 20						Registratio				
		Application	for Pesticid	e - Sect	ion	l			•	
. Company/Product Number	r 961-409			roduct Man	ager			3. Pro	posed Cla	sification
4. Company/Product (Name) Preen Trifluralin Mulch			Joanne PM#	23					None	Restricted
5. Name and Address of App Lebanon Seaboard ( 1600 East Cumberla Lebanon, PA 1704	Corporation and Street	də)	(b)(i), my to: EPA R(		s simi	ilar or i	dentical	in cor	nposition	ction 3(c)(3) and labeling
			Section - II				*************			
Amendment - Explain Resubmission in response Notification - Explain I Explanation: Use addition	onse to Agency letter below.			Final printed Agency lett "Me Too" A Other - Exp	er date Applica	ad ition.	sonse to 		10/08 ) TIPIC/ IAR 1 3	
1. Material This Product Will	Be Packaged In:		Section - III							
Child-Resistant Packaging	Unit Packaging Yes		Water Soluble Pa	ckaging		2. Typ		etal		
	·	No. per conteiner		ckaging No. par container	 	2. Typ	M Pl Gl Pa	etal astic ass aper	pecify)	
Yes No Certification must be submitted 3. Location of Net Contents I	Yes No If "Yes" Unit Packaging wgt.	conteiner 4. Size(s) Retai	Yes No If "Yes" Package wgt I Container	No. per			M Pl Gl Pa	etal astic ass aper ther (S		
Yes No Certification must be submitted 3. Location of Net Contents I	Yes No If "Yes" Unit Packaging wgt. Information container	container	Yes No If "Yes" Package wgt I Container	No. per	5. Loc		M Pl Gi Pa	etal astic ass aper ther (S		
Yes No Certification must be submitted 3. Location of Net Contents I Label Co 5. Manner in Which Label is d	Yes No If "Yes" Unit Packaging wgt. Information ontainer Affixed to Product	container 4. Size(s) Retai Lithogra Paper gi Stencile	Yes No If "Yes" Package wgt I Container I Container	No. per container	5. Loc	ation o	f Label D	etal astic lass aper ther (S lirection	ns	
Yes No Certification must be submitted 3. Location of Net Contents I Label Co 5. Manner in Which Label is d 1. Contact Point (Complete d	Yes No If "Yes" Unit Packaging wgt. Information ontainer Affixed to Product	container 4. Size(s) Retai Lithogra Paper gl Stencile or identification	Yes No If "Yes" Package wgt I Container I Container Section - IV of individual to be	No. per container	5. Loc	ation o	f Label D	etal astic ass aper ther (S irection	ns	t <u></u>
Yes No Certification must be submitted 3. Location of Net Contents I Label Co 5. Manner in Which Label is d	Yes No If "Yes" Unit Packaging wgt. Information ontainer Affixed to Product	container 4. Size(s) Retai Lithogra Paper gl Stencile or identification	Yes No If "Yes" Package wgt I Container I Container Section - IV of individual to be ittle	No. per container	5. Loc	ation o	f Label D	etal astic ass aper ther (S irection	ns app <i>Sicatio.</i> ,	./ de Area Code)
Yes No Certification must be submitted B. Location of Net Contents I Label Co B. Manner in Which Label is d 1. Contact Point (Complete d Name	Yes No If "Yes" Unit Packaging wgt. Information container Affixed to Product items directly below for ments I have made on y knowlingliy false or	container 4. Size(s) Retai Lithogra Paper gl Stencile or identification T Certificati this form and al	Yes No If "Yes" Package wgt I Container I Container Section - IV of individual to be itle State Reg On Il attachments the	No. per container	5. Loc if nece	er ration o	f Label D	etal astic ass aper ther (S) irection ss this offone 17-270	ns app.icatio. No. (Inclu 3566 6. Late A Receive	de Area Code) oplication de amped)
Yes No Certification must be submitted 3. Location of Net Contents I Label Co 5. Manner in Which Label is d 1. Contact Point (Complete d Name Sylvia Whitman	Yes No If "Yes" Unit Packaging wgt. Information container Affixed to Product items directly below for ments I have made on y knowlingliy false or	container 4. Size(s) Retai Lithogra Paper gi Stencile or identification T Certificati this form and al misleading state	Yes No If "Yes" Package wgt I Container I Container Section - IV of individual to be ittle State Reg on It attachments their ment may be puni	No. per container	5. Loc if nece	er ration o	f Label D	etal astic ass aper ther (S irection ss this aptione 17-270-	ns spp:ication No. (Inclu 3566 6. Late A Recolve	de Area Code)

EPA	Form	8570-1	(Rev.	3-94)	Previous	editions	are	obsolete.	

# PREEN® TRIFLURALIN MULCH

NOTIFICATION

38

MAR 1 3 2008

## FOR OUTDOOR RESIDENTIAL USE ONLY NOT FOR USE ON LAWNS

ACTIVE INGREDIENT:	
Trifluralin*	0.0032%
OTHER INGREDIENTS:	<u>99.9968%</u>
TOTAL	100.00%

EPA Reg. No. 961-409 \*CAS No. 1582-09-8

e 1,

EPA Est. (insert mulch mfg. number) Superscript used is first letter of lot number.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at one.

> MANUFACTURED FOR: LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 1-800-233-1067 www.preen.com

NET WEIGHT: 30 LBS. (13.608 kg) NET CONTENTS: 2 Cu.Ft. (56.63 l) COVERS 12 Sq.Ft.

Page 1 of 6 Pages Lebanon Seaboard Corporation 961-409 FINAL PRINTED LABEL 01/21/08

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear: Long-sleeved shirt and long pants, socks, shoes and gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**USER SAFETY RECOMMENDATIONS:** Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### **FIRST AID** IF IN EYES: . Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice. · Have person sip a glass of water if able to swallow. . Do not induce vomiting unless told to do so by a poison control center or doctor. . Do not give anything by mouth to an unconscious person. Take off contaminated clothing IF ON SKIN: **OR CLOTHING:** • Rinse skin immediately with plenty of water for 15-20 minutes. · Call poison control center or doctor for treatment advice. · Move person to fresh air. IF INHALED: If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

## **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when dispos-

ing of equipment washwaters. Do not apply directly to water.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **GENERAL INFORMATION**

This landscaping product contains a premium quality mulch such as Hardwood, Pine, Cedar and Cypress or combination thereof together with a long-lasting preemergence herbicide. One application of Preen Trifluralin Mulch provides 4 months control of broadleaf weeds and annual grasses and ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures.

Preen Trifluralin Mulch provides increased weed control vs. ordinary mulches, when used as directed. This mulch contains only natural forest products and contains no recycled waste wood. These materials are ideal for mulches because they naturally degrade over time, turning into valuable organic matter.

#### **GENERAL RESTRICTIONS**

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, directly or through drift. Keep people and pets out of the area application.

ENTRY RESTRICTIONS: Do not allow people or pets to enter the treated area until dusts have settled.

#### WEAR GLOVES WHEN HANDLING.

Do not apply near fish pools, ponds, streams, or lakes.

Do not use mulch around Ajuga, Myrtle, or Pachysandra until it is well established, as injury may result.

Do not use with plants other than those listed on this label.

Do not apply over flower or vegetable seeds.

To prevent possible staining to unintended surfaces, ex: concrete, stone walks, vinyl surfaces, etc., sweep up stray product as soon as possible.

## NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES, FOR USE USE ON PLANTS INTENDED FOR AESTHECTIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BEING GROWN IN ORNAMENTAL GARDENS.

Page 2 of 6 Pages Lebanon Seaboard Corporation 961-409 FINAL PRINTED LABEL 01/21/08 8

#### ANNUAL WEEDS CONTROLLED

**Grassy weeds**: Barley, Hare; Barnyardgrass (Watergrass); Bluegrass, Annual; Brome; Cheat; Crabgrass; Cupgrass: Southwestern, Woolly; Fescue, Rattail; Foxtail; Guineagrass; Goosegrass; Johnsongrass (from seed); Junglerice; Lovegrass; Oat, Wild; Panicum: Fall, Texas; Sandbur; Shattercane; Signalgrass (*Brachiaria*); Sprangletop; Stinkgrass; Wildcane; Witchgrass.

Broadleaf weeds: Carelessweed; Carpetweed; Chickweed; Goosefoot; Henbit; Knotweed; Kochia; Lambsquarters; Nettle, Stinging; Pigweed; Puncturevine (Western U.S. only); Purslane; Pusley, Florida; Thistle, Russian.

#### PREEN TRIFLURALIN MULCH IS RECOMMENDED FOR USE AROUND THESE PLANTS

**Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses** -- Aaronsbeard; Alyssum; Arctotis; Aster (perennial); Aster, Stoke's; Baby's breath; Balsam; Beard tongue; Bee balm; Begonia; Bellflower; Black-eyed susan; Bleeding heart; Bunge; Calendula; Calliopsis; Cape weed; Carex, Variegated; Carnation; Carpet bugle (*Ajuga*); Ceanothus; Centaurea, Velvet; Chrysanthemum; Coneflower, Purple; Coral bells; Coreopsis; Cornflower, Purple; Cosmos; Cotoneaster; Coyote bush, Dwarf; Crown vetch; Daffodil; Dahlia; Daisy: African, Painted, Shasta, Trailing African; Daylily; Descampsia; Dianthus; Dusty miller; Fern, Asparagus; Fescue, Blue; Floss flower (*Ageratum*); Forget-me-not; Four o'clock; Foxglove; Gaillardia; Gayfeather; Gazania; Geranium; Germander; Geum; Gladiolus (corms more than 1" in diameter); Golden glow; Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia; Guara; Hakonechloa, Golden; Hollyhock; Hosta, Albo-marginata; Hyacinth; Ice plant: Largeleaf, Trailing, Trailing rosea, White; Impatiens; Iris, Bulbous; Ivy: Algerian, California, English, Needlepoint; Ixora; Jasmine: Angelwing, Asaian; Lamb's ears; Lavander, English; Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriope, White; Lily-of-the-nile; Lobelia; Lupine (*Lupinus*); Marigold; Marigold, Cape (*Dimorphotheca*); Morningglory; Myoporum; Narcissus; Nasturtium; Nicotiana; Ozark sundrop; Periwinkle (*Vinca*); Peter Pan, Dwarf; Petunia; Phlox; Pincushion flower (*Scabiosa*); Plumbago, Dwarf; Poppy, California; Portulaca; Rockrose; Rose; Rosemary; *Rudbeckia*; Rupturewort; Sage, Russian; Salvia; Silver mound; Snapdragon; Snow-insummer; Snow-on-the-mountain; Speedwell; Spurge, Japanese; St. John's wort; Statice; Stock; Stonecrop (*Sedum*); Strawberry, Beach; Sunflower; Sweet alyssum; Sweet pea; Sweet sultan; Sweet william; Thrift; Tickseed; Tulip; Verbena; Wire plant; Wirevine, Creeping; Yarrow (*Achillea*); Zinnia.

Shrubs -- Abelia: Edward Goucher, Glossy; Acacia: Abyssinica, Prostrate, Shoestring; Andromeda, Japanese; Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny: Azalea: Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly; Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn; Bottlebrush: Lemon, Weeping; Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn; Boxwood: Common, Harlands, Japanese, Korean, Littleleaf; Broom: Hollandia-warminster, Lena-Scotch; Camellia: Japanese, Sasangua; Cassia, Feathery; Century plant; Cherry; Carolina laurel, Dwarf pink flowering almond; Cinguefoil; Clevera, Japanese: Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel; Coyotebush; Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa; Daphne, Fragrant; Deutzia; Dogwood: Baileyi red osier, Flaviramea-yellowtwig, Sibirica-Siberian; Elaeagnus; Euonymus; Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper; Fern: Tassel, Japanese painted; Firethorn (Pvracantha); Forsythia: Gardenia: August beauty, Mystery, Radican; Guava, Pineapple; Hawthorn, India; Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch: Hibiscus, Ross Estey; Holly; Honeysuckle: Cape, Trumpet; Hopseed bush; Ixora; Jessamine, Carolina; Juniper; Lantana; Laurel: American Cherry. Mountain; Leaf: Copper, Salal/lemon; Leucothoe: Coast, Drooping; Lilac: Common, Chinese, Wild; Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Templebells, Valley rose, Valley valentine; Mahonia: Creeping, Leather leaf; Maple: Amur, Coral bark Japanese, Dwarf Japanese; Mock orange; Myrtle; Crape, Wax: Oleander: Hardy red. Ruby lace: Osmanthus. Fortunes: Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago; Photinia, Fraser's: Pieris Japonica; Pine, Mugo-mugho; Pittosporum: Green, Japanese, Wheeler's dwarf; Plumbago; Privet; Red Cedar, Eastern; Rhaphiolepis: Charisma-Monruce. Enchantress-Moness, Roundleaf, Springtime-Monme; Rhododendron; Robira; Rose; Rose, Ramanas; Rose of Sharon: Heart, Red bird, Woodbridge; Sakaki; Silverberry; Skimmia; Japanese, Reeve's; Smoke Tree: Royal purple, Coral beauty, Eichholz; Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte; Sumac, African; Summersweet; Sweetspire, Henry Garnet holly leaf; Viburnum; Weigela; Willow; Woadwaxen; Woodbine: Flowering, Serotina; Xylosma; Yew: Anglojap, Plum, Upright Japanese; Yewpine; Yucca.

**Trees** -- Ash: Shamel, White; Banana; Birch: European white, Paper, River; Blackgum; Bottle tree; Carob; Carrot wood; Cherry, Yoshino flowering; Coolibah tree; Cottonwood; Crabapple; Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false; Dogwood: Cloud nine, Flowering, Kousa; Elm, Chinese; Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar; Ficus, Mini; Fir: Balsam, Douglas, White; Florida anise tree; Ginko-maidenhair tree; Hawthorn, Green; Hemlock: Canada, Eastern; Larch, Japanese; Linden; Locust: Black, Honey, Shademaster honey; Magnolia; Mahogany; Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering; Mesquite, Chilean; Mulberry, White; Oak: Bear, Live, Pin, Red, Scarlet, Willow; Olive: Black, Russian; Palm: Mexican fan, Parlor, Queen; Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore; Planetree, London; Podocarpus; Redbud, Eastern; Red Cedar, Eastern; Sequoia, Giant; Sourwood; Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White; Sweetgum, American; Sycamore: American, California; Tab, Yellow; Toyon; Tuliptree; Willow.

Nonbearing Fruit and Nut Trees and Plants-- Almond; Apple; Apricot; Avocado; Blackberry; Blueberry; Cherry: Sweet, Sour; Chestnut, Chinese; Currant; Dewberry; Elderberry; Fig; Filbert; Gooseberry; Grape: American, European; Grapefruit; Kiwi; Lemon; Loganberry; Macadamia nut; Nectarine; Olive; Orange; Peach; Peac; Pecan; Pistachio; Plum; Pomegranate; Prune; Raspberry; Tangelo; Tangerine; Walnut: Black, English.

\*Non-bearing fruit, nut trees and non-bearing plants are defined as plants that will not bear fruit for at least one year after treatment.

Page 3 of 6 Pages Lebanon Seaboard Corporation 961-409 FINAL PRINTED LABEL 01/21/08

#### WHEN TO APPLY

Preen Trifluralin Mulch prevents weeds from germinating in flower gardens, and around ground covers, trees and shrubs. Apply Preen Trifluralin Mulch anytime during the growing season around established plants and transplants. **Preen Trifluralin Mulch should not be used on flower and vegetable seeds**. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Trifluralin Mulch as early as possible, you can eliminate the need for hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

Rain does not wash this product out of the mulch. To keep ornamental beds weed-free all season, reapply Preen Trifluralin Mulch every 4 months or use Preen Garden Weed Preventer or Preen Weed Preventer with Brilliant Blooms Fertilizer.

#### HOW TO APPLY

Spread Preen Trifluralin Mulch over the area to a depth of two inches. Do not plant flowers directly into mulch. If additional planting is desired after Preen Trifluralin Mulch has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of reach of children and animals. CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty or merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

#### PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

Preen® is a registered trademark of Lebanon Seaboard Corporation

Fill is by volume. Some settling may occur during shipment,

#### Advertising claims that may be presented on the label:

Colored Mulch Color Enhanced Color Enhanced Mulch One year of deep, rich, long lasting color guaranteed Color won't fade-guaranteed Color lasts all year Color lasts all year Color lasts all year guaranteed Color lasts 1 year, guaranteed Color lasts 1 year Unlike ordinary mulches, color lasts all year Unlike ordinary mulches, color won't fade

> Page 4 of 6 Pages Lebanon Seaboard Corporation 961-409 FINAL PRINTED LABEL 01/21/08

Advertising claims that may be presented on the label: (continued)

Color won't wear out Color lasts longer than ordinary mulches Color outlasts ordinary mulches **Russet Red** Midnight Black Cocoa Brown One year color guarantee Color guarantee lasts one year Color guaranteed to last one year Longer lasting color The Flower and Garden Weed Preventer This WORK-SAVER product prevents weeds in one easy application Effective Weed Control - Prevents weeds all season long - Eliminates the need for hand weeding Prevents weeds up to 4 months Stops weeds before they start around flowers, trees, shrubs Controls grasses and weeds such as crabgrass, chickweed and henbit Stop weeds before they start! Controls crabgrass, goosegrass, foxtail and other weeds from sprouting and growing in mulched areas Provides pre-emergent control of crabgrass, goosegrass, foxtail and spurge Controls listed weeds so your flower beds may not have to be hand-weeded Eliminates hand weeding Can be spread around existing flowers, tress and shrubs Controls weeds for up to 4 months 4 month weed control Better weed control than other leading brands Apply once for the whole season Effective weed control - prevents weeds all season long Season long weed preventer Extended Weed Preventer, Stops Weeds for 4 Months Stops weeds for 4 months Prevents weeds for 4 months Premium mulch with weed preventer Landscape mulch with weed preventer Garden mulch with weed preventer Stops both grassy and broadleaf weeds Controls grassy weeds Controls broadleaf weeds Controls grassy and broad leaf weeds Mulch from Natural Forest Products! Contains no recycled waste wood. Apply in spring and fall Shredded Natural Hardwood

> Page 5 of 6 Pages Lebanon Seaboard Corporation 961409 FINAL PRITNED LABEL 01/21/08

#### Advertising claims that may be presented on the label: (continued)

Made with premium natural forest products

Contains no recycled waste wood

Premium hardwood, pine, cedar, cypress mulch

Premium hardwood, pine, cedar, cypress mulch plus 4 month weed preventer

Natural pine bark (nuggets)

Natural pine bark mulch

Natural pine bark mini nuggets

Natural cedar mulch

Natural cypress mulch

Preen works so you don't have to

A Work • Saver Product For The Joy Of Weed-Free Gardens

Prevents Weeds in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs, & Trees

Easy To Apply

Apply any time throughout the growing season.

Spread around flowers, vegetables, trees, shrubs

Apply anytime - spring, summer or fall

EASY TO USE

Good Housekeeping Seal of Approval (Logo)

Ready to use

Easy to use

For a beautiful, weed-free landscape all season long

Mulch & Soil Council (logo)

http://mulch.preen.com

Preen - The experts in weed control

**Beautifies and Protects** 

Ordinary Mulch after X months - insert illustration

Preen Trifluralin Mulch after X months - insert illustration

Preen® - America's #1 Garden Weed Preventer

Proof of Purchase with barcode

Prevents weeds for 4 months

Telephone graphic with phone number and website address

Color Enhanced Natural Mulch

Natural Mulch

#### Try these other Preen products:

Preen Garden Weed Preventer Preen Weed Preventer with Brilliant Blooms Fertilizer Preen Organic Vegetable Garden Weed Preventer Preen Lawn STEPSAVER Weed Control Plus Fertilizer Preen Weed and Grass Killer Preen Lawn Fall Weed Control Plus Fertilizer Preen Lawn Broadleaf Weed Control Preen Lawn Weed Killer Preen Lawn Crabgrass Preventer Preen Brush Weed Killers

Page 6 of 6 Pages Lebanon Seaboard Corporation 961-409 FINAL PRINTED LABEL 01/21/08