

961-409

04/18/2008

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

APR 18 2008

Ms. Sylvia Whitman
State Financial Manager
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Re: Notification to Additional Brand Name – Preen Mulch Plus
EPA Reg. No.: 961-409
Date of Submission: February 20, 2008

Dear Mr. Whitman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 20, 2008, for the product, Preen Trifluralin Mulch. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

210



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 961-409	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Preen Trifluralin Mulch	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input checked="" type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Additional Brand Name - Preen Mulch Plus

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sylvia Whitman	Title State Registration Manager	Telephone No. (Include Area Code) 717-270-3566
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title State Registration Manager	
4. Typed Name Sylvia Whitman	5. Date 20 Feb 08	




Preen


MULCH PLUS
4 MONTH WEED PREVENTER

RUSSET RED
Color Lasts ALL Year Guaranteed!

Preen



MULCH PLUS[®]



**PREVENTS WEEDS
FOR 4 MONTHS**

¿HABLA ESPAÑOL?

Vea en el reverso
las medidas de
precaución adicionales



ACTIVE INGREDIENT:
TriAllinyl... 0.0032%
OTHER INGREDIENTS... 99.9968%
TOTAL... 100.0000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for First Aid and additional Precautionary Statements.

COVERS 12 SQ. FT.

COLOR ENHANCED
**RUSSET RED
NATURAL MULCH**

COMPUESTO ORGANICO NATURAL

Color Lasts ALL Year Guaranteed!



NET CONTENTS
2 CU. FT. (56.63L)

RUSSET RED

RUSSET RED
Color Lasts ALL Year Guaranteed!


MULCH PLUS
4 MONTH WEED PREVENTER

Preen



Preen **MULCH PLUS**
4 MONTH WEED PREVENTER

Color Lasts ALL Year Guaranteed!



COLOR ENHANCED

RUSSET RED NATURAL MULCH

COMPUESTO ORGANICO NATURAL

Color Lasts ALL Year Guaranteed!

NET CONTENTS
2 CU. FT. (56.63L)



ACTIVE INGREDIENT:

Trifluralin	0.0032%
OTHER INGREDIENTS	99.9968%
TOTAL	100.0000%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for First Aid and additional Precautionary Statements.

COVERS 12 SQ. FT.



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear: Long-sleeved shirt and long pants, socks, shoes and gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

GENERAL INFORMATION

This landscaping product contains a premium quality mulch such as Hardwood, Pine, Cedar and Cypress or combination thereof together with a long-lasting preemergence herbicide. One application of Preen Mulch Plus provides 4 months control of broadleaf weeds and annual grasses in ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures. Preen Mulch Plus provides increased weed control vs. ordinary mulches, when used as directed. This mulch contains only natural forest products and contains no recycled waste wood. These materials are ideal for mulches because they naturally degrade over time, turning into valuable organic matter.

GENERAL RESTRICTIONS

FOR OUTDOOR RESIDENTIAL USE ONLY

NOT FOR USE ON LAWNS

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, directly or through drift. Keep people and pets out of the area during application.

ENTRY RESTRICTIONS: Do not allow people or pets to enter the treated area until dusts have settled.

WEAR GLOVES WHEN HANDLING.

Do not apply near fish pools, ponds, streams, or lakes.

Do not use mulch around Ajuga, Myrtle, or Pachysandra until it is well established, as injury may result.

Do not use with plants other than those listed on this label.

Do not apply over flower or vegetable seeds.

To prevent possible staining to unintended surfaces, ex: concrete, stone walks, vinyl surfaces, etc., sweep up stray product as soon as possible.

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES. FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BEING GROWN IN ORNAMENTAL GARDENS.

Annual Weeds Controlled

Grassy Weeds:

Barley, hare	Cheat	Foxtail	Junglerice	Sandbur	Stinkgrass
Barnyardgrass (Watergrass)	Crabgrass	Guineagrass	Lovegrass	Shattercane	Wildcane
Bluegrass, annual	Cupgrass: Southwestern, Woolly	Goosegrass	Oat, wild	Signalgrass (<i>Brachiaria</i>)	Witchgrass
Brome	Fescue, rattail	Johnsongrass (from seed)	Panicum: Fall, Texas	Sprangletop	

Broadleaf Weeds:

Carelessweed	Goosefoot	Kochia	Pigweed	Pusley, Florida
Carpetweed	Henbit	Lambsquarters	Puncturevine (Western U.S. only)	Thistle, Russian
Chickweed	Knotweed	Nettle, Stinging	Purslane	

PREEN MULCH PLUS IS RECOMMENDED FOR USE AROUND THESE PLANTS

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses -

Aconite	Centaurea, Velvet	Forget-me-not	rosea, White	Nicotiana	Speedwell
Alyssum	Chrysanthemum	Four o'clock	Impatiens	Ozark sundrop	Spurge, Japanese
Arctotis	Coneflower, Purple	Foxglove	Iris, Bulbous	Periwinkle (<i>Vinca</i>)	St. John's wort
Aster (perennial)	Coral bells	Gaillardia	Ivy: Algerian, California, English,	Peter Pan, Dwarf	Statice
Aster, Stoke's	Coreopsis	Gayfeather	Needlepoint	Petunia	Stock
Baby's breath	Cornflower, Purple	Gazania	Ixora	Phlox	Stonecrop (<i>Sedum</i>)
Balsam	Cosmos	Geranium	Jasmine: Angelwing, Asaian	Pincushion flower (<i>Scabiosa</i>)	Strawberry, Beach
Beard tongue	Cotoneaster	Germander	Lamb's ears	Plumbago, Dwarf	Sunflower
Bee balm	Coyote bush, Dwarf	Geum	Lavender, English	Poppy, California	Sweet alyssum
Begonia	Crown vetch	Gladiolus (corms more than 1" in diameter)	Lily turf: Big blue, Green/creeping,	Portulaca	Sweet pea
Bellflower	Daffodil	Golden glow	Lilac beauty, Magestic, Silvery	Rockrose	Sweet sultan
Black-eyed susan	Dahlia	Grass: Beech, Dwarf Mondo, Eulalia,	sunproof, Variegated liriopie, White	Rose	St. Nicholas
Bleeding heart	Daisy: African, Painted, Shasta,	Fountain, Mascarene, Mondo,	Lily-of-the-nile	Rosemary	Thrift
Bunge	Trailing African	Pampas, Ribbon, Zoysia	Lobelia	Rudbeckia	Tickseed
Calendula	Daylily	Guara	Lupine (<i>Lupinus</i>)	Rupturewort	Tulip
Calliopsis	Descampsia	Hakonechloa, Golden	Marigold	Sage, Russian	V. Rubra
Cape weed	Dianthus	Hollyhock	Marigold, Cape (<i>Dimorphotheca</i>)	Salvia	Wire plant
Carex, Variegated	Dusty miller	Hosta, Albo-marginata	Momingglory	Silver mound	Yarrow, Creeping
Carnation	Fern, Asparagus	Hyacinth	Myoporum	Snapdragon	Yarrow (<i>Achillea</i>)
Carpet bugle (<i>Ajuga</i>)	Fescue, Blue	Ice plant: Largeleaf, Trailing, Trailing	Narcissus	Snow-in-summer	Zinnia
Ceanothus	Floss flower (<i>Ageratum</i>)		Nasturtium	Snow-on-the-mountain	

Shrubs -

Shrubs -

Abella: Edward Goucher, Glossy Acacia: Abyssinica, Prostrate, Shoestring Andromeda, Japanese Arbovitae: American, Aurea nana-dwarf golden, Emerald, Globe-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Tectony Azalea Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana purpurea-heavenly, Woods dwarf heavenly Barberry: Atropurpurea-redleaf Japanese, Aurea-golden, Japanese, Crimson pigmy, Japanese, Mento, Rose glow, William Penn Botlebrush: Lemon, Weeping	Bougainvillea: Barbara Karst, California gold, Pink pink, Scarlet O'Hara, Temple fire, Texas dawn Boxwood: Common, Hatlands, Japanese, Korean, Littleleaf Broom: Hollandia-warminster, Lena-Scotch Cannellia: Japanese, Sasanqua Cassia, Feathery Century plant Cherry: Carolina laurel, Dwarf pink flowering almond Cinquefoil Cleary, Japanese Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel Cypotebush Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Tortulosa Daphne, Fragrant	Deutzia Dogwood: Baileyi red osier, Flaviramea-yellowwing, Sibirica-Siberian Elaeagnus Euonymus: Canadale, Emerald gold, Silver-king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper Fern: Tassel, Japanese painted Firethorn (<i>Pyracantha</i>) Forsythia Gardenia: August beauty, Mystery, Radican Guava, Pineapple Hawthorn, India Heather: Comish, Purple bell, Mediterranean pink, Spring torch scotch Hibiscus, Ross Estey Holly	Honeysuckle: Cape, Trumpet Hopseed bush Ixora Juniper Jussara, Carolina Lantana Laurel: American Cherry, Mountain Leath, Copper, Salal/lemon Leucoboth: Coast, Drooping Lily-of-the-Valley, Forest flame, Mountain fire, Snowdrift, Templebells, Valley rose, Valley valentine Mahonia: Creeping, Leather leaf Maple: Amur, Coral bark, Japanese, Dwarf Japanese Mock orange Myrtle: Crapa, Wax Oleander: Hardy red, Ruby lace Osmanthus, Fortunes	Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago Photinia, Fraser's Pieris Japonica Pine, Mugho-mugho Platanus: Green, Japanese, Whitener's dwarf Privet Red Cedar, Eastern Rhaphiolepis: Christma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme Rhododendron Fobria Rose Rose, Ramanas Rose of Sharon: Heart, Red bird, Woodbridge Sakaki Silverberry	Honey-suckle: Japanese, Reeve's Smoke Tree: Royal purple, Coral beauty, Eichholz Spiraea: Anthony Waterer, Birdal wreath, Dolchla, False, Japanese alpine, Shirobara, Varhottle Sumac, African Summersweet Sweetgum, Henry Garnet holly leaf Viburnum Weigela Willow Woodwaxen Woodbine: Flowering, Scroliha Xylemia Yew: Angiolep, Plum, Upright Japanese Yewpine Yucca
---	---	--	---	--	--

Trees -

Ash: Shamei, White Banana Birch: European white, Paper, River Blackgum Bottle tree Carrot Carrub wood Cherry, Yoshino flowering Coolbath tree Cottonwood Crabapple	Cypress: Arizona, Bald, Filicoides-tenspray, Gracilis-sleuder Hinoki, Squarrosa-moss, Swara false Dogwood: Cloud nine, Flowering, Kousa Elin, Chinese Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar Ficus, Mini Fir: Balsam, Douglas, White Florida antise tree	Ginkgo-maidenhair tree Hawthorn, Green Hemlock: Canada, Eastern Larch, Japanese Linden Locust: Black, Honey, Shademaster Oak: Bear, Live, Pin, Red, Scarlet, Willow Olive: Black, Russian Palm: Mexican fan, Palor, Queen Pine: Austrian, Beach, Bosnian, Bristlecone, Canary island, Columnar Spruce: Colorado, Dwarf Alberta,	Scotch, Eastern white, Eldarica, Japanese black, Lobolly, Monterey, Pumilo-shrubby swiss mountain, Red, Scotch, Shore Planetree, London Podocarpus Redbud, Eastern Red Cedar, Eastern Sequoia, Giant Sourwood	Pear Pecan Pilea Platanus Pineapple Pomegranate Prune	Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Kosteri-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White Sweetgum, American Sycamore: American, California Tab, Yellow Toyon Tuliptree Willow
--	--	---	--	---	---

+Non-bearing Fruit and Nut Trees and Plants -

Almond Apple Apricot Avocado Blackberry Blueberry	Cherry: Sweet, Sour Chestnut, Chinese Currant Dewberry Elderberry Fig	Loganberry Macadamia nut Nectarine Olive Orange Peach	Raspberry Tangelo Tangerine Walnut: Black, English
--	--	--	---

WHEN TO APPLY

Preen Mulch Plus prevents weeds from germinating in flower gardens, and around ground covers, trees and shrubs. Apply Preen Mulch Plus anytime during the growing season around established plants and transplants. Preen Mulch Plus should not be used on flower and vegetable seeds. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Mulch Plus as early as possible, you can eliminate the need for hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

Rain does not wash this product out of the mulch. To keep ornamental beds weed-free all season, reapply Preen Mulch Plus every 4 months or use Preen Garden Weed Preventer or Preen Weed Preventer with Brilliant Blooms Fertilizer.

HOW TO APPLY

Spread Preen Mulch Plus over the area to a depth of two inches. Do not plant flowers directly into mulch. If additional planting is desired after Preen Mulch Plus has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.
CONTAINER DISPOSAL:
 IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.
 IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

PREEN® GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 E. Cumberland Street, Lebanon, PA 17042.

Preen and Mulch Plus are registered trademarks of Lebanon Seaboard Corporation.

NET CONTENTS: 2 CU. FT. (56.63L)
 NET WEIGHT 30 LBS. (13.608 KG)
 COVERS 12 SQ. FT.


Fill is by volume. Some settling may occur during shipment.

Trifluralin CAS No. 1582-09-8

EPA Reg. No. 961-409-74547


EPA Est. No. 84789-NJ-001

CERTIFIED PRODUCT

	Premium Potting Soil	
	Standard Potting Soil	
	Landscape Soil & Soil Amendment	
	Specialty Soils	
	Mulch	<input checked="" type="checkbox"/>


This product has been registered and tested for conformance to the standards of the Mulch & Soil Council for the indicated product category. The Mulch & Soil standards do not contain a product category for pesticides, and this certification mark does not apply to pesticide claims. For more information, refer to the MSC website at www.mulchandsoilcouncil.org.

Distributed by:
 Garden Pro
 A Coastal Supply Company
 33334 Main Street
 Dagsboro, DE 19939



1-800-233-1067

www.preen.com



PROOF OF PURCHASE
 COMPROBANTE DE COMPRA

MEDIDAS DE PRECAUCION ELIGROS PARA HUMANOS Y PARA ANIMALES DOMESTICOS PRECAUCION

8/10

Irrita levemente los ojos. Evite que el producto entre en contacto con los ojos y la ropa. Lávese bien con agua y jabón después de utilizarlo y antes de comer, beber, consumir goma de mascar o fumar. Utilice camisa de mangas largas, pantalones largos, medias, zapatos y guantes. El contacto prolongado o frecuente del producto con la piel puede causar reacciones alérgicas en algunas personas.

RECOMENDACIONES PARA LA SEGURIDAD DEL USUARIO: Lávese las manos antes de comer, beber, consumir goma de mascar, fumar o utilizar el baño. Quite la ropa inmediatamente si el pesticida penetra en ella. Luego, lávela bien y póngase ropa limpia.

PRIMEROS AUXILIOS

SI EL PRODUCTO ENTRA EN CONTACTO CON LOS OJOS:	<ul style="list-style-type: none"> Manténgalos abiertos y enjuáguelos lenta y suavemente con agua entre 15 y 20 minutos. Quite los lentes de contacto, si los tiene puestos, una vez que hayan transcurrido cinco minutos; luego, continúe enjuagándose los ojos. Llame a un centro de control de productos tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
SI EL PRODUCTO ES INGERIDO:	<ul style="list-style-type: none"> Llame inmediatamente a un centro de control de productos tóxicos o a un médico para obtener asesoramiento sobre el tratamiento. Si la persona puede tragar, haga que beba sorbos de un vaso de agua. No induzca el vómito, a menos que sea por indicación de un médico o un empleado de un centro de control de productos tóxicos. No le administre nada por la boca a una persona inconsciente.
SI EL PRODUCTO ENTRA EN CONTACTO CON LA PIEL O CON LA ROPA:	<ul style="list-style-type: none"> Quite la ropa contaminada. Enjuague la piel inmediatamente, con abundante agua, entre 15 y 20 minutos. Llame a un centro de control de productos tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
SI EL PRODUCTO ES INHALADO:	<ul style="list-style-type: none"> Lleve a la persona a un lugar con aire fresco. Si la persona no respira, llame al 911 o a una ambulancia; luego, adminístrele respiración artificial boca a boca, si es posible. Llame a un centro de control de productos tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.

Tenga el recipiente o la etiqueta del producto con usted cuando llame a un centro de control de productos tóxicos o a un médico, o cuando inicie un tratamiento. Para obtener información médica de emergencia, llame al (888) 208-1368.

PELIGROS AMBIENTALES

Este pesticida es extremadamente tóxico para peces e invertebrados acuáticos, incluidos los camarones y las ostras. No lo aplique de manera que contamine directamente canales, lagos, arroyos, charcos, pantanos o estuarios mediante corrientes de aire. No contamine el agua que quede después de lavar el equipamiento utilizado para aplicar el producto. No lo aplique directamente en el agua.

INSTRUCCIONES DE USO

El uso de este producto sin seguir las indicaciones de la etiqueta constituye una violación de la ley federal. LEA LA ETIQUETA COMPLETA ANTES DE USAR ESTE PRODUCTO. USELO SEGUN LAS INSTRUCCIONES DE LA ETIQUETA. Antes de comprar este producto, lea la garantía que se incluye en esta etiqueta. Si las condiciones no son aceptables, devuelva de inmediato el recipiente sin abrir al lugar de compra.

INFORMACION GENERAL

Este producto para jardinería contiene un compuesto orgánico de calidad superior elaborado con madera dura, pino y ciprés, o una combinación de ellos, junto con un herbicida duradero para colocar antes de que brote. Una aplicación de compuesto orgánico Preen® Plus® brinda un control de cuatro meses para las malezas de hoja ancha y las hierbas anuales en canchales y arriales ornamentales.

Además, ayuda a que los jardines mantengan la humedad, lo que protegerá las plantas, los árboles y los arbustos contra las temperaturas extremas.

El compuesto orgánico PREEN® Plus® proporciona un mayor control de las malezas en comparación con los compuestos comunes, siempre que se utilice como se indica. Este compuesto orgánico contiene solamente productos forestales naturales y no contiene madera de desecho reciclada. Estos materiales son ideales para los compuestos orgánicos porque se degradan naturalmente con el transcurso del tiempo y se convierten en valiosa materia orgánica.

RESTRICCIONES GENERALES

SOLO PARA USO RESIDENCIAL EN EXTERIORES

NO DEBE UTILIZARSE EN CESPED

RESTRICCIONES DE APLICACION: No aplique este producto de una manera que pueda hacer que entre en contacto con cualquier persona o con mascotas, directa o indirectamente. Mantenga a la gente y a las mascotas fuera del área durante la aplicación.

RESTRICCIONES DE INGRESO: No permita que ingresen personas o mascotas en el área tratada hasta que el polvo se haya retirado.

UTILICE GUANTES DURANTE LA MANIPULACION DEL PRODUCTO

No aplique el producto cerca de estanques con peces, fuentes, arroyos ni lagos.

No use el compuesto en agujas, arrayanes ni pachysandras hasta que estén bien adaptados, ya que puede provocar daños.

No lo utilice en plantas que no sean las que se enumeran en esta etiqueta.

No lo aplique sobre las semillas de plantas florales ni de vegetales.

Para evitar posibles manchas en las superficies, como concreto, caminos de piedra, superficies de virilo, etc., barra lo antes posible los granúlos que quedan perdidos.

NO DEBE UTILIZARSE EN PLANTAS QUE SE ESTEN CULTIVANDO PARA LA VENTA U OTRO USO COMERCIAL; TAMPOCO DEBE UTILIZARSE PARA LA PRODUCCION DE SEMILLAS COMERCIALES NI PARA REALIZAR INVESTIGACIONES. PUEDE UTILIZARSE EN PLANTAS PARA FINES ESTETICOS O MODIFICACIONES CLIMATICAS Y PARA CULTIVAR EN JARDINES ORNAMENTALES.

MALEZAS ANUALES CONTROLADAS

Malezas herbosas: cebada, liebre zacate de agua pasto azul, anual	bromas inemis bromus tectorum garranchuelo eriochloa villosa, del sudoeste	festuca, cola de ratón setaria césped de Guinea pala de gallo	césped Johnson (de semilla) pasto colorado pasto florón avena silvestre	panicum: otoño, Texas cenchrus sorgo bicolor césped barrera (brachiaria)	leptocloa pasto hediondo sorgo bicolor (wildcane) grama del Norte
Malezas de hoja ancha: amaranthus palmeri verdolaga alfombra	pamlpina chenopodium origa mansa	centaurea negra falso ciprés quinoa blanca	espiga con espigas amaranto sanguinario	abrojo (solamente en el oeste de los EE. UU.) verdolaga	verdolaga de Florida cardo de Rusia

SE RECOMIENDA UTILIZAR EL COMPUESTO ORGANICO Preen® Plus® ALREDEDOR DE LAS SIGUIENTES ESPECIES DE PLANTAS YA ESTABLECIDAS

Bulbos, flores, hierbas, cubiertas vegetales y césped ornamental:

hipérico aliso arctotis aster perenne aster, aster de Stoke gypsophila blanca bálsamo penstemon barbatus bergamota silvestre begonia campanilla margarita amarilla corazón de virgen eva caléndula coreopsis tinctoria arctotheca caléndula carex jaspeada clavel pinillo (ajuga) ceanothus centaurea cineraria	crisantemo rudbeckia púrpura campanas de coral coreopsis aciano morado cosmos cotoneaster arbusto de coyote enano algarroba de corona narciso dalia margarita: africana, pintada, de Shasta, africana rastreira azucena amarilla descampsia clavel cineraria gris helecho espárrago festuca azul agérrato nomeolvides dondiego	dedalera gaillardia sanítula gazania geranio escordio geum gladiolo (el como tiene más de 1 pulgada de diámetro) hortensia césped: amophila breviligulata, hierba japonesa enana, eulalia sinensis, cola de gato, zoyisia tenuifolia (césped mascarene), hierba japonesa, cortadera (césped pampas), Genus phalaris (césped Ribbon), Hakonechloa, malva real dorada hosta undulata jacinto cryophytum crystalinum: hoja	grande, rastreira, rósea rastreira, blanca impaciencia iris bulboso hiedra: argelina, californiana, inglesa, punta de aguja ixora jazmín: alas de ángel, asiático sta chys sp. lavanda inglesa liriope: azul grande, verde/trepador, Lilac beauty, majestuoso, Monroe white, plateado resistente al sol, jaspeado, blanco lirio del Nilo lobelia lupino (lupinus) caléndula caléndula del cabo (Dimorphotheca) gloria de la mañana myoporum	narciso capuchina nicotiana hierba de noche de Misuri vinca Peter Pan enana petunia flox viuda (Scabiosa) plumbagina enana amapola de California portulaca jara negra rosa romero rudbeckia herniaria glabra salvia rusa salvia ajeno cabeza de dragón cerastio nieve en la montaña	verónica tártago japonés hipérico acelga silvestre uva de gato (sedum) fresa de la playa girasol camelina dulce guisante de olor centaurea imperialis colov. de San Isidro armeria marítima coreopsis ulipán verbena planta de alambre hiedra de alambre tiepadura milenrama (Achillea) cónig
--	--	--	--	--	---

Arbustos:

Arbustos:

<p>abelia, Edward Goucher, brillante acacia abyssinica, prostrate, shoestring andromeda japonesa tuya occidental americana, Aureus nana-dwarf golden Emerald, carex globosa, Thuja occidentalis Little Gigant, mínima glauca en ana, Thuja occidentalis nigra oscuro americano, Pyramidalis piramidal, Rheingold, Techny azalea bambú Compacta-dwarf heavenly, Nandina Harbour dwarf-heavenly, Nandina Heavenly (Nandina), Nana-compacta heavenly, Nana purpurea-heavenly, Nandina Woods dwarf heavenly japonés</p>	<p>Atropurea-redleaf, japonés Aurea-golden, pigmeo Crimson, japonés, Mento, Rose glow, William Penn calistemus Limón llorón buganvilla: arbusto pachisandra (Barbara Karst), California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn boj: común, Harlands, japonés, coreano, hoja pequeña retama: Hollandia-warminster, Lena-Scotch Camelia: japonesa, sasanqua casia plumosa agave americana cereza: Carolina laurel, almendro enano con flores rosas cleyera japonesa cotoneaster: gayuba, arándano, himalayo, Praecox (temprana), Piñeños, roca, Zabel</p>	<p>ciprés: filifera roscada, Kosteri, hinoki nandina enana, torulosa cornejo: osier bailey rojo, Flaviramea-yellowtwig, Sibitica-siberian Euonymus: bonetero, esmeralda y oro, Silver kina, variedad que se esparce, Sunspot, jaspeada de hoja perenne, con alas, enredadera de invierno helecho: Tassel pintado japonés espinas de fuego (Pyracantha) forsitia gardenia: belleza de agosto, misterio, Radican Guayaba, piña Hawthorn espino de la India brezo: de Cornualles, con campanas violetas, de color rosa mediterráneo, linterna de primavera escocesa hibisco Ross Estey</p>	<p>acebo madreelva: cape, trompeta chirca de monte ixora Jessamine, Carolina enebro lantana laurel: cerezo americano, de montaña hoja: cobre, sala/limón leucothoe: costero, encoarvado lila: común, china, silvestre lirio del valle: llamas del bosque, fuego de la montaña, acumulación de nieve, campanas del templo, rosa del valle, Valley valentine mahonia: enredadera, hoja de cuero arce: amur, corteza coral japonesa, enano japonés arrayán: crape, adelfa de cera adelfa: roja resistente, con lazos</p>	<p>de color rubi fortunes osmanthus palmera: areca, fuente china, Navidad, pigmea, sago Photinia, Pieris Japonica de Fraser Pino mugu-mugho pitosporo: verde japonés, enano de Wheeler plombagina ligustro cedro rojo oriental raphiolepis: Charisma-monruce, Enchantress-moness, de hoja redonda, monme de primavera rododendro robira rosa rosa rugosa rosa de Sharon: corazón, pájaros colorados, Woodbridge Sakaki</p>	<p>Silverberr skimmia: japonesa de Reeve árbol de humo: Royal purple, belleza de coral, de eichholz espirea: Anthony Waterer, corona de novia, dolchia, falsa, de los Alpes Japoneses, Shirobana, Vanhoutte sumac de África Summersweet Sweetpire, Henry Garnet, hoja de acebo Viburnum Weigela sauce genista lydia Woodbine: floración, serótina xylosma tejo: anglojaponés, ciruelo, erguido, japonés yuca</p>
---	--	--	--	--	--

Arboles:

<p>fresno: shamel blanco banana abedul: europeo blanco, de papel, de río tupelo árbol botella algarrobo cupania de hojas de anacardo cerezo con floración de Yoshino árbol Coolibah álamo americano manzano silvestre</p>	<p>ciprés: de Arizona, pelado, helecho filicoides, Hinoki delgado gracilis, Squarrosa-moss, swara falso cornejo: Cloud nine, con floración, de Kousa olmo chino eucalipto: Mealy, Redgum, Red ironbark, Silver Dollar ficus pequeño abeto: Balsam, Douglas, blanco árbol de anís de Florida árbol Ginko-maidenhair</p>	<p>espino verde abeto: del este de Canadá alerce japonés tila acacia: negra, Honey, Shademaster honey magnolia caoba arce: floración albus, Flame, floración luteus, Norway, rojo, Red Sunset, floración rosa, plateado, floración de color mandarina, floración Vesuvius red</p>	<p>mezquita chilena morera blanca roble: mano de oso, Live, Pin, rojo, escarlata, sauce olivo: negro, ruso palmera: palmera mexicana, Chamaedorea elegans, coccos plumosa pino austríaco, Beach, bosnio, Bristlecone, canaria, columnar escocés, blanco oriental, afgano, negro japonés, Loblolly, Monterey,</p>	<p>pumilio-shrubby suizo de montaña, rojo, escocés, Shore plátano de Londres mañíos árbol de Judas oriental cedro rojo oriental secuoya gigante sourwood abeto: de Colorado, Alberta enano, azul globe enano, glauca-Colorado azul, Hoopsii-Hoop's azul, Koster-Koster azul, noruego,</p>	<p>noruego pendulante, noruego de crecimiento rápido, blanco liquidambar, americano sicomoro: americano de California tab amarillo toyon tulipán sauce</p>
---	--	--	--	--	---

+ Arboles y plantas con frutos y sin ellos :

<p>almendro manzano damasco aguacate moral negro arándano</p>	<p>cerezo: dulce, amargo castaño chino grosella zarzamora baya higo</p>	<p>avellano grosellero vid: americana, europea toronjo limonero</p>	<p>frambueso norteamericano nogal de macadamia nectarina olivo kiwi duraznero</p>	<p>peral pacana alhóncigo ciruelo granado ciruela seca</p>	<p>frambueso tangelo mandarino nogal: negro, inglés</p>
--	--	---	--	---	--

+ Los frutos, los árboles y las plantas no fructíferos se definen como plantas que no darán frutos, al menos, durante un año después del tratamiento.

CUANDO APLICAR EL PRODUCTO

El compuesto orgánico PREEN® Plus® evita la germinación de la mayoría de las malezas en jardines y huertas, en cubiertas vegetales y alrededor de árboles y arbustos. Aplique el compuesto PREEN® Plus® en cualquier momento de la temporada de crecimiento, alrededor de las plantas que ya han crecido y de las trasplantadas. El compuesto orgánico PREEN® Plus® no debe utilizarse en semillas de plantas florales. Puede utilizarse después de que las plantas florecientes hayan germinado y tengan una altura de 2 a 3 pulgadas. Dado que este producto no mata las malezas, antes de aplicarlo, deberá quitar las que hayan comenzado a crecer. Si aplica el compuesto orgánico PREEN® Plus® con anticipación, podrá eliminar la necesidad de desmalezar a mano. Sin malezas, sus preciadas plantas pueden crecer mejor y más fuertes.
¡Sus canteros estarán prolijos y no tendrán malezas durante toda la temporada!

La lluvia no elimina este producto del abono. Para que los arriates ornamentales no tengan malezas durante toda la temporada, vuelva a aplicar el compuesto orgánico Preen Mulch Plus cada cuatro meses o utilice el herbicida Preen para jardín o el herbicida Preen con fertilizante Brilliant Blooms.

COMO APLICAR EL PRODUCTO

Aplique el compuesto orgánico PREEN® Plus® sobre el área, a una profundidad de 2 pulgadas. No plante las flores directamente en el compuesto orgánico. Si desea realizar más plantaciones después de aplicar el compuesto orgánico PREEN® Plus®, primero extraiga el compuesto del área seleccionada. Evite colocar el compuesto orgánico tratado en el agujero donde colocará la planta. Una vez que la planta esté firmemente colocada en la tierra, reemplace el compuesto orgánico alrededor de la planta.

ALMACENAJE Y ELIMINACION

No contamine el agua ni los alimentos para consumo humano o animal cuando almacene o deseché el producto.
ALMACENAJE DEL PESTICIDA: Almacene el producto en su recipiente original, en un área fresca, seca, cerrada y fuera del alcance de los niños y de los animales.
ELIMINACION DEL RECIPIENTE:
SI EL RECIPIENTE ESTA VACIO: Recipiente no rellenable. No vuelva a utilizarlo ni llenarlo. Colóquelo en el basurero u ófrézcalo para reciclar, si es posible.
SI QUEDA ALGO DE PRODUCTO: Llame al organismo local para la eliminación de desechos sólidos, a fin de solicitar instrucciones para la eliminación. Nunca arroje el producto sin usar por un drenaje dentro o fuera de la casa.

GARANTIA

El fabricante garantiza que este producto respeta su composición química y que es razonablemente adecuado para el propósito mencionado en la etiqueta si se utiliza siguiendo las instrucciones en condiciones normales de uso; pero ni esta garantía ni ninguna otra garantía de calidad e idoneidad para un fin concreto, expresa o tácita, se extienden al uso de este producto sin seguir las indicaciones de la etiqueta o en condiciones anormales que el fabricante no pueda prever de manera razonable, y el comprador asume el riesgo del uso en estas circunstancias.

