


961-410

07-09-2008

1/11

 U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	EPA Reg. Number: 961-410	Date of Issuance: 9 JUL 2008
	Term of Issuance: conditional	
	Name of Pesticide Product: WK08201	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)		
Name and Address of Registrant (include ZIP Code): Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none">1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.2. Submit the data listed below:<ol style="list-style-type: none">a. Within one year of the date on this registration notice, submit Storage Stability (830.6317) and Corrosion Characteristics (830.6320) studies.3. Make the following label changes:<ol style="list-style-type: none">a. Revise the EPA Registration Number to read, "EPA Reg. No. 961-410."		
Signature of Approving Official: Joanne I. Miller Product Manager 23 Herbicide Branch Registration Division (7505P)	Date: 9 JUL 2008	

page 2

EPA Reg. No. 961-410

2
1

Submit one copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

WK08201

[Place holder for Marketing Claims]

[Place holder for Logo]

Active Ingredient: dithiopyr

0.27%

Other Ingredients:

99.73%

Total

100.00%

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

9 JUL 2008
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

EPA Reg. No. 961-XXX

Keep Out of Reach of Children

961-410

CAUTION

See back panel for First Aid and additional Precautionary Statements

In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

Manufactured by:

Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042
1-800-233-1067
www.preen.com

Net Weight: xx Lbs. (x.xx kg)

Covers x,xxx sq. ft.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.


First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.	

Environmental Hazards

This product is toxic to fish. Drift and runoff may adversely affect aquatic organisms. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Directions for use

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.



General Information

WK08201 prevents most weeds from germinating for up to 4 months in flower beds, and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

General Precautions and Restrictions

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

For Residential and Household Use Only

Not for use on lawns

Only apply WK08201 to established ornamental plants listed on this label. Do not apply to plants that are under stress. Do not over-apply or mix this product into the soil, as injury may occur to plants which are sensitive to WK08201. This product is not for use on lawns, or for use in enclosed areas, such as greenhouses. Do not apply another herbicide within 4 weeks of application of this product.

Do not apply more than 4.25 lbs. of this product per 1,000 sq. ft. per application, and no more than 12.75 lbs. of this product per 1,000 sq. ft. per year.

In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Weeds Controlled

Grassy weeds: Barley; Barnyardgrass; Bluegrass, Annual; Brome; Buttercup; Crabgrass: Large, Smooth, Southern; Crowfootgrass; Dallisgrass(seedling); Goosegrass; Foxtail: Green, Yellow; Kikuyugrass; Oats, Wild; Ryegrass: Annual, Perennial; Sandbur; Smutgrass. **Broadleaf weeds:** Bittercress; Carpetweed; Chickweed; Geranium, Carolina; Henbit; Knotweed, Prostrate; Lespedeza, Common; Lambsquarters; Maretail; Medic, Black; Mustard; Pineappleweed; Pigweed, Redroot; Parsely-piert; Purslane, Common; Rocket, London; Shepherdspurse; Speedwell, Corn, Spurge; Garden, Prostrate, Spotted; Woodsorrel: Creeping, Yellow.

WK08201 is recommended for use around these established plants

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses – Ajuga: Bronze, Beach Grass; Bronze Beauty; Aster, Chinese: Dwarf Queen; Basket Flower; Bee Balm; Begonia; Black-eyed Susan: Goldstrum; Blanket Flower; Blue Fescue; Bugle Carpet; Carex: Variegated; Celosia; Centaura; Cockscomb, Plumoso: Scarlet plumose; Coleus: Red Kewpie; Columbine;

6
11

Coreopsis: Moonbeam; Flower; Cotoneaster; Daffodil: King A 1; Daylily: Aztec Gold, Bright yellow (hybrid), Single gold (evergreen), Wilson's Yellow; Dianthus (Sweet William); Delphinium: Magic fountain; Dusty miller; Fern (various); Fescue; Fountain Grass; Galium; Geranium; Hosta: Albo marginata; Ice plant; Impatiens; Iris: Dwarf blue, Wedgewood; Ivy, English: Bulgaria, Thorndale; Jasmine, Asian; Lily, African: Lily, African blue; Lilyturf: Evergreen giant, Lilac beauty, Majestic, Monroe white, Variegata; Liriope, Green; Marigold: Honeycomb, Variegata, Wheeler's dwarf; Mondo Grass; Moss Rose: Sunnyside; Narcissus; Osteospermum: Wirligig; Pachysandra; Pampas grass; Pansy; Periwinkle, Dwarf; Petunia: Picoti; Ribbon grass; Rockcress: Snowcap; Salvia: Rhea; Sedum: Dragon blood red, Red carpet, Yellow; Snapdragon; Sweetflag, Grassy-Le; Trumpet flower, Evening; Tulip: Apeldoorn; Tufted hairgrass; Vervain: St. paul; Vinca (Periwinkle); Yarrow.

Shrubs – Abelia, Dwarf: Nana; Arborvitae: Nigra, Pyramidalis, Smaragd, Techny, Woodwardii; Arborvitae, Golden; Azalea: Brilliant, Buccaneer, Carror, Chimes (Belgian), Elsie lee, Exbury, Fashion, Hardijzer Beauty, Hershey Red, Higasa, Hinocrimson, Holland (Hybrid), Marion lee, Northern lights, Orange cup, Orchid Lights, Snow, Southern charm; Azalea, Flame; Azalea, Kirishima; Bamboo, Heavenly; Barberry: Aurea, Dwarf pigmy, Green, Kobold, Pygmy red, Rose glow; Barberry, Purple: Atropurpurea; Bearberry (common): Massachusetts; Bottlebrush; Boxwood, Japanese; Boxwood, Weller; Broom: Moonlight, Vancouver Gold; Camellia: Debutante, Mathotiana Supreme, Chansonette; Candy Tuft: Snow White; Cedar, Red; Copper Leaf; Coyotebrush; Cycads; Euonymus: Argenteo-variegata, Auereomarginata, Colorata, Emerald Gaiety, Emerald EN Gold, Gold Edge, Gold Princess, Silver king, Tricolor, Vegetus; Fetterbush: Rainbow; Forsythia: Arnold Dwarf, Bronxensis Dwarf, Lynwood Gold, Meadowlark, Weeping; Fuchsia; Gardenia: Mystery, Radicans; Heather, Twisted: Mediterranean Pink; Hibiscus: Blue bird, Brilliant, Hula girl; Holly: Blue boy, Blue girl, Burfordii, China girl, Compacta, Forsteri, Hellerie, Japanese northern beauty, Needlepoint, Nellie R. Stevens, Savannah; Holly, Chinese; Holly, Japanese; Holly, Yaupon; Honeysuckle: Clavey's Dwarf, Halliana, Tatarian Canadian White, Zebelli Red Hosta; Juniper: Arcadia, Armstrong, Bar Harbor, Blue chip, Blue pacific, Blue rug, Blue star, Broadmoor, Buffalo, Calgary carpet, Emerald sea, Emerald spreader, Endora compacta, Fruitlandi, Green, Gold tip, Hetzi, Hughes, Manhattan blue, Parsoni, Pfitzeriana, Plumosa, Prince of whales, Procumbens Dwarf, San Jose, Sargent Blue, Sargent Green, Scandia, Scopulorum Moonglow, Scopulorum Skyrocket, Spartan, Tamariscifolia, Weberi, Youngstown, Yukon Belle; Laurel, Australian; Laurel, Mountain; Leucothoe; Ligustrum, Japanese; Lily of the Valley: Mt. Fire; Myrtle, Crape: Faurei, Langer, Muskogee, Standard Pink; Myrtle, Wax; Nandina: Compacta, Nana; Oleander: Hardy Red, Petite Pink, Sister Agnes; Paper Flower: Barbara Karst; Photinia, Red tip; Pieris; Pine: Mugho; Pine, Swiss Mt.; Pineapple, Guava; Pittosporum, Japan; Potentilla: Abbotswood; Privet: Golden Vicary, Regal, Texanum, Wax, Yellow Tipped; Privet, Glossy; Pyracantha: Gnome, Lalandei, Victory; Rhododendron: Album, Cunningham White, Fashion, Hardy, PJM, Purple Gem, Silvery Pink; Rhododendron, Carolina; Rhododendron, Catawba; Rodie Max (Rosebay); Rose: Luta; Rosemary, Bog: Nana; Spiraea: Anthony Waterer red, Dolchica, Fanail, Froebeli Pink, Goldenflame Red, Snowmound White, Van Houtte White; Spirea, Garland; Verbena, Shrub; Virburnum: American Cranberry Bush, Arrowwood, Common snowball, European cranberry bush, Linden, Mohican, Wright; Xylosma; Yaupon: Dwarf; Yew: Denisiformis.

Trees -- Almond, Flowering; Ash: Green, Mountain, Purple; Birch, River; Cypress, Bald; Cypress, Italian: Glauc; Cypress, Japanese false: Gracilis; Cypress, Leyland; Dogwood; Dogwood, American: Flavarimaea; Douglas Fir; Elm, Drake; Fan Palm, European; Fan Palm, Mexican; Ficus; Fir Fraser; Gum; Hawthorn: Cockspur White, Crimson Cloud, Enchantress, Jack Evans, Washington White; Hemlock, Canada; King Palm; Maple, Japanese; Maple, Norway; Maple, Red; Maple, Silver; Maple, Sugar; Oak, Laurel; Oak, Pin; Oak, Red; Oak, Southern L;

Oak, Willow; Palm, Bang...v; Pine, Australian; Pine, Japanese Black; Pine, Loblolly; Pine, Longleaf; Pine, Scotch; Pine, Slash; Pine, Virginia; Pine, White; Queen Palm; Sourwood; Spruce: Black Hills; Spruce, Colorado blue; Spruce, Norway; Spruce, White; Sweetgum; Sycamore; Tree fern (Tiki fern); Windmill Palm.

7
11

Nonbearing Fruit and Nut Trees and Plants – Apple; Blueberry: Bluecrop, Blue Jay, Jersey, North Blue, Northland; Mock orange: Golden, Snowflake Double White; Peach; Quince, Japanese; Rosemary.

†Ornamental species only: Do not use on food producing trees and ornamentals.

When to apply WK08201

Apply WK08201 anytime during the growing season only around established plants. WK08201 should not be used on flower seeds. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying WK08201 as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. To keep ornamental beds weed-free all season long, reapply WK08201 every 4 months.

How to apply WK08201

To avoid plant injury, do not apply WK08201 when foliage is wet. When plants are dry, sprinkle WK08201 on soil surface at rate given below. Once activated by watering, WK08201 forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying around established plants


For flowers, roses, herbs, ground covers, ornamental grasses, shrubs and trees: sprinkle WK08201 evenly over the entire soil surface, at the rate of 0.68 oz. Per 10 sq. ft. (see picture below), being sure to keep granules away from plant roots and foliage. Water WK08201 into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface application rate

Sprinkle WK08201 as shown on soil surface. [INSERT IMAGE W/ COIN]

Applying WK08201 with mulch

For best weed control, we recommend applying WK08201 after spreading mulch on your flower and shrub beds. Sprinkle WK08201 on top of mulch at surface rate (see picture on right, being sure to keep granules away from plant foliage. Water WK08201 into mulch. Always wash or brush stray granules from plant foliage to avoid damage or discoloration.



Storage and Disposal Instructions

(Nonrefillable Containers)

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL:

IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

(Refillable Containers)

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL:

IF EMPTY: Refillable container. Refill this container with WK08201 only. Do not reuse this container for any other purpose. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Preen Guarantee

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

(L) (D)

EPA Reg. No. 961-XXX

EPA Est. No. 961-xx-xx:961-xx-xx

CAS No. 97886-45-8


Superscript used is first letter of lot number.

Manufactured by:

Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042
1-800-233-1067
www.preen.com


WK08201 Rev05 v5 3-25-08rev

Page 6 of 9



Advertising claims that be presented on the label:

- Money Back Guarantee
- Won't harm plants when used as directed
- Eliminates Crabgrass
- Kills [young] Crabgrass
- Long Lasting
- Lasts longer!
- A preemergence herbicide for control of certain broadleaf weeds and annual grasses in:
 - Landscape ornamentals
 - Container grown ornamentals
 - Gound covers/perennials
 - Non-bearing fruit and nut trees
 - Non-bearing Ornamental fruit and nut trees
- A Work - Saver Product For The Joy Of Weed-Free Gardens
- Applicator Scoop Included
- Apply anytime (– spring, summer or fall)
- Apply any time (throughout the growing season.)
- Controls tough grasses and weeds [such as (bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] [even (bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)]
- Does not harm plants(*) [(*)Please refer to plant list where product can be used] [(*)When used as directed]
- Easy to use
- EASY TO USE APPLICATOR [Insert Image]
- Easy To Apply – Just shake on.
- Effective Weed Control – Prevents weeds all season long – eliminates the need for hand weeding.
- Eliminate [time consuming] hand weeding
- For residential use only
- Good Housekeeping Seal of Approval (logo)
- Great over mulch.
- Improved!
- Lift here to open
- New!
- One application prevents weeds [all season] [for (3, 4) months]
- Preen® is a registered trademark of Lebanon Seaboard Corporation.
- Preen works so you don't have to
- Press to reseal
- Prevents new weeds for [up to] [(3, 4) months]
- Prevents weeds up to (three, four) months
- [3-4] month weed preventer
- Prevents [both] grasses and broadleaf weeds [with one application] [before they get started]



- 10
11
- Prevents [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] and many other weeds
 - Prevents [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] and other common weeds
 - Prevents the toughest weeds
 - Prevents tough southern weeds like [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)]
 - Prevents weeds [up to] [for] [(3, 4) months]
 - Prevents weeds all season [long]
 - Prevents Weeds in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs & Trees
 - Prevents weeds without harm(*) [(*)Please refer to plant list where product can be used] [(*)When used as directed]
 - Proof of Purchase
 - Provides [up to] [(3, 4)] months weed control
 - Ready To Use Granules with Built In Applicator (for plastic containers)
 - Refillable Preen Bottle (for plastic containers)
 - For use around Pansies
 - Season long weed preventer
 - See inside booklet for complete directions for use, plant listings & precautionary statements
 - Simply press to close
 - Southern Garden Weed Preventer
 - Southern Weed Preventer
 - Specially formulated for southern gardens
 - Specially formulated for southern climates
 - Sprinkle around flowers, trees, shrubs
 - Sprinkle once to prevent weeds all season
 - Sprinkle once to prevent weeds [up to (3, 4) months]
 - Sprinkle once to prevent weeds [for (3, 4) months]
 - Sprinkle around flowers, trees, shrubs [every (3, 4) months]
 - Stop weeds before they start!
 - Stop weeds before they start around flowers, trees, shrubs
 - Stops weeds before they start
 - The Flower and Garden Weed Preventer
 - This WORK-SAVER product prevents weeds in one [easy] application.
 - To open cut along dotted line
 - Try Other Preen Products!
 - Preen Lawn Stepsaver Weed Control Plus Fertilizer
 - Preen Weed & Grass Killer
 - Preen Mulch Plus
 - Preen Weed Preventer with Brilliant Blooms Fertilizer
 - Preen Landscape Weed Control Fabric
 - Preen Organic Vegetable Garden Weed Preventer

- Use for a beautiful free landscape
- Use around flowers, trees and shrubs
- Visit www.preen.com
- Won't wash away
- Works season long

11

