

961-410

4/24/2009

10/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Sylvia Whitman  
Lebanon Seaboard Corporation  
1600 East Cumberland Street  
Lebanon, PA 17042

APR 24 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated March 19, 2009 for:

**EPA Registration 961-410      WK08201**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2012

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

	United States	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
	Environmental Protection Agency		
	Washington, DC 20460		

## Application for Pesticide - Section I

1. Company/Product Number Lebanon Seaboard Corporation 961-410	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) WK08201	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>APR 24 2009</u> Product Name _____	

## Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the not amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

## Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
				<input type="checkbox"/> Plastic	
				<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. 17 lbs.	No. per container 4	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 4.25 lbs.		5. Location of Label Directions <input type="checkbox"/> back of container	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other glued on poly			

## Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name Sylvia Whitman		Title State Registration Coordinator		
		Telephone No. (Include Area Code) 717-270-3566		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)	
2. Signature 		3. Title State Registration Coordinator		
4. Typed Name Sylvia Whitman		5. Date March 19, 2009		

30812



## LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET • LEBANON, PENNSYLVANIA 17042

(717) 273-1685

FAX (717) 273-9466

March 19, 2009

Ms. Linda Arrington  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7505P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

RE: EPA Reg. No. 961-410  
Notification

Dear Ms. Arrington:

Please find enclosed our subject labeling in accordance with PR Notice 2007-4 and your letter dated 03/11/09 to us. The change for this label includes:

- Updated Container Disposal per PR Notice 2007-4


To complete this notification application, please find:

- Application for Pesticide: Notification (EPA Form 8750-1)
- Red line blue line copy of label
- Clean label

Should you have any questions, please feel free to contact me at 800/532-0090 ext. 361 or [swhitman@lebsea.com](mailto:swhitman@lebsea.com).

Sincerely,

  
Sylvia Whitman  
State Registration Coordinator



4012

**Front Panel**

**WK08201**

[Place holder for Marketing Claims]

[Place holder for Logo]

<b>Active Ingredient:</b> dithiopyr	0.27%
<b>Other Ingredients:</b>	99.73%
Total	100.00%

EPA Reg. No. 961-410

Keep Out of Reach of Children

**CAUTION**

See back panel for First Aid and additional Precautionary Statements

In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

**Manufactured by:**

Lebanon Seaboard Corporation  
1600 East Cumberland Street  
Lebanon, PA 17042  
1-800-233-1067  
[www.preen.com](http://www.preen.com)

**NOTIFICATION**

APR 24 2009

Net Weight: xx Lbs. (x.xx kg)

Covers x,xxx sq. ft.

**Back Panel:****Precautionary Statements**

Hazards to Humans and Domestic Animals

**CAUTION**

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

<b>First Aid</b>	
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing:	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled:	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.	

**Environmental Hazards**

This product is toxic to fish. Drift and runoff may adversely affect aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

**Directions for use**

60812

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

### **General Information**

WK08201 prevents most weeds from germinating for up to 4 months in flower beds, and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

### **General Precautions and Restrictions**

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

#### **For Residential and Household Use Only**

Not for use on lawns

Only apply WK08201 to established ornamental plants listed on this label. Do not apply to plants that are under stress. Do not over-apply or mix this product into the soil, as injury may occur to plants which are sensitive to WK08201. This product is not for use on lawns, or for use in enclosed areas, such as greenhouses. Do not apply another herbicide within 4 weeks of application of this product.

Do not apply more than 4.25 lbs. of this product per 1,000 sq. ft. per application, and no more than 12.75 lbs. of this product per 1,000 sq. ft. per year.

In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

### **Entry Restrictions**

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

### **Weeds Controlled**

**Grassy weeds:** Barley; Barnyardgrass; Bluegrass, Annual; Brome; Buttercup; Crabgrass: Large, Smooth, Southern; Crowfootgrass; Dallisgrass(seedling); Goosegrass; Foxtail: Green, Yellow; Kikuyugrass; Oats, Wild; Ryegrass: Annual, Perennial; Sandbur; Smutgrass. **Broadleaf weeds:** Bittercress, Carpetweed; Chickweed; Geranium, Carolina; Henbit; Knotweed, Prostrate;

Lespedeza, Common; Lambsquarters; Maretail; Medic, Black; Mustard; Pineappleweed;  
 Pigweed, Redroot; Parsely-piert; Purslane, Common; Rocket, London; Shepherdspurse;  
 Speedwell, Corn; Spurge: Garden, Prostrate, Spotted; Woodsorrel: Creeping, Yellow.

**WK08201 is recommended for use around these established plants**

**Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses** – Ajuga: Bronze, Beach Grass; Bronze Beauty; Aster, Chinese: Dwarf Queen; Basket Flower; Bee Balm; Begonia; Black-eyed Susan: Goldstrum; Blanket Flower; Blue Fescue; Bugle Carpet; Carex, Variegated; Celosia; Centaurea; Cockscomb, Plumosa: Scarlet plumosa; Coleus: Red Kewpie; Columbine; Coreopsis: Moonbeam; Corn Flower; Cotoneaster; Daffodil: King Alfred; Daylily: Aztec Gold, Bright yellow (hybrid), Single gold (evergreen), Wilson's Yellow; Dianthus (Sweet William); Delphinium: Magic fountain; Dusty miller; Fern (various); Fescue; Fountain Grass; Galium; Geranium; Hosta: Albo marginata; Ice plant; Impatiens; Iris: Dwarf blue, Wedgewood; Ivy, English: Bulgaria, Thorndale; Jasmine, Asian; Lily, African: Lily, African blue; Lilyturf: Evergreen giant, Lilac beauty, Majestic, Monroe white, Variegata; Liriope, Green; Marigold: Honeycomb, Variegata, Wheeler's dwarf; Mondo Grass; Moss Rose: Sunnyside; Narcissus; Osteospermum: Wirligig; Pachysandra; Pampas grass; Pansy; Periwinkle, Dwarf; Petunia: Picoti; Ribbon grass; Rockcress: Snowcap; Salvia: Rhea; Sedum: Dragon blood red, Red carpet, Yellow; Snapdragon; Sweetflag, Grassy-Le; Trumpet flower, Evening; Tulip: Apeldoorn; Tufted hairgrass; Vervain: St. paul; Vinca (Periwinkle); Yarrow.

**Shrubs** – Abelia, Dwarf: Nana; Arborvitae: Nigra, Pyramidalis, Smaragh, Techny, Woodwardii; Arborvitae, Golden; Azalea: Brilliant, Buccaneer, Carror, Chimes (Belgian), Elsie lee, Exbury, Fashion, Hardijzer Beauty, Hershey Red, Higasa, Hinocrimson, Holland (Hybrid), Marion lee, Northern lights, Orange cup, Orchid Lights, Snow, Southern charm; Azalea, Flame; Azalea, Kirishima; Bamboo, Heavenly; Barberry: Aurea, Dwarf pigmy, Green, Kobold, Pygmy red, Rose glow; Barberry, Purple: Atropurpurea; Bearberry (common): Massachusetts; Bottlebrush; Boxwood, Japanese; Boxwood, Weller; Broom: Moonlight, Vancouver Gold; Camellia: Debutante, Mathotiana Supreme, Chansonette; Candy Tuft: Snow White; Cedar, Red; Copper Leaf; Coyotebrush; Cycads; Euonymus: Argenteo-variegata, Auereomarginata, Colorata, Emerald Gaiety, Emerald eN Gold, Gold Edge, Gold Princess, Silver king, Tricolor, Vegetus; Fetterbush: Rainbow; Forsythia: Arnold Dwarf, Bronxensis Dwarf, Lynwood Gold, Meadowlark, Weeping; Fuchsia; Gardenia: Mystery, Radicans; Heather, Twisted: Mediterranean Pink; Hibiscus: Blue bird, Brilliant, Hula girl; Holly: Blue boy, Blue girl, Burfordii, China girl, Compacta, Forsteri, Hellerie, Japanese northern beauty, Needlepoint, Nellie R. Stevens, Savannah; Holly, Chinese; Holly, Japanese; Holly, Yaupon; Honeysuckle: Clavey's Dwarf, Halliana, Tatarian Canadian White, Zebelli Red Hosta; Juniper: Arcadia, Armstrong, Bar Harbor, Blue chip, Blue pacific, Blue rug, Blue star, Broadmoor, Buffalo, Calgary carpet, Emerald sea, Emerald spreader, Endora compacta, Fruitlandi, Green, Gold tip, Hetzi, Hughes, Manhattan blue, Parsoni, Pfizeriana, Plumosa, Prince of whales, Procumbens Dwarf, San Jose, Sargent Blue, Sargent Green, Scandia, Scopulorum Moonglow, Scopulorum Skyrocket, Spartan, Tamariscifolia, Weberi, Youngstown, Yukon Belle; Laurel, Australian; Laurel, Mountain; Leucothoe; Ligustrum, Japanese; Lily of the Valley: Mt. Fire; Myrtle, Crape: Faurei, Langer, Muskogee, Standard Pink; Myrtle, Wax; Nandina: Compacta, Nana; Oleander: Hardy Red, Petite Pink, Sister Agnes; Paper Flower: Barbara Karst; Photinia, Red tip; Pieris; Pine: Mugho; Pine, Swiss Mt.; Pineapple, Guava; Pittosporum, Japan; Potentilla: Abbotswood; Privet: Golden Vicary, Regal, Texanum, Wax, Yellow Tipped; Privet, Glossy; Pyracantha: Gnome, Lalandei, Victory; Rhododendron: Album, Cunningham White, Fashion, Hardy, PJM, Purple Gem, Silvery

Pink; Rhododendron, Carolina; Rhododendron, Catawba; Rodie Max (Rosebay); Rose: Luta; Rosemary, Bog: Nana; Spiraea: Anthony Waterer red, Dolchica, Fanail, Froebeli Pink, Goldenflame Red, Snowmound White, Van Houtte White; Spriaea, Garland; Verbena, Shrub; Virburnum: American Cranberry Bush, Arrowood, Common snowball, European cranberry bush, Linden, Mohican, Wright; Xylosma; Yaupon: Dwarf; Yew: Denisiformis.

**Trees --** Almond, Flowering; Ash: Green; Mountain, Purple; Birch, River; Cypress, Bald; Cypress, Italian: Glauca; Cypress, Japanese false: Gracilis; Cypress, Leyland; Dogwood; Dogwood, American: Flavarimaea; Douglas Fir; Elm, Drake; Fan Palm, European; Fan Palm, Mexican; Ficus; Fir Fraser; Gum; Hawthorn: Cockspur White, Crimson Cloud, Enchantress, Jack Evans, Washington White; Hemlock, Canada; King Palm; Maple, Japanese; Maple, Norway; Maple, Red; Maple, Silver; Maple, Sugar; Oak, Laurel; Oak, Pin; Oak, Red; Oak, Southern L; Oak, Willow; Palm, Bangalow; Pine, Australian; Pine, Japanese Black; Pine, Loblolly; Pine, Longleaf; Pine, Scotch; Pine, Slash; Pine, Virginia; Pine, White; Queen Palm; Sourwood; Spruce: Black Hills; Spruce, Colorado blue; Spruce, Norway; Spruce, White; Sweetgum; Sycamore; Tree fern (Tiki fern); Windmill Palm.

**Nonbearing Fruit and Nut Trees and Plants --** Apple; Blueberry: Bluecrop, Blue Jay, Jersey, North Blue, Northland; Mock orange: Golden, Snowflake Double White; Peach; Quince, Japanese; Rosemary.

†Ornamental species only: Do not use on food producing trees and ornamentals.

### **When to apply WK08201**

Apply WK08201 anytime during the growing season only around established plants. WK08201 should not be used on flower seeds. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying WK08201 as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. To keep ornamental beds weed-free all season long, reapply WK08201 every 4 months.

### **How to apply WK08201**

To avoid plant injury, do not apply WK08201 when foliage is wet. When plants are dry, sprinkle WK08201 on soil surface at rate given below. Once activated by watering, WK08201 forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

### **Applying around established plants**

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs and trees: sprinkle WK08201 evenly over the entire soil surface, at the rate of 0.68 oz. Per 10 sq. ft. (see picture below), being sure to keep granules away from plant roots and foliage. Water WK08201 into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

### **Surface application rate**



9 of 12

Sprinkle WK08201 as shown on soil surface. [INSERT IMAGE W/ COIN]

### **Applying WK08201 with mulch**

For best weed control, we recommend applying WK08201 after spreading mulch on your flower and shrub beds. Sprinkle WK08201 on top of mulch at surface rate (see picture on right, being sure to keep granules away from plant foliage. Water WK08201 into mulch. Always wash or brush stray granules from plant foliage to avoid damage or discoloration.

### **Storage and Disposal Instructions**

#### **(Nonrefillable Containers)**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

#### **CONTAINER DISPOSAL:**

**IF EMPTY:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **(Refillable Containers)**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

#### **CONTAINER DISPOSAL:**

**IF EMPTY:** Refillable container. Refill this container with dithiopyr only. Do not reuse this container for any other purpose. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **Preen Guarantee**

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

(L) (D)

EPA Reg. No. 961-410

EPA Est. No. 961-xx-xx:961-xx-xx

CAS No. 97886-45-8

Superscript used is first letter of lot number.

**Manufactured by:**

Lebanon Seaboard Corporation

1600 East Cumberland Street

Lebanon, PA 17042

1-800-233-1067

[www.preen.com](http://www.preen.com)**Advertising claims that may be presented on the label:**

- Money Back Guarantee
- Won't harm plants when used as directed
- Eliminates Crabgrass
- Kills [young] Crabgrass
- Long Lasting
- Lasts longer!
- A preemergence herbicide for control of certain broadleaf weeds and annual grasses in:
  - Landscape ornamentals
  - Container grown ornamentals
  - Ground covers/perennials
  - Non-bearing fruit and nut trees
  - Non-bearing Ornamental fruit and nut trees
- A Work - Saver Product For The Joy Of Weed-Free Gardens
- Applicator Scoop Included
- Apply anytime (– spring, summer or fall)
- Apply any time (throughout the growing season.)
- Controls tough grasses and weeds [such as (bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] [even (bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)]
- Does not harm plants(\*) [(\*)Please refer to plant list where product can be used] [(\*)When used as directed]
- Easy to use
- EASY TO USE APPLICATOR [Insert Image]
- Easy To Apply – Just shake on.
- Effective Weed Control – Prevents weeds all season long – eliminates the need for hand weeding.
- Eliminate [time consuming] hand weeding
- For residential use only
- Good Housekeeping Seal of Approval (logo)
- Great over mulch.
- Improved!

- Lift here to open
- New!
- One application prevents weeds [all season] [for (3, 4) months]
- Preen® is a registered trademark of Lebanon Seaboard Corporation.
- Preen works so you don't have to
- Press to reseal
- Prevents new weeds for [up to] [(3, 4) months]
- Prevents weeds up to (three, four) months
- [3-4] month weed preventer
- Prevents [both] grasses and broadleaf weeds [with one application] [before they get started]
- Prevents [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] and many other weeds
- Prevents [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] and other common weeds
- Prevents the toughest weeds
- Prevents tough southern weeds like [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)]
- Prevents weeds [up to] [for] [(3, 4) months]
- Prevents weeds all season [long]
- Prevents Weeds in Ornamental beds and around Bulbs, Flowers, Roses, Herbs, Ground Covers, Ornamental Grasses, Shrubs & Trees
- Prevents weeds without harm(\*) [(\*)Please refer to plant list where product can be used] [(\*)When used as directed]
- Proof of Purchase
- Provides [up to ] [(3, 4)] months weed control
- Ready To Use Granules with Built In Applicator (for plastic containers)
- Refillable Preen Bottle (for plastic containers)
- For use around Pansies
- Season long weed preventer
- See inside booklet for complete directions for use, plant listings, & precautionary statements
- Simply press to close
- Southern Garden Weed Preventer
- Southern Weed Preventer
- Specially formulated for southern gardens
- Specially formulated for southern climates
- Sprinkle around flowers, trees, shrubs
- Sprinkle around flowers trees and shrubs
- Sprinkle once to prevent weeds all season
- Sprinkle once to prevent weeds [up to (3, 4) months]
- Sprinkle once to prevent weeds [for (3, 4) months]
- Sprinkle around flowers, trees, shrubs [every (3, 4) months]

- Stop weeds before they start!
- Stop weeds before they start™
- Stop weeds before they start around flowers, trees, shrubs
- Stops weeds before they start
- Southern Formula
- The Flower and Garden Weed Preventer
- This WORK-SAVER product prevents weeds in one [easy] application.
- To open cut along dotted line
- Try Other Preen Products!
  - Preen Lawn Stepsaver Weed Control Plus Fertilizer
  - Preen Weed & Grass Killer
  - Preen Mulch Plus
  - Preen Weed Preventer with Brilliant Blooms Fertilizer
  - Preen Landscape Weed Control Fabric
  - Preen Organic Vegetable Garden Weed Preventer
- Use for a beautiful weed free landscape
- Use around flowers, trees and shrubs
- Visit [www.preen.com](http://www.preen.com)
- Won't wash away
- Works season long

**NOTIFICATION**

APR 24 2009