



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Jeanette A. Covert Product & Regulatory Associates, LLC Agent for Lebanon Seaboard Corporation P.O. Box 1683 Voorhees, NJ 08043 DEC 4 2009

SUBJECT:

Application for Pesticide Notification (PRN 98-10

Request General Label Change (Marketing Claims)

EPA Reg. No. 961-410

Application Dated October 4, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/04/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

20f | \

Please read instructions	<u>n reverse before comple</u>	ting ~ m.		Form Approv	/ed. OMP-\'o.	2070-0060	D. Approval expires 2-28-95
\$EPA	Environmenta	United States I Protection Ington, DC 20460	-		Registr Amend Other		OPP Identifier Number
4		Application	for Pestici	de - Sectio	n I		
Company/Product Num Lebanon Seaboard			1	Product Manage e Miller	r	3. Pro	pposed Classification
4. Company/Product (Nar WK08201	ne)		PM# 23				Nostricted
5. Name and Address of	Applicant (Include ZIP Co	ide)	6. Exp	edited Revei	w. In accord	lance with	FIFRA Section 3(c)(3)
Lebanon Seaboard (1600 East Cumberla Lebanon, PA 17042			to:	ny product is s Reg. No			mposition and labeling
✓ Check if	this is a new address		Produ	ict Name			
			Section -	ii			
Amendment - Exp	esponse to Agency letter	dated		Final printed la Agency letter "Me Too" App Other - Explair	lication.		IFICATION C - 4 2009
40 CFR 152.46. and no o of 18 U.S.C. Sec. 1001 to		nade to the labeling atement to EPA. I	g or the confident further understar	ial statement of f id that if this notif oject to enforcem	ormula of this pication is not co	product. I und onsistent with	
1. Material This Product	Will Re Packaged In:		Occion .				
Child-Resistant Packaging Yes No Certification must be submitted	Resistant Packaging Yes No If "Yes" Unit Packaging No. per Unit Packaging No. per Container		Water Soluble Packaging Yes No If "Yes" Package wgt No. per container		2. Type o	Metal Plastic Glass Paper Other (S	
3. Location of Net Conte	nts Information	4. Size(s) Retail	Container	5.	Location of L	abel Direction	ons
6. Manner in Which Labe	l is Affixed to Product	Lithogra Paper pl Stenciled	ph beu beu	Other			
			Section - I	٧			
1. Contact Point (Compl	ete items directly below .	for identification	of individual to b	e contacted, if i	necessary, to	process this	application.) c
Name Jeanette A. Covert		į.	i tle Authorized Repr	esentative for L	_ebanon	Telephon 856.751.	e No. (Include Area Code) 3432 CCCCC
I certify that the st I acknowledge that both under applica	atements I have made or any knowlinglly false or ble law.	Certification this form and all misleading state	l attachments th	ereto are true, a	ocurate and c	omplete.	000 6
2. Signature	4	1	Title Authorized Repres	sentative for Leba	anon Seaboard	0 6 6 0 0 6 6 0 6 0 0	0 c c c c c c
Geanutto & a	cred		Corporation				((((
4. Typed Name Jeanette A. Covert		5.	Date 10-	4-09			6 C C C C C C C C C C C C C C C C C C C

Product & Regulatory Associates, L.L.C.

October 4, 2009
Ms. Sherada Hobgood
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Lebanon Seaboard Corporation EPA Reg. No. 961-410 Notification Marketing

Dear Ms. Hobgood:

As the authorized representative, Lebanon Seaboard Corporation is submitting a revised label for WK08201, EPA Reg No. 961-410.

The changes for this label include:

• Added additional marketing claims on page 8.

To complete this notification application, enclosed please find:

- Application for Pesticide (EPA Form 8750-1)
- One highlighted copy(red line/blue line) of the revised label
- One clean copy of the revised label
- One CD e-label file name 000961-00410.20091003.NotifMarketing.pdf

If you have any questions or concerns about this notification please contact me at (856)751-3432 or jacovert@comcast.net.

Sincerely, Gennette Covert

Jeanette Covert

Product & Regulatory Associates, LLC

Authorized Representative for Lebanon Seaboard Corporation

cc: Sylvia Whitman, Lebanon Seaboard Corporation

P.O. Box 1683 Voorhees, NJ 08043-9998 Telephone 856 424-1528

Front Panel

WK08201

[Place holder for Marketing Claims]

[Place holder for Logo]

Active Ingredient: dithiopyr

Other Ingredients:

Total

0.27% 99.73%

100.00%

EPA Reg. No. 961-410

Keep Out of Reach of Children

CAUTION

See back panel for First Aid and additional Precautionary Statements


In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

Manufactured by:

Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 1-800-233-1067 www.preen.com

Net Weight: xx lbs. (x.xx kg)

Covers x,xxx sq. ft.



Back Panel:



Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
_	tainer or label with you when calling a poison control center or doctor, or For Emergency Medical Information call (888) 208-1368.

Environmental Hazards

This product is toxic to fish. Drift and runoff may adversely affect aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

Directions for use

It is a violation of Federal law to use this product in any manner inconsistent with its labeling

(00f1)

General Information

WK08201 prevents most weeds from germinating for up to 4 months in flower beds, and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long.

General Precautions and Restrictions

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

For Residential and Household Use Only

Not for use on lawns

Only apply WK08201 to established ornamental plants listed on this label. Do not apply to plants that are under stress. Do not over-apply or mix this product into the soil, as injury may occur to plants which are sensitive to WK08201. This product is not for use on lawns, or for use in enclosed areas, such as greenhouses. Do not apply another herbicide within 4 weeks of application of this product.

Do not apply more than 4.25 lbs. of this product per 1,000 sq. ft. per application, and no more than 12.75 lbs. of this product per 1,000 sq. ft. per year.

In the state of New York, do not apply more than 4.25 lbs. per 1,000 sq. ft. per year. Use of this product in Nassau and Suffolk counties of New York is prohibited.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Weeds Controlled

Grassy weeds: Barley; Barnyardgrass; Bluegrass, Annual; Brome; Buttercup; Crabgrass: Large, Smooth, Southern; Crowfootgrass; Dallisgrass(seedling); Goosegrass; Foxtail: Green, Yellow; Kikuyugrass; Oats, Wild; Ryegrass: Annual, Perennial; Sandbur; Smutgrass. Broadleaf weeds: Bittercress,; Carpetweed; Chickweed; Geranium, Carolina; Henbit; Knotweed, Prostrate; Lespedeza, Common; Lambsquarters; Marestail; Medic, Black; Mustard; Pineappleweed; Pigweed, Redroot; Parsely-piert; Purslane, Common; Rocket, London; Shepherdspurse; Speedwell, Corn; Spurge: Garden, Prostrate, Spotted; Woodsorrel: Creeping, Yellow.

WK08201 is recommended for use around these established plants

Notification Marketing

Page 3 of 8

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses – Ajug Bronze, Beach Grass; Bronze Beauty; Aster, Chinese: Dwarf Queen; Basket Flower; Bee Balm; Begonia; Black-eyed Susan: Goldstrum; Blanket Flower; Blue Fescue; Bugle Carpet; Carex, Variegated; Celosia; Centaura; Cockscomb, Plumosa: Scarlet plumosa; Coleus: Red Kewpie; Columbine; Coreopsis: Moonbeam; Corn Flower; Cotoneaster; Daffodil: King Alfred; Daylilly: Aztec Gold, Bright yellow (hybrid), Single gold (evergreen), Wilsonís Yellow; Dianthus (Sweet William); Delphinium: Magic fountain; Dusty miller; Fern (various); Fescue; Fountain Grass; Galium; Geranium; Hosta: Albo marginata; Ice plant; Impatiens; Iris: Dwarf blue, Wedgewood; Ivy, English: Bulgaria, Thorndale; Jasmine, Asian; Lily, African: Lily, African blue; Lilyturf: Evergreen giant, Lilac beauty, Majestic, Monroe white, Variegata; Liriope, Green; Marigold: Honeycomb, Variegata, Wheeleris dwarf; Mondo Grass; Moss Rose: Sunnyside; Narcissus; Osteospermum: Wirligig; Pachysandra; Pampas grass; Pansy; Periwinkle, Dwarf; Petunia: Picoti; Ribbon grass; Rockcress: Snowcap; Salvia: Rhea; Sedum: Dragon blood red, Red carpet, Yellow; Snapdragon; Sweetflag, Grassy-Le; Trumpet flower, Evening; Tulip: Apeldoorn; Tufted hairgrass; Vervain: St. paul; Vinca (Periwinkle); Yarrow.

Shrubs – Abelia, Dwarf: Nana; Arborviatae: Nigra, Pyramidalis, Smaragh, Techny, Woodwardii; Arborviatae, Golden; Azalea; Brilliant, Buccaneer, Carror, Chimes (Belgian), Elsie lee, Exbury, Fashion, Hardijzer Beauty, Hershey Red, Higasa, Hinocrimson, Holland (Hybrid), Marion lee, Northern lights, Orange cup, Orchid Lights, Snow, Southern charm; Azalea, Flame; Azalea, Kirishima; Bamboo, Heavenly; Barberry: Aurea, Dwarf pigmy, Green, Kobold, Pygmy red, Rose glow; Barberry, Purple: Atropurpurea; Bearberry (common): Massachusetts; Bottlebrush; Boxwood, Japanese; Boxwood, Weller; Broom: Moonlight, Vancouver Gold; Camellia: Debutante, Mathotiana Supreme, Chansonette; Candy Tuft: Snow White; Cedar, Red; Copper Leaf; Coyotebrush; Cycads; Euonymus: Argenteo-variegata, Auereomarginata, Colorata, Emerald Gaiety, Emerald ëN Gold, Gold Edge, Gold Princess, Silver king, Tricolor, Vegetus; Fetterbush: Rainbow; Forsythia: Arnold Dwarf, Bronxensis Dwarf, Lynwood Gold, Meadowlark, Weeping; Fuchsia; Gardenia: Mystery, Radicans; Heather, Twisted: Mediterranean Pink; Hibiscus: Blue bird, Brilliant, Hula girl; Holly: Blue boy, Blue girl, Burfodii, China girl, Compacta, Forsteri, Hellerie, Japanese northern beauty, Needlepoint, Nellie R. Stevens, Savannah; Holly, Chinese; Holly, Japanese; Holly, Yaupon; Honeysuckle: Claveyís Dwarf, Halliana, Tatarian Canadian White, Zebelli Red Hosta; Juniper: Arcadia, Armstrong, Bar Harbor, Blue chip, Blue pacific, Blue rug, Blue star, Broadmoor, Buffalo, Calgary carpet, Emerald sea, Emerald spreader, Endora compacta, Fruitlandi, Green, Gold tip, Hetzi, Hughes, Manhattan blue, Parsoni, Pfitzeriana, Plumosa, Prince of whales, Procumbens Dwarf, San Jose, Sargent Blue, Sargent Green, Scandia, Scopulorum Moonglow, Scopulorum Skyrocket, Spartan, Tamariscifolia, Weberi, Youngstown, Yukon Belle: Laurel, Australian: Laurel, Mountain: Leucothoe; Ligustrum, Japanese; Lily of the Valley: Mt. Fire; Myrtle, Crape: Faurei, Langer, Muskogee, Standard Pink; Myrtle, Wax; Nandina: Compacta, Nana; Oleander: Hardy Red, Petite Pink, Sister Agnes; Paper Flower: Barbara Karst; Photinia, Red tip; Pieris; Pine: Mugho; Pine, Swiss Mt.; Pineapple, Guava; Pittosporum, Japan; Potentilla: Abbotswood; Privet: Golden Vicary, Regal, Texanum, Wax, Yellow Tipped; Privet, Glossy; Pyracantha: Gnome, Lalandei, Victory; Rhododendron: Album, Cunningham White, Fashion, Hardy, PJM, Purple Gem, Silver. Pink; Rhododendron, Carolina; Rhododendron, Catawba; Rodie Max (Rosebay); Rose: Luta; . . . Rosemary, Bog: Nana; Spiraea: Anthony Waterer red, Dolchica, Fanail, Froebeli Pink, Goldenflame Red, Snowmound White, Van Houtte White; Spriaea, Garland; Verbena: Shrub; • Virburnum: American Cranberry Bush, Arrowood, Common snowball, European cranberry. bush, Linden, Mohican, Wright; Xylosma; Yaupon: Dwarf; Yew: Denisiformis.

Trees -- Almond, Flowering; Ash: Green, Mountain, Purple; Birch, River; Cypress, Bald; Cypress, Italian: Glauca; Cypress, Japanese false: Gracilis; Cypress, Leyland; Dogwood;

Dogwood, American:Flavarine I; Douglas Fir; Elm, Drake; Fan Palm, Et Pean; Fan Palm, Mexican; Ficus; Fir Fraser; Gum; Hawthorn: Cockspur White, Crimson Cloud, Enchantress, Jack Evans, Washington White; Hemlock, Canada; King Palm; Maple, Japanese; Maple, Norway; Maple, Red; Maple, Silver; Maple, Sugar; Oak, Laurel; Oak, Pin; Oak, Red; Oak, Southern L; Oak, Willow; Palm, Bangalow; Pine, Australian; Pine, Japanese Black; Pine, Loblolly; Pine, Longleaf; Pine, Scotch; Pine, Slash; Pine, Virginia; Pine, White; Queen Palm; Sourwood; Spruce: Black Hills; Spruce, Colorado blue; Spruce, Norway; Spruce, White; Sweetgum; Sycamore; Tree fern (Tiki fern); Windmill Palm.

Nonbearing Fruit and Nut Trees and Plants – Apple; Blueberry: Bluecrop, Blue Jay, Jersey, North Blue, Northland; Mock orange: Golden, Snowflake Double White; Peach; Quince, Japanese; Rosemary.

†Ornamental species only: Do not use on food producing trees and ornamentals.

When to apply WK08201

Apply WK08201 anytime during the growing season only around established plants. WK08201 should not be used on flower seeds. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying WK08201 as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. To keep ornamental beds weed-free all season long, reapply WK08201 every 4 months.

How to apply WK08201

To avoid plant injury, do not apply WK08201 when foliage is wet. When plants are dry, sprinkle WK08201 on soil surface at rate given below. Once activated by watering, WK08201 forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying around established plants

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs and trees: sprinkle WK08201 evenly over the entire soil surface, at the rate of 0.68 oz. Per 10 sq. ft. (see picture below), being sure to keep granules away from plant roots and foliage. Water WK08201 into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface application rate

Sprinkle WK08201 as shown on soil surface. [INSERT IMAGE W/ COIN]

Applying WK08201 with mulch

For best weed control, we recommend applying WK08201 after spreading mulch on your flower and shrub beds. Sprinkle WK08201 on top of mulch at surface rate (see picture on right), being sure to keep granules away from plant foliage. Water WK08201 into mulch. Always wash or brush stray granules from plant foliage to avoid damage or discoloration.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

CONTAINER DISPOSAL:

IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Preen Guarantee

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

(L) (D)

EPA Reg. No. 961-410

EPA Est. No. 961-xx-xx:961-xx-xx

CAS No. 97886-45-8

Superscript used is first letter of lot number.

Manufactured by:

Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 1-800-233-1067

www.preen.com

Advertising claims that may be presented on the label:

- Money Back Guarantee
- Won't harm plants when used as directed
- Eliminates Crabgrass
- Kills [young] Crabgrass
- Long Lasting
- Lasts longer!
- A preemergence herbicide for control of certain broadleaf weeds and annual grasses
 - o Landscape ornamentals
 - o Container grown ornamentals
 - o Gound covers/perennials
 - o Non-bearing fruit and nut trees
 - o Non-bearing Ornamental fruit and nut trees
- A Work Saver Product For The Joy Of Weed-Free Gardens
- Applicator Scoop Included

Notification Marketina

Page 6 of 8

- Apply anytime (– spring summer or fall)
- Apply any time (throughout the growing season.)
- Controls tough grasses and weeds [such as (bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] [even (bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)]
- Does not harm plants(*) [(*)Please refer to plant list where product can be used]
 [(*)When used as directed]
- Easy to use
- EASY TO USE APPLICATOR [Insert Image]
- Easy To Apply Just shake on.
- Effective Weed Control Prevents weeds all season long eliminates the need for hand weeding.
- Eliminate [time consuming] hand weeding
- For residential use only
- Good Housekeeping Seal of Approval (logo)
- Great over mulch.
- Improved!
- Lift here to open
- New!
- One application prevents weeds [all season] [for (3, 4) months]
- Preen® is a registered trademark of Lebanon Seaboard Corporation.
- Preen works so you don't have to
- Press to reseal
- Prevents new weeds for [up to] [(3, 4) months]
- Prevents weeds up to (three, four) months
- [3-4] month weed preventer
- Prevents [both] grasses and broadleaf weeds [with one application] [before they get started]
- Prevents [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] and many other weeds
- Prevents [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)] and other common weeds
- Prevents the toughest weeds
- Prevents tough southern weeds like [(bittercress, bluegrass, buttercup, crabgrass, foxtail, dallisgrass, speedwell, knotweed, pigweed, carpetweed, black medic, goosegrass, Carolina geranium, spurge, woodsorrel, chickweed, henbit, purslane,)]
- Prevents weeds [up to] [for] [(3, 4) months]
- Prevents weeds all season [long]
- Prevents Weeds in Ornamental beds and around Bulbs, Flowers, Roses, Heros, Ground Covers, Ornamental Grasses, Shrubs & Trees
- Prevents weeds without harm(*) [(*)Please refer to plant list where product can be used]
 [(*)When used as directed]
- Proof of Purchase

- Provides [up to] [(3, 4) months weed control
- Ready To Use Granules with Built In Applicator (for plastic containers)
- Refillable Preen Bottle (for plastic containers)
- For use around Pansies
- Season long weed preventer
- See inside booklet for complete directions for use, plant listings, & precautionary statements
- Simply press to close
- Southern Garden Weed Preventer
- Southern Weed Preventer
- Specially formulated for southern gardens
- Specially formulated for southern climates
- Sprinkle around flowers, trees, shrubs
- Sprinkle around flowers trees and shrubs
- Sprinkle once to prevent weeds all season
- Sprinkle once to prevent weeds [up to (3, 4) months]
- Sprinkle once to prevent weeds [for (3, 4) months]
- Sprinkle around flowers, trees, shrubs [every (3, 4) months]
- Stop weeds before they start!
- Stop weeds before they startTM
- Stop weeds before they start around flowers, trees, shrubs
- Stops weeds before they start
- Southern Formula
- The Flower and Garden Weed Preventer
- This WORK-SAVER product prevents weeds in one [easy] application.
- To open cut along dotted line
- Try Other Preen Products!
 - o Preen Lawn Stepsaver Weed Control Plus Fertilizer
 - o Preen Weed & Grass Killer
 - o Preen Mulch Plus
 - o Preen Weed Preventer with Brilliant Blooms Fertilizer
 - o Preen Landscape Weed Control Fabric
 - o Preen Organic Vegetable Garden Weed Preventer
- Use for a beautiful weed free landscape
- Use around flowers, trees and shrubs
- Visit www.preen.com
- Won't wash away
- Works season long
- for Southern Gardens
- Shake on Mulch Every 4 Months [with placeholder pictogram Shaker and product]

